Safety Data Sheet acc. To OSHA HCS

Revision Date: 02/24/2020

Product Identifier Vibropruf #6		
Article number:		
Relevant Identified uses of the substan	nce or mixture and uses advised against	No further relevant information available
Application of the substance / the mix	ture	
Details of the supplier of the safety da	ta sheet	
Manufacturer/Supplier	Lambert Corporation 20 Coburn Ave. Orlando, FL 32805 (407) 841-2940	
Emergency Telephone Number:	(800) 424-9300 - Chemtrec	
Information Department: Env	ironmental, Health, and Safety department	

Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

Label Elements

GHS label elements

Hazard Pictograms



GHS08Signal WordDangerHazard-determining components of labeling:Quartz (SiO2)Hazard StatementsMay cause cancer.Precautionary statementsWear protective gloves/protective clothing/eye protection/face protection.Obtain special instructions before use.Do not handle until all safety precautions have been read and understood

IF exposed or concerned: Get medical advice/attention.

Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



HMIS ratings (scale 0 - 4)



Other Hazards

Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

3 Composition/Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions

Dangerous Components:

OP0273	Mineral Oil Mist	
69102-64-2	Amorphous Silicon Dioxide	
65997-16-2	Calcium Aluminate Cement	
1305-78-8	Calcium Oxide (Lime)	
14808-60-7	Quartz (SiO2)	
65997-15-1	Cement, Portland	
Additional info	Additional information For the wording of the listed risk phrases refer to section 16.	

4 First-Aid Measures

Description of first aid measures

After Inhalation:	Supply fresh air; consult doctor in case of complaints
After Skin Contact:	If skin irritation continues, consult a doctor
After Eye Contact:	Rinse opened eye for several minutes under running water.
After Swallowing:	Seek medical treatment

Most important symptoms and effects, both acute and delayed:

No further information available

Indication of any immediate medical attention and special treatment needed:

No further information available

5 Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing agents: CO2, sand, extinguishing powder, foam. Fight larger fires with water spray

Water

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Advice for firefighters:

Protective equipment: Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode

No further relevant information available

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental procedures: No special measures required

Methods and material for containment and cleaning up: Pick up mechanically

Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

Precautions for safe handling: Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

Information for protection against explosions and fires: No special requirements

Conditions for safe storage, including any incompatibilities:

Storage: No special requirements

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None

Specific end use(s): N/A

Additio	onal information	about design o	of technical systems: N/A
Contro	ol parameters:		
Compo	onents with limit	values that req	uire monitoring at the workplace:
14808-	60-7 Quartz (SiC) 2)	
PEL	See Quartz listi	ng	
REL	Short-term valu	ue: 0.0.	$5* mg/m^3$
	*respirable dus	t; See Pocket (Guide App. A
TLV	Long-term valu	e: 0.02	$25* mg/m^3$
	*as respirable j	fraction	
65997-	15-1 Cement, po	rtland	
PEL	Long-term valu	e: 50 i	mppcf or 15* 5** mg/m ³
	*total dust **re	espirable fracti	<i>ion</i>
REL	Long-term valu	e: 10*	$5^{**} mg/m^3$
	*total dust **re	espirable fracti	<i>ion</i>
TLV	Long-term valu	e: 1*1	mg/m ³
	E; *as respirab	le fraction	
Additio	onal information	: The lists tha	t were valid during the creation were used as basis
Exposi	ure controls:		
Person	al protective equ	ipment:	
Genera	al protective and	hygienic meas	ures:
Wash I	hands before brea	ks and at the e	nd of work
Breath	ing equipment	Not required	1
Protec	tion of hands:		
	Protec	tive Gloves	
Materi	al of gloves:	quality and substances,	n of the suitable gloves does not only depend on the material, but also on further marks of varies from manufacturer to manufacturer. As the product is a preparation of several the resistance of the glove material can not be calculated in advance and has therefore to prior to the application.
Penetr	ation time of glo	ve material:	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

Information of basic physical and chemical properties

General information

Appearance:

11	
Form:	Solid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined
pH- value:	Not applicable
Change in condition:	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous):	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not self-igniting
Danger of explosion:	Product is not explosive
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure at 20 °C (68 °F):	Not applicable
Density at 20 °C (68 °F)	2.74819 g/cm ³ (22.934 lbs/gal)
Relative density:	Not determined
Vapor density:	Not applicable
Evaporation rate:	Not applicable
Solubility in / Miscibility with Water:	Soluble
Partition coefficient (n-octanol/water)	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
Solvent content:	
Organic solvents:	0.00%
Solids content:	100.00%
Other information:	None
Volatile organic compounds:	Contains less than 800 g/L

10 Stability and Reactivity

Reactivity:

Chemical stability:

Thermal decomposition / Conditions to be avoided:No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: Keep away from heat and sources of ignition

Incompatible materials: No further relevant information available

Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological Information:

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

on the skin: May cause skin irritation

on the eye: No irritating effect known

Sensitization: No sensitizing effects known

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients listed.

12 Ecological Information

Toxicity:Aquatic toxicity:No further relevant information available.Persistence and degradability:No further relevant information available.Bioaccumulative potential:No further relevant information available.Mobility in soil:No further relevant information available.Additional ecological information:General notes:Water hazard class 1 (Self-assessment): slightly hazardous for water

Results of PBT and vPvB assessment:

PBT: Not applicable *vPvB:* Not applicable *Other adverse effects:* No further relevant information available.

13 Disposal Considerations

Waste treatment methods:	
Recommendation :	Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to Federal, State, and Local regulations

14 Transport Information

UN-Number:	
DOT, ADR, ADN, IMDG, IATA	Not regulated
UN proper shipping name:	
DOT, ADR, ADN, IMDG, IATA	Not regulated
Transport hazard class(es):	
DOT, ADR, IMDG, IATA	
Class	Not regulated
Packing group:	
DOT, ADR, IMDG, IATA:	Not regulated
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
Transport/Additional information:	
ADR:	
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
U.S. Domestic ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determined
IMDG	

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	N/E

15 Regulatory information

Safety, health and environmental regulations/leg	islation specific for the substance or mixture:
Sara:	
Section 355 (extremely hazardous substances):	None of the ingredient listed
Section 313 (Specific toxic chemical listings):	This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below
TSCA (Toxic Substances Control Act):	
14808-60-7 Quartz (SiO2)	
65997-15-1 Cement, Portland	
Proposition 65:	
Chemicals known to the State of California (Prop	p. 65) to cause cancer:
14808-60-7 Quartz (SiO2)	
Chemicals known to cause reproductive toxicity f	for females:
None of the ingredients listed.	
Chemicals known to cause reproductive toxicity f	for males:
None of the ingredients listed.	
Chemicals known to cause developmental toxicity	<i>):</i>
None of the ingredients listed.	
Cancerogenity categories:	
EPA (Environmental Protection Agency):	
None of the ingredients listed.	
TLV (Threshold Limit Value established by ACG	<i>IH</i>):
14808-60-7 Quartz (SiO2)	
MAK (German Maximum Workplace Concentrat	tion):
14808-60-7 Quartz (SiO2)	
NIOSH-Ca (National Institute for Occupational	Safety and Health)
14808-60-7 Quartz (SiO2)	
GHS label elements: The product is classified	l and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms:	



GHS08 Signal word: Danger Hazard-determining components of labeling: Quartz (SiO2) Hazard statements: May cause cancer **Precautionary statements:** Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use Do not handle until all safety precautions have been read and understood IF exposed or concerned: Get medical advice/attention Store locked up Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations: Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

Department issuing MSDS: Environmental, Health & Safety Department

Contact: Environmental, Health & Safety Manager

Date of preparation / Last revision: 02/24/2020

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 Repr. 2: Reproductive toxicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1