# L&M<sup>™</sup> CURE R<sup>™</sup> by LATICRETE International

### CLASSIFICATION: 03 39 23 13

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

**PRODUCT DESCRIPTION:** L&M<sup>™</sup> CURE R<sup>™</sup> is a ready-to-use resin membrane forming curing agent that cures freshly placed concrete: forming an effective barrier against moisture loss from concrete surfaces. This sprayable liquid maintains efficient water retention performance to comply with ASTM, AASHTO and most state DOT requirements.

# Section 1: Summary

# **Basic Method / Product Threshold**

# **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

Material
 Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

Threshold level

- Residuals/Impurities
- Considered
   Partially Considered
   Not Considered
- Explanation(s) provided for Residuals/Impurities? • Yes • No

#### All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No

% weight and role provided for all substances.

#### 

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals<sup>®</sup>. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

L&MTM CURE RTM [ WATER BM-4 NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED LT-UNK UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL UNDISCLOSED LT-UNK POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER BM-1tp | END | MUL | REP | AQU | DEL UNDISCLOSED BM-1 | SKI | END | MUL | REP UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | SKI | UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | AQU | MAM | END UNDISCLOSED LT-1 | AQU | SKI | EYE | MUL UNDISCLOSED BM-1 | CAN | MAM | SKI | PHY | END | REP UNDISCLOSED NoGS ]

# VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 305 Regulatory (g/l): 305 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE Products"

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-03-16 PUBLISHED DATE: 2020-05-11 EXPIRY DATE: 2023-03-16 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PRODUCT THRESHOLD: 100 ppm       RESIDUALS AND IMPURITIES CONSIDERED: Yes         RESIDUALS AND IMPURITIES NOTES:       Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.         OTHER PRODUCT NOTES:       See SDS at www.laticrete.com for occupational exposure information.         WATER       IN 7732-18-5         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE:       2020-03-16         % 75.00 - 85.00       GS: BM-4       RC: None       NANO: No       ROLE:       Diluent         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING ON THE 2020-03-16       INO         None found       No warnings found on HPD Priority Hazard Lists       SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         MAPHTHAL (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, POLYMERS, POLYMERS, POLYMERS, POLYMERS       ID: 68132-00-3         MAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %:       10: 00 - 15.00       GS: LT-UNK       RC: None       No.       No LE: Resin         MAZARD TYPE       ADENCY AND LIST TITLES       WARRINGS						
when they are potentially greater than 100 ppm.         OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.         WATER       ID: 7732-18-5         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 75.00 - 85.00       GS: BM-4       RC: None       NANO: NO         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: NO         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: NO         NORE found       No warnings found on HPD Priority Hazard Lists       SUBMINGS         None found       No warnings found on HPD Priority Hazard Lists       SUBMINGS	PRODUCT THRESHOLD: 100 ppn	n residuals	AND IMPURITIES CONSIDERI	ED: Yes		
WATER       ID: 7732-18-5         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %:       75.00 - 85.00       GS: BM-4       RC: None       NANO: No       ROLE: Diluent         HAZARD TYPE       AGENCY AND LIST TITLES       WARRINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %:       10.00 - 15.00       GS: LT-UNK       RC: None       NANO: NO       ROLE: Resin         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS       NOW armings found on HPD Priority Hazard Lists         None found       No warnings found on HPD Priority Hazard Lists       SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to		-	sured by quantitative	methods and	are only	v displayed
HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %:       75.00 - 85.00       GS: BM-4       RC: None       NANO: No       ROLE: Diluent         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: NO       ROLE: Resin         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	OTHER PRODUCT NOTES: See SI	DS at www.laticrete.com for occupa	ational exposure infor	mation.		
%: 75.00 - 85.00       GS: BM-4       RC: None       NANO: No       ROLE: Diluent         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: No       ROLE: Resin         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	WATER					ID: 7732-18-5
HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-03	-16	
None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: No         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	%: 75.00 - 85.00	GS: <b>BM-4</b>	RC: None	NANO: <b>NO</b>	ROLE	Diluent
NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS,       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.         NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED       ID: 68132-00-3         HAZARD SCREENING METHOD:       Pharos Chemical and Materials Library       HAZARD SCREENING DATE: 2020-03-16         %: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: No       ROLE: Resin         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	None found		No	warnings found or	n HPD Prio	ority Hazard Lists
%: 10.00 - 15.00       GS: LT-UNK       RC: None       NANO: No       ROLE: Resin         HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS       VORTINGS found on HPD Priority Hazard Lists         None found       No warnings found on HPD Priority Hazard Lists       SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	preserve integrity of formu NAPHTHA (PETROLEUM), L HYDROGENATED	la and maintain competitive advantage. The second sec	he component CAS# was ED, POLYMERS,	used to identify a	associate	ed hazards. ID: 68132-00-3
HAZARD TYPE       AGENCY AND LIST TITLES       WARNINGS         None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to						
None found       No warnings found on HPD Priority Hazard Lists         SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to	%. 10.00 - 13.00				NO. <b>NO</b>	NOLE. NOSIII
		AGENCY AND LIST TITLES		warnings found or	HPD Prid	ority Hazard Lists
preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.	None found		NO	0		
UNDISCLOSED	SUBSTANCE NOTES: The amount		he plant of manufacture.	This product is sl	nown as	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-16	SUBSTANCE NOTES: The amoun preserve integrity of formu		he plant of manufacture.	This product is sl	nown as	
%: 2.00 - 5.00 GS: LT-1 RC: None NANO: No ROLE: Solvent	SUBSTANCE NOTES: The amoun preserve integrity of formu	la and maintain competitive advantage. Ti	he plant of manufacture. he component CAS# was	This product is sl used to identify a	nown as associate	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

## 1,2,4-TRIMETHYLBENZENE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: 1.00 - 2.00	GS: <b>BM-2</b>	RC: None NANO: No		ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes	serious eye irritati	on
MULTIPLE German FEA - Substances Hazardous to Waters		Class 2 - Haza	rd to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

ID: 95-63-6

%: <b>1.00 - 2.00</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	arnings found on H	IPD Priority Hazard Lists

POLYETHYLENE GLYCOL MONO(BRANCHED P-NONYLPHENYL) ETHER				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: <b>1.00 - 2.00</b>	GS: BM-1tp	RC: None NANO: No ROLE: Surfactant		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development		
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption		
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects		
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms		
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects		
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-16		
%: 0.10 - 0.20	GS: <b>BM-1</b>	RC: None NANO: No ROLE: Solve		ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haza	rd to Waters		
REPRODUCTIVE	GHS - Japan	Toxic to reproc	duction - Category	1B [H360]	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD		HAZARD SCREENIN	IG DATE: 2020-03	-16
%: <b>0.10 - 0.20</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	o warnings found	on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-03-16			
%: <b>0.10 - 0.25</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Wetting Agent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Ca	uses severe skin	burns and eye damage		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-16			
GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Stabilizer
AGENCY AND LIST TITLES	WARNINGS		
	N	o warnings found o	on HPD Priority Hazard Lists
	•	•	
	GS: LT-UNK AGENCY AND LIST TITLES Pount of this component may vary based on the	GS: LT-UNK RC: None AGENCY AND LIST TITLES WARNINGS N punt of this component may vary based on the plant of manufacture.	GS: LT-UNK RC: None NANO: No AGENCY AND LIST TITLES WARNINGS

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: <b>0.05 - 0.10</b>	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: <b>0.05 - 0.10</b>	GS: <b>LT-P1</b>	RC: None NANO: No ROLE: Preservat		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Ven	/ toxic to aquatic	life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Cau	ses skin irritation	1
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May	/ cause an allergi	c skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Cau	ses serious eye o	damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - H	azard to Waters	
SKIN SENSITIZE	МАК	Sensitizing	Substance Sh - I	Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

%: 0.02 - 0.04

HAZARD SCREENING DATE: 2020-03-16

GS: **BM-1** 

NANO: **NO** 

ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: <b>0.01 - 0.02</b>	GS: NoGS	RC: None	NANO: <b>No</b>	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A						
CERTIFYING PARTY: Self-declared       ISSUE DATE: 2018-       EXPIRY DATE:       CERTIFIER OR LAB: LATICRETE         APPLICABLE FACILITIES: Applies to All Facilities.       12-19       12-19         CERTIFICATE URL:       CERTIFICATION AND COMPLIANCE NOTES: L&M™ CURE™ R has not been tested for VOC emissions.       CERTIFICATION AND COMPLIANCE NOTES: L&M™ CURE™ R has not been tested for VOC emissions.							
VOC CONTENT	TDS 251 "Low VOC LATICRETE Products"						
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities.	ISSUE DATE: 2019- 01-18	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE				

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: L&M<sup>™</sup> CURE R<sup>™</sup> does not meet LEED v4 Credit "Low Emitting Materials" for VOC content per SCAQMD Rule 1113 (Concrete-Curing Compounds).

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

L&M<sup>™</sup> CURE R<sup>™</sup> does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red List of Materials or Chemicals. Specifically, L&M CURE R contains Polyethylene Glycol Mono (Branched P-Nonylphenyl) as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

# MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

## KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)