OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

1 Identification

- · Product Identifier
- · Trade Name: Acrylic Ad-Mix 101©
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Intergral bonding agent
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Larsen Products Corp. 8264 Preston Court Jessup, MD 20794

P: 301-776-4595 F: 301-776-2723

jlasen@larsenproducts.com www.larsenproducts.com

Emergency telephone number: 800-633-6668

2 Hazard(s) Identification

· Classification of the substance or mixture:

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements:

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

50 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*0 Health = *0

• Fire = 0

REACTIVITY 0 Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · **Description:** Non-Regulated Material

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

Dangerous Components:		
	Polyethylene glycol octylphenol ether	1-5%
RTECS: MD0907700	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 9036-19-5	Polyethylene glycol octylphenyl ether	1-5%
	♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration, Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eve contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:	PAC-1:				
9036-19-5	Polyethylene glycol octylphenyl ether	13 mg/m			
532-32-1	Sodium Benzoate	61 mg/m ³			
556-67-2	Octamethylcyclotetrasiloxane	30 ppm			
PAC-2:					
9036-19-5	Polyethylene glycol octylphenyl ether	140 mg/m ³			
532-32-1	Sodium Benzoate	680 mg/m ³			
556-67-2	Octamethylcyclotetrasiloxane	68 ppm			
PAC-3:		·			
9036-19-5	Polyethylene glycol octylphenyl ether	830 mg/m ³			
532-32-1	Sodium Benzoate	810 mg/m ³			
556-67-2	Octamethylcyclotetrasiloxane	130 ppm			

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

· Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid White Odor: Sweetish Odor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 7-8

Change in condition

Melting point/Melting range: Not determined.
Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· *Vapor pressure* @ **20** °C (68 °F): ≤23 hPa (≤17.3 mm Hg)

Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.00 %

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

	• • • • • • • • • • • • • • • • • • • •		
	LD/LC50	values tha	nt are relevant for classification:
	9002-93-1	Polyethy	lene glycol octylphenol ether
	Oral	LD50	1,800 mg/kg (Rat)
	Dermal	LD50	8,000 mg/kg (Rat)
	Inhalative	LC50/4 h	8.9 mg/l (Pimephales)
9036-19-5 Polyethylene glycol octylphenyl e			lene glycol octylphenyl ether
	Oral	LD50	>16,000 mg/kg (Rat)
	Dermal	LD50	>16,000 mg/kg (Rabbit)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: No irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

9002-93-1 Polyethylene glycol octylphenol ether

EC50 26 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

- · Mobility in soil: No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- *Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):

9036-19-5 Polyethylene glycol octylphenyl ether

	OANA (Ouperland Amendments and Nedathonzation).					
	· Section 355 (extremely hazardous substances):					
	None of the ingredients are listed.					
· Section 313 (Specific toxic chemical listings):						
None of the ingredients are listed.						
· TSCA (Toxic Substances Control Act):						
	7732-18-5 Water, distilled water, deionized water	ACTIVE				
	9002-93-1 Polyethylene glycol octylphenol ether	ACTIVE				

(Contd. on page 7)

ACTIVE

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

532-32-1	Sodium Benzoate	ACTIVE				
556-67-2	Octamethylcyclotetrasiloxane	ACTIVE				
· Hazardous Air Pollutants						
None of the ingredients are listed.						
	· California Proposition 65:					
	s known to cause cancer:					
None of the ingredients are listed.						
· Chemicals known to cause reproductive toxicity for females:						
None of the	e ingredients are listed.					
· Chemicals known to cause reproductive toxicity for males:						
None of the ingredients are listed.						
· Chemicals known to cause developmental toxicity:						
None of the ingredients are listed.						
· New Jersey Right-to-Know List:						
None of the ingredients are listed.						
· New Jerse	· New Jersey Special Hazardous Substance List:					
None of the ingredients are listed.						
· Pennsylva	Pennsylvania Right-to-Know List:					
None of the	None of the ingredients are listed.					
· Pennsylva	· Pennsylvania Special Hazardous Substance List:					
None of the ingredients are listed.						

- Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements:

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- None of the ingredients are listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/19/2019 Reviewed on 08/19/2019

Trade Name: Acrylic Ad-Mix 101©

this information and the suitability of the material or product for any particular purpose.

· Date of last revision/ revision number: 08/19/2019 / -

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Acute 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106