

# EXCEPTIONALLY DURABLE SIDING

---



LP® SmartSide® Trim & Siding  
Product Guide & Specifications



2026

LPCorp.com



LP® SmartSide® ExpertFinish® Lap, Panel & Trim (Board & Batten Style) in Snowscape White; Shake Lap, Trim, and Soffit in Abyss Black Photo by Nuvo360

**A beautiful exterior begins here.**

## ABOUT LP® SMARTSIDE® TRIM & SIDING

LP® SmartSide® Brand	04
Durability	06
Warranty	09
Efficiency	10
Sustainability	12

## OPTIONS

LP SmartSide Portfolio	14
Textures	15
Primed LP SmartSide Siding	16
ExpertFinish® Prefinished Siding	18
Home Visualizer Tool	22
Applications	23

## PRODUCTS

Complete Siding Solution	24
Lap Siding	26
Nickel Gap Siding	28
Shake Lap Siding	30
Soffit	32
Panel & Vertical Siding	34
Trim & Fascia	36
Accessories	38

## SPECIFICATIONS

Lap Siding	42
Nickel Gap Siding	46
Shake Lap Siding	50
Closed Soffit	
38 Series	54
76 Series	58
190 Series	59
Vented Soffit	60
Panel Siding	
38 Series	64
76 Series	70
190 Series	72
Vertical Siding	74
Trim & Fascia	
190 Series	78
440 Series	82
540 Series	86
Accessories	90
Unit Sizes	102
Coverage Charts	104



[LPCorp.com](http://LPCorp.com)


# A REPUTATION OF PERFORMANCE.

Throughout the last 25 years, the LP® SmartSide® brand has earned a reputation as one of the highest-performing and most preferred trim and siding brands on the market due to its Advanced Durability for Longer Lasting Beauty®.



LP® SmartSide® ExpertFinish® Lap in Quarry Gray, Vertical Siding and Trim in Quarry Gray, and Trim & Fascia in Snowscape White

## A SMART CHOICE WITH BENEFITS THAT STACK UP



### Exceptionally Durable

Features engineered wood strand technology and LP's proprietary SmartGuard® process



### Impressively Efficient

Easy to cut, transport, and install, and performs durably on the jobsite - helping you finish faster



### Sustainable

Made with wood, a renewable resource, and verified carbon negative by ASTM International



### Highly Versatile

Available primed or prefinished, in a variety of styles and profiles, and in cedar texture or brushed smooth

# DURABILITY

LP® SmartSide® products help deliver superior resistance against:

- Moisture intrusion from many weather conditions
- Impacts from hail
- Damage from freeze/thaw cycles
- Damage from termites
- Damage from fungal decay



See p. 9 for additional warranty info.

Refer to limited warranty at [LPCorp.com/literature](http://LPCorp.com/literature) for complete details, including important limitations and exclusions.

Image edited for dramatization



## DURABLE SIDING. SMART TECHNOLOGY.

The exceptional durability of LP® SmartSide® Trim & Siding is built on engineered wood strand technology and LP's proprietary SmartGuard® manufacturing process.

Made using precisely-sized, shaped, and layered wood strands from responsibly-sourced logs, every LP SmartSide product is treated to the core with an advanced formula of adhesive resins, water-resistant waxes, and zinc borate. Then, a water-resistant, resin-saturated overlay is permanently bonded to the product.

Our SmartGuard process takes durability to the next level, arming LP SmartSide products to help protect the beauty and integrity of your home's exterior.

Learn more about the impressive resiliency of LP SmartSide Trim & Siding at [LPCorp.com](http://LPCorp.com)

## THE DURABILITY DIFFERENCE

### 200 MPH

LP® SmartSide® lap siding is designed to help withstand tough storms with wind gusts of up to 200 miles per hour.



See p. 8 for study information


### 1.75 INCHES

The LP SmartSide limited warranty covers damage from hail up to 1.75" in diameter. See [LPCorp.com](http://LPCorp.com) for details.



### THE BIG 3

Every LP SmartSide product is treated with adhesive resins, water-resistant waxes, and zinc borate, helping protect against moisture intrusion.



Refer to limited warranty at [LPCorp.com/literature](http://LPCorp.com/literature) for complete details, including important limitations and exclusions.

## RESISTS FORCES OF NATURE




### Resists Impacts from Hail

Results of third-party testing commissioned by LP demonstrate that LP® SmartSide® cedar texture lap siding resists hail damage better than fiber cement siding and vinyl siding. In fact, the LP SmartSide limited warranty covers impacts from hail up to 1.75" in diameter.



### Stays Put in High Winds

LP SmartSide Lap Siding is designed to withstand tough storms with wind gusts of up to 200 miles per hour. Refer to ESR-1301 or PR-N124.



### Resists Cracking from Heat and Sun Exposure

Thanks to industrial-grade binders and resins and a durable primed overlay, LP SmartSide siding has been shown to remain strong when well maintained, even after prolonged exposure to intense sunlight.



### Resists Damage Through Freeze-Thaw Cycles

Many substrates delaminate when water is absorbed, then freezes and expands. LP SmartSide products, made with the SmartGuard® process, resist water and therefore are less subject to freeze-thaw cycle damage.



### Resists Fungal Decay

LP has conducted testing since 1996 on

LP SmartSide Trim & Siding near Hilo, Hawaii. The climate's high average temperature, high levels of humidity, and heavy annual rainfall make it a perfect breeding ground for termites, moisture, and fungal decay. Yet, our exterior exposure testing continues to validate that LP SmartSide siding performs over time.



### Resists Termite Damage

To put LP SmartSide products to the test, we exposed samples to Formosan termites, widely recognized as one of the world's most destructive pests. Each sample was placed on a grid, surrounded by untreated bait samples, then laid directly on top of termite colonies. The bait samples were damaged within three months – but even after a number of years, the LP SmartSide siding exhibited no structural damage.

# WARRANTY

## REST EASY. IT'S LP® SMARTSIDE® SIDING.

All LP® SmartSide® Trim & Siding products are backed by an industry-leading transferable prorated limited warranty:

- 50-year substrate
- 5-year labor and materials
- 15-year finish on ExpertFinish® prefinished products

The LP SmartSide limited warranty offers protection against damage from hail up to 1.75" in diameter, fungal decay and termites, and buckling, cracking, peeling, and chipping of the substrate.



Warranty Info



Refer to limited warranty at [LPCorp.com/literature](http://LPCorp.com/literature) for complete details, including important limitations and exclusions.



# EFFICIENCY



## ENGINEERED FOR FAST & EASY BUILDS

LP® SmartSide® products help you build fast and efficiently. From light weights to long lengths to advanced durability, they're designed to help boost productivity, so you can complete more builds quickly.



## ENJOY THE BENEFITS, AVOID THE FUSS

- Easy to carry and install due to lighter weight and flexibility
- Resists breakage, helping minimize material waste and installation delays
- Lap and trim are available in longer lengths, which may reduce cuts and seams

## THE LP® SMARTSIDE® DIFFERENCE

### Lighter Weights:

LP® SmartSide® lap siding is 45% lighter weight per square foot than fiber cement.



### Longer Lengths:

LP SmartSide lap siding's 16-foot lengths may lead to fewer seams and cuts compared to fiber cement's 12-foot lengths.



Learn more about how LP® SmartSide® products stack up to the competition



## PUT TO THE TEST

RSMeans, a trusted third-party construction data company, tested the productivity of LP SmartSide primed and prefinished products against comparable fiber cement products to find out which helps you install faster and reduce build cycles.



## THE RESULTS

Primed LP SmartSide Products vs. Fiber Cement

- LP SmartSide trim installs faster
- LP SmartSide lap installs faster

LP® SmartSide® ExpertFinish® Products vs. Prefinished Fiber Cement

- ExpertFinish trim installs faster
- ExpertFinish lap joint siding installs faster

## THE BOTTOM LINE

With lighter weights per square foot, longer lengths, and advanced durability, LP SmartSide trim & lap siding installs faster than fiber cement trim & lap siding.



# SUSTAINABILITY

The way we build today matters for tomorrow.

LP® SmartSide® Trim & Siding is an inherently sustainable, carbon-negative solution that can help you reduce the environmental impact of your builds, meet code, and qualify for green building programs.



LP® SmartSide® ExpertFinish® Panel and Trim in Abyss Black

LP® SmartSide® products offer a crucial environmental benefit: They're made to withstand the test of time. Durable materials help reduce waste and contribute to a more sustainable future for our planet.



LP® SmartSide® ExpertFinish® Lap, Vertical Siding, and Trim (Board & Batten Style) in Cavern Steel; Trim and Soffit in Quarry Gray

## INHERENTLY SUSTAINABLE

The LP® SmartSide® manufacturing process begins with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards.



We optimize resource efficiency by utilizing approximately 99% of the wood fiber that enters our facilities — either as a raw material in our products or as biomass, a renewable energy source, helping to reduce dependence on fossil fuels.

## GREEN BUILDING CERTIFICATION

Many LP® products support architects and specification writers in earning credits for green building certifications, including the U.S. Green Building Council's LEED® (Leadership in Energy and Environmental Design) certification and the WELL Building Institute's WELL Building Standard®.

In 2024, seven LP products also achieved National Green Building Standard® certification, reinforcing their role in sustainable construction:

- LP® SmartSide® Trim & Siding
- LP® SmartSide® ExpertFinish® Trim & Siding
- LP® FlameBlock® Fire-Rated Sheathing
- LP Legacy® Premium Sub-Flooring
- LP® TechShield® Radiant Barrier Sheathing
- LP® TopNotch® 350 Durable Sub-Flooring
- LP WeatherLogic® Air & Water Barrier

## CARBON NEGATIVE

LP SmartSide products lock in carbon previously stored in trees. Once installed, they continue to store carbon, resulting in less carbon in the atmosphere.

The majority of LP SmartSide products are verified carbon negative by ASTM International and have Environmental Product Declarations (EPDs) that show they store more carbon than is released during their entire life cycle.

The LP SmartSide Trim & Siding portfolio represents one of the only carbon-negative siding options on the market, making it a smart choice for building more sustainably.



## AN EFFICIENT SOLUTION

LP SmartSide products can help architects, specifiers, and builders achieve credits within green building certification programs, and our lap and panel products can be used as components within many wall assemblies to help builders meet code efficiently.

Learn more about the sustainability of LP SmartSide products



# OPTIONS

Whatever your project or style, the LP® SmartSide® Trim & Siding portfolio offers the versatility you need to achieve stunning results.

- Offerings include lap, trim, panel, vertical siding, soffit, shake, and accessory products that work together beautifully
- Many products are available in two options — cedar texture and brushed smooth
- Choose from primed products or prefinished offerings within our LP® SmartSide® ExpertFinish® color collection
- Can be utilized for new home construction, remodels, multifamily projects, or sheds and outdoor buildings


## THE LP® SMARTSIDE® TRIM & SIDING PORTFOLIO



Take a closer look at our complete suite of solutions on p. 24.



## TWO TEXTURES. ENDLESS POSSIBILITIES.




### Cedar Texture

Our cedar texture offers an authentic wood-grain aesthetic with timeless appeal.



LP® SmartSide® ExpertFinish® Lap and Trim in Abyss Black



### Brushed Smooth

Modern and polished, brushed smooth features a lightly-textured surface with a uniform appearance and consistent sheen.



LP® SmartSide® ExpertFinish® Lap, Panel, and Trim in Snowscape White

# LP® SmartSide® PRIMED TRIM & SIDING



LP® SmartSide® Primed Lap Siding



Our primed siding is a blank canvas for your color & style!

## GETTING THE LOOK YOU WANT IS AS EASY AS 1, 2, 3.



1

Install primed (unpainted) trim and siding.



2

Paint LP® SmartSide® products using high-quality, exterior-grade 100% acrylic paint manufactured for wood or engineered wood use.



3

Put your style on display, while enjoying the lasting benefits of LP SmartSide Trim & Siding


LP® SmartSide® Lap and Trim in custom color

## PRIMED AND READY TO PAINT

The complete LP® SmartSide® Trim & Siding product portfolio is available primed (unpainted) and ready to paint any color — giving you the flexibility to create the look you want. Our primed products offer exceptional paint adhesion and can be repainted over time.



Cedar Texture



Brushed Smooth



LP® SmartSide®  
**5/50** YEAR  
PRORATED  
LIMITED  
WARRANTY

LP® SmartSide® Primed Lap

LP® SmartSide® ExpertFinish®

# PREFINISHED TRIM & SIDING

**LP SmartSide®**  
ExpertFinish® TRIM & SIDING



LP® SmartSide® ExpertFinish® Lap in Sand Dunes



LP® SmartSide® ExpertFinish® Panel and Trim in Sand Dunes



## BUILT ON SMART TECHNOLOGY. FINISHED WITH LASTING COLOR.

- Delivers the same advanced durability as LP® SmartSide® primed (unpainted) products
- Factory-finished with high-grade acrylic exterior paint specifically engineered for use with LP SmartSide primers
- Optimal coating conditions help provide uniform color application and exceptional consistency
- Eliminates the need for most field painting, helping save time, labor, and materials
- LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint that eliminates the need for caulk, joint molds, or pan flashing at butt joints
- Options include cedar texture and brushed smooth

**LP SmartSide®**  
ExpertFinish® TRIM & SIDING

## AVAILABLE IN 16 EXPERTFINISH® COLORS



LP® SmartSide® ExpertFinish® products are available in cedar texture and brushed smooth!



### Exceptional Limited Warranty

Backed by a 5/15/50-year prorated limited warranty: 5-year labor and materials, 15-year finish, and 50-year substrate.

Refer to limited warranty at [LPCorp.com/literature](http://LPCorp.com/literature) for complete details, including important limitations and exclusions.



Inspired by Nature

# New LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Siding



Like natural wood,  
but better.

LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Lap in Saffron Cedar

## NATURALS COLLECTION™ COLOR OPTIONS

Cedar Texture						
	Washed White	Smoky Slate	Bonsai Black	Weathered Walnut	Aged Amber	Saffron Cedar
Brushed Smooth						
	Washed White	Smoky Slate	Bonsai Black	Weathered Walnut	Aged Amber	Saffron Cedar

Try pairing with these colors from the LP® SmartSide® ExpertFinish® core collection:

Desert Stone	Cavern Steel	Timberland Suede	Terra Brown	Harvest Honey	Sand Dunes

- Blends the stability of engineered wood with unique color variations found in nature
- Available in six versatile colors and cedar texture or brushed smooth
- Can be paired with complementary colors from the ExpertFinish® core collection



LP® SmartSide® ExpertFinish® NATURALS COLLECTION™ Nickel Gap Siding in Bonsai Black (wall and ceiling), Lap in Quarry Gray, and Trim in Midnight Shadow



Contact your LP Sales Rep for product availability in your area.

All colors shown are representative and may not be an exact match. See Specifications section for availability by product. Refer to limited warranty at LP Corp.com/literature for complete details, including important limitations and exclusions.

# DESIGN



## DISCOVER THE BEAUTY OF LP® SMARTSIDE® TRIM & SIDING.

Whether you're going for modern, traditional, bold, or subdued, the LP® SmartSide® Trim & Siding portfolio features versatile products that can be mixed and matched to complement any style.

- Choose from primed (unpainted) or LP® SmartSide® ExpertFinish® prefinished products
- Texture options include cedar and brushed smooth
- Can be used as a full-home solution, or as a complement to other claddings, such as brick, stone, and stucco

Choose your style.  
Choose your color.  
Get the look you want.

Visualize different looks and get inspired!



### Try our LP SmartSide Home Visualizer!

- Choose a home from our sample gallery and experiment with products and colors
- Upload a photo of your project and use our AI technology to instantly see how LP SmartSide products will look
- For the most realistic outcome, send us a photo of your project, and we'll help prepare it for use in the visualizer tool (for a small fee)

Scan to use our Home Visualizer tool for your next project

[HomeVisualizer.LPCorp.com](https://HomeVisualizer.LPCorp.com)

See Specifications section for availability by product.

# APPLICATIONS

## New Home Construction

Residential builders rely on LP® SmartSide® Trim & Siding for its design versatility, quick installation, consistent performance, and industry-leading limited warranty.

[LPCorp.com](https://LPCorp.com)



## Remodels

An excellent choice for remodels, LP SmartSide products can transform a home's exterior, while potentially adding durability, lowering maintenance, and increasing resale value.

[LPCorp.com/Remodel](https://LPCorp.com/Remodel)



## Multifamily & Commercial

LP SmartSide products are a durable, sustainable, cost-effective solution for architects and builders seeking to optimize budgets and timelines on multifamily and light commercial projects.

[LPCorp.com/Multifamily](https://LPCorp.com/Multifamily)



## Outdoor Living & Storage

From pool houses to sheds, LP SmartSide products bring both durability and design to outdoor structures. Pair with engineered wood products from the LP® Outdoor Building Solutions® portfolio to further enhance your backyard build.

[LPShed.com](https://LPShed.com)



Refer to limited warranty at [LPCorp.com/literature](https://LPCorp.com/literature) for complete details, including important limitations and exclusions.

# YOUR COMPLETE SIDING SOLUTION

A system of products designed to work together beautifully.



**VENTED SOFFIT**  
Snowscape White



**PANEL & VERTICAL SIDING**  
Tundra Gray, paired with Trim (Board & Batten Style)



**TRIM & FASCIA**  
Snowscape White



**SHAKE LAP SIDING**  
Quarry Gray



**LAP SIDING**  
Lap Joint Siding shown in Tundra Gray



**NICKEL GAP SIDING**  
Tundra Gray



**J-BLOCK**



**JUMBO BLOCK**



**MINI-SPLIT**



**OUTSIDE CORNER**



# LAP SIDING

## LP® SmartSide® Lap Siding

### LAP THAT HOLDS UP AND STANDS OUT

- One of the most durable lap options on the market
- Available in a variety of widths and thicknesses
- All lap products are available in standard 16' length, helping minimize excess cuts to potentially reduce waste and speed up installation times
- 16' length may result in fewer seams than traditional 12' lap, providing a more polished aesthetic
- Complements other materials, such as brick, stone, and stucco
- APA-certified

#### Options



Options vary by product; see Specifications section for details



Brushed Smooth

LP® SmartSide® ExpertFinish® Brushed Smooth Lap in Snowscape White

Cedar Texture



LP® SmartSide® ExpertFinish® Cedar Texture Lap in Garden Sage and Trim in Abyss Black



LP® SmartSide® ExpertFinish® Brushed Smooth Lap Joint Siding in Garden Sage

**LP® SmartSide® ExpertFinish® lap joint siding features a proprietary joint designed to help speed installation by eliminating the need for caulk, joint molds, or pan flashing at butt joints.**



LP® SmartSide® ExpertFinish® Cedar Texture Lap and Trim in Cavern Steel



LP® SmartSide® ExpertFinish® Brushed Smooth Lap, Panel, and Trim in Abyss Black



LP® SmartSide® Cedar Texture Lap and Trim in custom colors

# NICKEL GAP SIDING

LP® SmartSide® Nickel Gap Siding

## INNOVATIVE SIDING WITH MODERN APPEAL

- Features locking flanges with a fastener groove that hides nails
- Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation
- Tongue-and-groove design allows for siding to be stacked and tapped into place
- Can be paired with LP® Nickel Gap Flashing
- Features include a nominal 1/2" thickness and 7" reveal



### Options



Options vary by product; see Specifications section for details



LP® Smartside® ExpertFinish® Cedar Texture Nickel Gap Siding in Sand Dunes; Trim in custom color



Cedar Texture



Brushed Smooth

Inset: LP® Smartside® Brushed Smooth Nickel Gap Siding Below: LP® Smartside® ExpertFinish® Brushed Smooth Nickel Gap Siding in Snowscape White



LP® Smartside® ExpertFinish® NATURALS COLLECTION™ Cedar Texture Nickel Gap Siding in Weathered Walnut (ceiling)

# SHAKE LAP SIDING

## LP® SmartSide® Shake Lap Siding

### REVERSIBLE SHAKES WITH DESIGN FLEXIBILITY

- Use as accents, in gables, or as full siding
- Features a reversible design with staggered or straight edges
- Available in cedar texture or brushed smooth



**NEW!** Brushed Smooth Shake Lap

#### Options

Cedar  
Texture

Brushed  
Smooth

Primed

ExpertFinish®  
Colors

Options vary by product; see  
Specifications section for details

**Reversible staggered or straight edge  
provides great design flexibility!**



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap (staggered), Trim & Fascia, and Lap in Abyss Black



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (staggered) in Rapids Blue; Trim & Fascia in Snowscape White



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (staggered) in Quarry Gray; Trim & Fascia in Snowscape White



LP® SmartSide® ExpertFinish® Cedar Texture Shake Lap Siding (staggered) in Terra Brown; Lap in Tundra Gray; Panel & Trim in Quarry Gray; Trim in Snowscape White



LP® SmartSide® Cedar Texture Shake Lap Siding (staggered), Panel, and Trim in custom colors

# CLOSED & VENTED SOFFIT

LP® SmartSide® Soffit

## SOFFIT THAT'S BUILT FOR FORM & FUNCTION

- Provides a clean, refined aesthetic that helps boost curb appeal
- Coordinates beautifully with other LP® SmartSide® Trim & Siding products
- Available in a range of options to meet your vision and specifications, including:
  - Soffit Panels
  - No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panels
  - Closed cut-to-width soffit
  - Vented cut-to-width soffit

### Options



Options vary by product; see Specifications section for details



LP® SmartSide® ExpertFinish® Vented Soffit, Cedar Texture Shake Lap Siding, and Fascia in Abyss Black

### Closed Soffit

- Available in cut-to-width sizes (cedar texture and brushed smooth options)
- Options include 4' x 8' panels in various thicknesses (cedar texture only) and No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panels in 4' x 8' and 4' x 10' (options vary by length and texture)
- Select LP® SmartSide® ExpertFinish® closed soffit products are available in cut-to-width sizes and cedar texture or brushed smooth options



Abyss Black

### Vented Soffit

- Precisely cut vents offer 10 square inches of ventilation per linear foot
- Promotes continuous airflow
- Features 1/8" vents to keep hornets and most bees out
- Available in cut-to-width sizes (cedar texture and brushed smooth options)
- Select LP® SmartSide® ExpertFinish® vented soffit products are available in cut-to-width sizes and cedar texture or brushed smooth options



Snowscape White

Cut-to-width sizes can help save time by eliminating the need to cut full sheets.



LP® SmartSide® ExpertFinish® Vented and Closed Soffit, Trim, and Fascia in Abyss Black; Lap, Panel, and Trim in Snowscape White



LP® SmartSide® Vented Soffit and Lap in custom colors

# PANEL & VERTICAL SIDING

## LP® SmartSide® Panel & Vertical Siding

### DURABLE AND EFFICIENT, FROM TOP TO BOTTOM

- Provides a premium look and is highly-versatile; can be used in residential, multifamily, and shed applications
- Available in a range of options to meet your vision and specifications
- Pair with LP® SmartSide® trim to create the timeless look of board and batten style siding

#### Options



Options vary by product; see Specifications section for details

#### Panel Siding

- Rated for structural use by APA
- Strong enough to be nailed directly to stud, making additional sheathing unnecessary in many applications
- Helps to eliminate need for additional bracing on load-bearing walls
- Options include primed (unpainted) products and LP® SmartSide® ExpertFinish® products in cedar texture or brushed smooth



LP® SmartSide® ExpertFinish® Panel and Trim (Board & Batten Style) in Abyss Black

Cedar Texture


#### Vertical Siding

- 16' lengths can help eliminate joints for a clean look
- Not rated for structural use\*
- Options include primed (unpainted) and ExpertFinish products in cedar texture or brushed smooth



LP® SmartSide® ExpertFinish® Vertical Siding and Trim (Board & Batten Style), Lap, and Fascia in Abyss Black

Brushed Smooth



Use with LP SmartSide trim to create board and batten style siding

LP® SmartSide® Panel, Trim, and Fascia in custom color

# TRIM & FASCIA

## LP® SmartSide® Trim & Fascia

### SO MANY OPTIONS, SO MUCH STYLE

- Use for corners, windows, or door trims
- Versatile portfolio features classic cedar and brushed smooth textures, as well as a variety of widths and thicknesses for extensive design flexibility
- Can be used to add contrast, highlight architectural elements, or create custom accents
- Coordinates beautifully with other LP® SmartSide® products for a cohesive, polished aesthetic
- 16' length can result in faster installation and fewer seams

#### Options




Options vary by product; see Specifications section for details



Cedar Texture

LP® SmartSide® ExpertFinish® Trim in Snowscape White; Panel and Trim (Board & Batten Style) and Lap in Cavern Steel



From bold statements to subtle accents, our trim and fascia can help bring your design vision to life.

LP® SmartSide® ExpertFinish®  
Brushed Smooth Trim in Cavern Steel

Brushed Smooth



LP® SmartSide® ExpertFinish® Trim in Abyss Black; Lap in Cavern Steel



LP® SmartSide® ExpertFinish® Trim, Fascia, Lap, and Panel in Abyss Black



16' length can result in faster install and fewer seams



LP® SmartSide® ExpertFinish® Brushed Smooth Trim & Fascia in Prairie Clay; Cedar Texture Lap and Soffit in Sand Dunes

# ACCESSORIES

LP® SmartSide® Outside Corners, J-Blocks, Jumbo Blocks, & Mini-Splits

## TOUCHES THAT ADD STYLE AND EFFICIENCY

- One-piece Outside Corners arrive pre-formed and ready to install, eliminating the need to build corners on site
- J-Blocks, Jumbo Mounting Blocks, and Mini-Splits provide an attractive solution for mounting light fixtures, faucets, and other outdoor fixtures with ease; Mini-Splits can be separated for specific mount sizes
- Coordinates with LP® SmartSide® lap, panel, and vertical siding products for a cohesive, polished aesthetic

### Options



Options vary by product; see Specifications section for details

Outside Corner



J-Block



**NEW!**  
Jumbo Block



Mini-Split



Accessories are shown in LP® SmartSide® ExpertFinish® color Snowscape White



LP® SmartSide® ExpertFinish® J-Blocks, Lap, and Trim in Snowscape White



LP® SmartSide® ExpertFinish® J-Block and Lap in Tundra Gray; Trim in Cavern Steel



LP® SmartSide® ExpertFinish® Mini-Split in Timberland Suede



LP® SmartSide® ExpertFinish® J-Block and Lap in Snowscape White



LP® SmartSide® ExpertFinish® Outside Corner and Lap in Timberland Suede



# SPECIFICATIONS

## ALL THE DETAILS.

LP® SmartSide® products come in different lengths, widths, textures, colors, and profiles, giving you the flexibility to create the look you want. Find all the details and product specifications here, including LP® SmartSide® ExpertFinish® color availability for each product.



[LPCorp.com](https://www.lpcorp.com)

# LAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Lap Siding
- LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay





### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

38 SERIES CEDAR TEXTURE LAP



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Cedar Texture Lap	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25796
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25797
	16 ft. (192 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	25799

## 38 Series Lap - Cedar Texture

3/8" Nominal Thickness  
Primed Lap: 6" | 8" | 12"



### Application Instructions:

LPCorp.com/Literature




## 38 Series Lap - Cedar Texture

3/8" Nominal Thickness  
ExpertFinish® Core Collection Lap: 6" | 8"  
NATURALS COLLECTION™ Lap: 8"



### ExpertFinish® Color Specifications and PIDs:

38 SERIES EXPERTFINISH® CEDAR TEXTURE LAP JOINT SIDING



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41715
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42271
Sand Dunes	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41841
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42272
Desert Stone	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41842
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42274
Quarry Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41837
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42288
Prairie Clay	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41834
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42278
Terra Brown	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41845
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42277
Harvest Honey	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45327
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45284
Timberland Suede	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41843
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42269
Garden Sage	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45328
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45325
Redwood Red	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41840
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42293
Tundra Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41846
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42300
Summit Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41844
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42273
Rapids Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41839
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42287
Cavern Steel	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41835
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42301
Midnight Shadow	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45329
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45326
Abyss Black	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	41774
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42279
Washed White	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46731
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46730
Smoky Slate	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46729
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46728
Bonsai Black	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46727
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46727
Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46727
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46727
Aged Amber	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46727
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46726
Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46726
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46726

NEW NATURALS COLLECTION™ LAP

# LAP SIDING

## Brushed Smooth

### Products:

- LP® SmartSide® 38 Series Lap Siding
- LP® SmartSide® ExpertFinish® 38 Series Lap Joint Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

APA-Certified Lap Siding

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth Lap	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45989
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45990
	16 ft. (192 in.) (4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45991

## 38 Series Lap - Brushed Smooth

3/8" Nominal Thickness  
Primed Lap: 6" | 8" | 12"




### Application Instructions:

LPCorp.com/Literature




## 38 Series Lap - Brushed Smooth

3/8" Nominal Thickness  
ExpertFinish® Core Collection Lap: 6" | 8"  
NATURALS COLLECTION™ Lap: 8"



### ExpertFinish® Color Specifications and PIDs:

#### 38 SERIES EXPERTFINISH® BRUSHED SMOOTH LAP JOINT SIDING



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45683
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45667
Sand Dunes	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45682
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45666
Desert Stone	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45674
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45658
Quarry Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45679
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45663
Prairie Clay	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45678
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45662
Terra Brown	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45685
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45669
Harvest Honey	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45676
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45660
Timberland Suede	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45686
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45670
Garden Sage	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45675
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45659
Redwood Red	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45681
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45665
Tundra Gray	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45687
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45671
Summit Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45684
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45668
Rapids Blue	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45680
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45664
Cavern Steel	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45673
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45657
Midnight Shadow	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45677
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45661
Abyss Black	16 ft. (192 in.) (4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45672
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	45656
Washed White	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46725
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46724
Smoky Slate	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46723
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46722
Bonsai Black	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46721
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46720
Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46721
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46720
Aged Amber	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46721
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46720
Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46721
	16 ft. (192 in.) (4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46720

NEW NATURALS COLLECTION™ LAP

# NICKEL GAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® Nickel Gap Siding
- LP® SmartSide® ExpertFinish® Nickel Gap Siding

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

### Application Instructions:

LPCorp.com/Literature



LP® Nickel Gap Flashing

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
LP® Nickel Gap Flashing	10 in. (254 mm)	4 in. (101.6 mm)	0.024 in. (0.61 mm)	9.4 LBS 100 pcs/box	46180

### Innovative Design

LP® SmartSide® Nickel Gap Siding features locking flanges with a fastener groove that hides nails.



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Cedar Texture Nickel Gap Siding	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	45545

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46558
Sand Dunes	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46557
Desert Stone	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46549
Quarry Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46554
Prairie Clay	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46553
Terra Brown	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46560
Harvest Honey	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46551
Timberland Suede	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46561
Garden Sage	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46550
Redwood Red	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46556
Tundra Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46562
Summit Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46559
Rapids Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46555
Cavern Steel	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46548
Midnight Shadow	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46552
Abyss Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46547
Washed White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46755
Smoky Slate	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46753
Bonsai Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46751
Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46749
Aged Amber	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46747
Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46745

NEW NATURALS COLLECTION™  
NICKEL GAP SIDING

# NICKEL GAP SIDING

Brushed Smooth

## Product:

LP® SmartSide® ExpertFinish® Nickel Gap Siding

## DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Additional Info:

- Tongue-and-groove design allows for siding to be stacked and tapped into place
- Features include a nominal 1/2" thickness and 7" reveal
- Can be installed vertically or horizontally
- Install with LP® Nickel Gap Flashing (100 pcs/box; only available in primed) or comparable alternative to support a complete system



Summit Blue

Profile allows for "nickel-sized" horizontal spacing between boards, accommodating a gap range of 1/16" to 1/8" after installation.

## Application Instructions:

LPCorp.com/Literature



LP® Nickel Gap Flashing

## Innovative Design

LP® SmartSide® Nickel Gap Siding features locking flanges with a fastener groove that hides nails.



## ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46574
Sand Dunes	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46573
Desert Stone	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46565
Quarry Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46570
Prairie Clay	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46569
Terra Brown	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46576
Harvest Honey	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46567
Timberland Suede	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46577
Garden Sage	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46566
Redwood Red	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46572
Tundra Gray	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46578
Summit Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46575
Rapids Blue	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46571
Cavern Steel	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46564
Midnight Shadow	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46568
Abyss Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46563
Washed White	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46743
Smoky Slate	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46741
Bonsai Black	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46739
Weathered Walnut	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46737
Aged Amber	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46735
Saffron Cedar	16 ft. (192 in.) (4.9 m)	7.88 in (200 mm)	0.495 in. (12.6 mm)	24 in. o.c.	1.5 PSF	46733

NEW NATURALS COLLECTION™  
NICKEL GAP SIDING

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
LP® Nickel Gap Flashing	10 in. (254 mm)	4 in. (101.6 mm)	0.024 in. (0.61 mm)	9.4 LBS 100 pcs/box	46180

All graphics are for illustrative purposes only. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# SHAKE LAP SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Shakes
  - LP® SmartSide® ExpertFinish® 38 Series Shakes
- DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Reversible design allows for staggered or straight edge




### Application Instructions:

LPCorp.com/Literature



### 38 SERIES CEDAR TEXTURE SHAKES



## Shake Lap Siding - Cedar Texture

3/8" Nominal Thickness  
Primed & Prefinished: 12" x 48"

### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Cedar Texture Shake Lap Siding	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	42092

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
Snowscape White	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46524
Sand Dunes	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46522
Desert Stone	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46506
Quarry Gray	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46516
Prairie Clay	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46514
Terra Brown	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46528
Harvest Honey	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46510
Timberland Suede	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46530
Garden Sage	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46508
Redwood Red	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46520
Tundra Gray	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46532
Summit Blue	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46526
Rapids Blue	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46518
Cavern Steel	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46504
Midnight Shadow	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46512
Abyss Black	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	46502

# SHAKE LAP SIDING

Brushed Smooth

## Product:

LP® SmartSide® 38 Series Shakes

DESIGNED & RATED FOR EXTERIOR USE

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Application Instructions:

LPCorp.com/Literature



**NEW!** Brushed Smooth Shake Lap Siding

Reversible design allows for staggered or straight edge



Staggered




Straight



## Shake Lap Siding - Brushed Smooth


3/8" Nominal Thickness  
Primed: 12" x 48"

## Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth Shake Lap Siding	4ft. (48.56 in.) (1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	16 in. o.c.	1.5 PSF	48026

## 38 SERIES BRUSHED SMOOTH SHAKES



# CLOSED SOFFIT

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series 4' x 8' Soffit
- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® 38 Series Cut-to-Width Soffit
- LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 66 for details)

### DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Application Instructions:

LPCorp.com/Literature



## 38 Series Closed Soffit - Cedar Texture

3/8" Nominal Thickness  
**Primed:**  
 Soffit Panel: 4' x 8'  
 NGSE Dual Use Siding and Soffit Panel: 4' x 8'  
 Cut-to-Width: 12" | 16" | 24"  
**Prefinished:**  
 Varies by color

### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
38 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	24 in. o.c.	25813
38 Series Cedar Texture Panel No Groove Square Edge (NGSE) Dual Use Siding and Soffit ★	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	41044
38 Series Cedar Texture Closed Soffit Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	25805
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	25806
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	25807

★ Can be used in siding or soffit applications

(See p. 66 for LP® SmartSide® ExpertFinish® Cedar Texture Dual Use Siding and Soffit Panels.)

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
Snowscape White Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	46434
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	46436
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46536
Sand Dunes	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46535
Quarry Gray	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46534
Abyss Black	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46533
Washed White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47367
Smoky Slate	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47368
Bonsai Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47369
Weathered Walnut	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47370
Aged Amber	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47364
Saffron Cedar	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47363

### 38 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



### 38 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



All graphics are for illustrative purposes only. Metric units are rounded. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# CLOSED SOFFIT

## Brushed Smooth

### Products:

LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

LP® SmartSide® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series Cut-to-Width Soffit

LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 69 for details)

### DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Application Instructions:

LPCorp.com/Literature



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 38 Series Closed Soffit - Brushed Smooth

3/8" Nominal Thickness

**Primed:**  
NGSE Dual Use Siding and Soffit Panel: 8' | 10'  
Cut-to-Width: 12" | 16" | 24"

**Prefinished:**  
Varies by color

### Primed Specifications and PIDs:



Brushed Smooth

Primed

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
38 Series Brushed Smooth Panel No Groove Square Edge (NGSE) Dual Use Siding and Soffit ★	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	46008
	10 ft. (120 in.) (3.0 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	46650
38 Series Brushed Smooth Closed Soffit Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	46005
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	46006
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46009

★ Can be used in siding or soffit applications

(See p. 69 for LP® SmartSide® ExpertFinish® Brushed Smooth Dual Use Siding and Soffit Panels.)

### ExpertFinish® Color Specifications and PIDs:




Brushed Smooth

Select ExpertFinish® Colors

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
Snowscape White Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	46541
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	46542
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46546
Sand Dunes	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46545
Quarry Gray	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46544
Abyss Black	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46543
Washed White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47366
Smoky Slate	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47365
Bonsai Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47362
Weathered Walnut	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47361
Aged Amber	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47360
Saffron Cedar	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47359

### 38 SERIES BRUSHED SMOOTH SOFFIT - CUT-TO-WIDTH



All graphics are for illustrative purposes only. Metric units are rounded. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# CLOSED SOFFIT

## Cedar Texture

### Product:

LP® SmartSide® 76 Series Closed Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 76 Series Closed Soffit - Cedar Texture

7/16" Nominal Thickness  
Primed: 4' x 8' Soffit Panel



### Application Instructions:

LPCorp.com/Literature



# CLOSED SOFFIT

## Cedar Texture

### Product:

LP® SmartSide® 190 Series Closed Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 190 Series Closed Soffit - Cedar Texture

19/32" Nominal Thickness  
Primed: 4' x 8' Soffit Panel



### Installation Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

#### 76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
76 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.418 in. (10.6 mm)	24 in. o.c.	25814

### Primed Specifications and PIDs:

#### 190 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
190 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.578 in. (14.7 mm)	24 in. o.c.	25816*

\*Special order item. Requires minimum quantity and extended lead times.

# VENTED SOFFIT

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Vented Soffit
- LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 38 Series Vented Soffit - Cedar Texture

3/8" Nominal Thickness  
Primed: 12" | 16" | 24"  
Prefinished: Varies by color

### Primed Specifications and PIDs:




PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
38 Series Cedar Texture Vented Soffit Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	25822
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	25823
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	25824

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
Snowscape White Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	46433
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	46435
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46540
Sand Dunes Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46539
Quarry Gray Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46538
Abyss Black Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46537

### 38 SERIES CEDAR TEXTURE VENTED SOFFIT – CUT-TO-WIDTH



All graphics are for illustrative purposes only.  
Metric units are rounded.  
All colors shown are representative and may not be an exact match.

# VENTED SOFFIT

## Brushed Smooth

### Products:

- LP® SmartSide® 38 Series Cut-to-Width Vented Soffit
- LP® SmartSide® ExpertFinish® 38 Series Vented Soffit

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Application Instructions:


LPCorp.com/Literature



## 38 Series Vented Soffit - Brushed Smooth

3/8" Nominal Thickness  
Primed: 12" | 16" | 24"  
Prefinished: Varies by color

### Primed Specifications and PIDs:




PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
38 Series Brushed Smooth Vented Soffit Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	46964
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	46043
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	46044

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	PID
Snowscape White Cut-to-Width	16 ft. (192 in.) (4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	24 in. o.c.	47030
	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	24 in. o.c.	47031
	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	47035
Sand Dunes Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	47034
Quarry Gray Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	47033
Abyss Black Cut-to-Width	16 ft. (192 in.) (4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	24 in. o.c.	47032

### 38 SERIES BRUSHED SMOOTH VENTED SOFFIT – CUT-TO-WIDTH



All graphics are for illustrative purposes only.  
Metric units are rounded.  
All colors shown are representative and may not be an exact match.

# PANEL SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series 8" o.c. Panel
- LP® SmartSide® 38 Series No Groove Shiplap Edge (NGSL) Panel
- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel (see p. 66 for details)

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with LP® SmartSide® trim for board & batten style applications

### Application Instructions:

LPCorp.com/Literature




## 38 Series Panel - Cedar Texture

3/8" Nominal Thickness  
**Primed:**  
8" o.c. Panel: 6' | 7' | 8' | 9' | 10' | 12'  
NGSL Panel: 8' | 9' | 10'  
NGSE Dual Use Siding and Soffit Panel: 8'

### Primed Specifications and PIDs:

PRODUCT	THICKNESS	WEIGHT
All products	0.354 in. (9 mm)	1.5 PSF




PRODUCT	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	MAX SPAN RATING	PID
38 Series Cedar Texture 8" o.c. Panel	6 ft. (72 in.) (1.8 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	27805
	7 ft. (84 in.) (2.1 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	27806
	8 ft. (96 in.) (2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	25840
	9 ft. (108 in.) (2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	25843
	10 ft. (120 in.) (3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	25844
38 Series Cedar Texture No Groove Shiplap Edge (NGSL) Panel**	12 ft. (144 in.) (3.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	16 in. o.c.	25845
	8 ft. (96 in.) (2.4 m)	No Groove	N/A	48.56 in. (1234 mm)	16 in. o.c.	25855*
	9 ft. (108 in.) (2.7 m)	No Groove	N/A	48.56 in. (1234 mm)	16 in. o.c.	29189*
38 Series Cedar Texture No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel** ★	10 ft. (120 in.) (3.0 m)	No Groove	N/A	48.56 in. (1234 mm)	16 in. o.c.	25825*
	8 ft. (96 in.) (2.4 m)	No Groove	N/A	47.81 in. (1214 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	41044


★ Can be used in siding or soffit applications

\*Special order item. Requires minimum quantity and extended lead times.  
\*\*Coordinates with LP® SmartSide® Trim for board and batten style applications.


### 38 SERIES CEDAR TEXTURE PANEL 8" O.C.




### GROOVE DETAIL



### 38 SERIES CEDAR TEXTURE PANEL - NO GROOVE SHIPLAP EDGE



### 38 SERIES CEDAR TEXTURE - NO GROOVE DUAL USE SIDING AND SOFFIT PANEL




All graphics are for illustrative purposes only.  
Metric units are rounded. PSF = Pounds Per Square Foot

# PANEL SIDING

## Cedar Texture

### ExpertFinish® Color Specifications and PIDs:

38 SERIES CEDAR TEXTURE – NO GROOVE  
DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide® trim for board & batten style applications

PRODUCT	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT
38 Series Cedar Texture No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel* ★	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF

COLOR	LENGTH	PID
Snowscape White	8 ft. (96 in.) (2.4 m)	47097
	10 ft. (120 in.) (3.0 m)	47082
Sand Dunes	8 ft. (96 in.) (2.4 m)	47098
	10 ft. (120 in.) (3.0 m)	47083
Desert Stone	8 ft. (96 in.) (2.4 m)	47099
	10 ft. (120 in.) (3.0 m)	47084
Quarry Gray	8 ft. (96 in.) (2.4 m)	47100
	10 ft. (120 in.) (3.0 m)	47085
Prairie Clay	8 ft. (96 in.) (2.4 m)	47101
	10 ft. (120 in.) (3.0 m)	47086
Terra Brown	8 ft. (96 in.) (2.4 m)	47102
	10 ft. (120 in.) (3.0 m)	47087
Harvest Honey	8 ft. (96 in.) (2.4 m)	47103
	10 ft. (120 in.) (3.0 m)	47088
Timberland Suede	8 ft. (96 in.) (2.4 m)	47104
	10 ft. (120 in.) (3.0 m)	47089

COLOR	LENGTH	PID
Garden Sage	8 ft. (96 in.) (2.4 m)	47105
	10 ft. (120 in.) (3.0 m)	47090
Redwood Red	8 ft. (96 in.) (2.4 m)	47106
	10 ft. (120 in.) (3.0 m)	47091
Tundra Gray	8 ft. (96 in.) (2.4 m)	47107
	10 ft. (120 in.) (3.0 m)	47092
Summit Blue	8 ft. (96 in.) (2.4 m)	47108
	10 ft. (120 in.) (3.0 m)	47093
Rapids Blue	8 ft. (96 in.) (2.4 m)	47109
	10 ft. (120 in.) (3.0 m)	47094
Cavern Steel	8 ft. (96 in.) (2.4 m)	47110
	10 ft. (120 in.) (3.0 m)	47095
Midnight Shadow	8 ft. (96 in.) (2.4 m)	47111
	10 ft. (120 in.) (3.0 m)	47096
Abyss Black	8 ft. (96 in.) (2.4 m)	47112
	10 ft. (120 in.) (3.0 m)	47081

★ Can be used in siding or soffit applications

\*Coordinates with LP® SmartSide® Trim for board and batten style applications.

All graphics are for illustrative purposes only.  
See LP Corp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot  
All colors shown are representative and may not be an exact match..



LP® SmartSide® ExpertFinish® Panel and Trim (Board & Batten Style) in Cavern Steel and Snowscape White; Lap in Cavern Steel; Trim in Abyss Black

# PANEL SIDING

## Brushed Smooth

### Products:

- LP® SmartSide® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel
- LP® SmartSide® ExpertFinish® 38 Series No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
Can be installed vertically or horizontally  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 38 Series Panel - Brushed Smooth

3/8" Nominal Thickness  
Primed - NGSE Dual Use  
Siding & Soffit Panel: 8' | 10'




### Application Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

#### 38 SERIES BRUSHED SMOOTH DUAL USE SIDING AND SOFFIT PANEL



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
38 Series Brushed Smooth No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel** ★	8 ft. (96 in.) (2.4 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF	46008*
	10 ft. (120 in.) (3.0 m)	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF	46650*

★ Can be used in siding or soffit applications

\*Special order item; Requires minimum quantity and extended lead times.  
\*\*Coordinates with LP® SmartSide® Trim for board and batten style applications.

## 38 Series Panel - Brushed Smooth

3/8" Nominal Thickness  
Prefinished - NGSE Dual Use  
Siding & Soffit Panel: 8' | 10'



### ExpertFinish® Color Specifications and PIDs:

PRODUCT	ACTUAL WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT
38 Series Brushed Smooth No Groove Square Edge (NGSE) Dual Use Siding and Soffit Panel* ★	47.81 in. (1214 mm)	0.354 in. (9 mm)	16 in. o.c. Siding 24 in. o.c. Soffit	1.5 PSF


COLOR	LENGTH	PID
Snowscape White	8 ft. (96 in.) (2.4 m)	45893
	10 ft. (120 in.) (3.0 m)	46655
Sand Dunes	8 ft. (96 in.) (2.4 m)	45892
	10 ft. (120 in.) (3.0 m)	46656
Desert Stone	8 ft. (96 in.) (2.4 m)	45884
	10 ft. (120 in.) (3.0 m)	46664
Quarry Gray	8 ft. (96 in.) (2.4 m)	45889
	10 ft. (120 in.) (3.0 m)	46659
Prairie Clay	8 ft. (96 in.) (2.4 m)	45888
	10 ft. (120 in.) (3.0 m)	46660
Terra Brown	8 ft. (96 in.) (2.4 m)	45968
	10 ft. (120 in.) (3.0 m)	46653
Harvest Honey	8 ft. (96 in.) (2.4 m)	45886
	10 ft. (120 in.) (3.0 m)	46662
Timberland Suede	8 ft. (96 in.) (2.4 m)	45896
	10 ft. (120 in.) (3.0 m)	46652

COLOR	LENGTH	PID
Garden Sage	8 ft. (96 in.) (2.4 m)	45885
	10 ft. (120 in.) (3.0 m)	46663
Redwood Red	8 ft. (96 in.) (2.4 m)	45891
	10 ft. (120 in.) (3.0 m)	46657
Tundra Gray	8 ft. (96 in.) (2.4 m)	45897
	10 ft. (120 in.) (3.0 m)	46651
Summit Blue	8 ft. (96 in.) (2.4 m)	45967
	10 ft. (120 in.) (3.0 m)	46654
Rapids Blue	8 ft. (96 in.) (2.4 m)	45966
	10 ft. (120 in.) (3.0 m)	46658
Cavern Steel	8 ft. (96 in.) (2.4 m)	45883
	10 ft. (120 in.) (3.0 m)	46665
Midnight Shadow	8 ft. (96 in.) (2.4 m)	45887
	10 ft. (120 in.) (3.0 m)	46661
Abyss Black	8 ft. (96 in.) (2.4 m)	45882
	10 ft. (120 in.) (3.0 m)	46666

★ Can be used in siding or soffit applications

\*Coordinates with LP® SmartSide® Trim for board and batten style applications.

#### 38 SERIES BRUSHED SMOOTH DUAL USE SIDING AND SOFFIT PANEL



Pair with LP® SmartSide® trim for board & batten style applications

All graphics are for illustrative purposes only.  
Metric units are rounded. PSF = Pounds Per Square Foot  
All colors shown are representative and may not be an exact match.

# PANEL SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 76 Series 8" o.c. Panel
- LP® SmartSide® 76 Series No Groove Shiplap Edge Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements  
No Groove panels can be installed vertically or horizontally; grooved panels are designed for vertical installation only  
Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair our No Groove Panels with LP® SmartSide® trim for board & batten style applications

### Application Instructions:

LPCorp.com/Literature



## 76 Series Panel - Cedar Texture

7/16" Nominal Thickness  
**Primed:**  
8" o.c.: 8' | 9' | 10'  
No Groove Shiplap Edge: 8' | 9' | 10'

### Primed Specifications and PIDs:


PRODUCT	THICKNESS	WEIGHT	MAX SPAN RATING
All products	0.418 in. (10.6 mm)	1.5 PSF	16 in. o.c.




PRODUCT	LENGTH	GROOVE	GROOVE WIDTH	ACTUAL WIDTH	PID
76 Series Cedar Texture Panel 8" o.c.	8 ft. (96 in.) (2.4 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	25848
	9 ft. (108 in.) (2.7 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	25850
	10 ft. (120 in.) (3.0 m)	8 in. o.c.	3/8 in. (10 mm)	48.56 in. (1234 mm)	25851
76 Series Cedar Texture Panel No Groove Shiplap Edge*	8 ft. (96 in.) (2.4 m)	No Groove	N/A	48.56 in. (1234 mm)	25856
	9 ft. (108 in.) (2.7 m)	No Groove	N/A	48.56 in. (1234 mm)	25857
	10 ft. (120 in.) (3.0 m)	No Groove	N/A	48.56 in. (1234 mm)	25858

\*Coordinates with LP® SmartSide® Trim for board and batten applications.


#### 76 SERIES CEDAR TEXTURE PANEL 8" O.C.



#### GROOVE DETAIL



#### 76 SERIES CEDAR TEXTURE PANEL - NO GROOVE SHIPLAP EDGE



# PANEL SIDING

## Cedar Texture

### Product:

LP® SmartSide® 190 Series Siding Panel

### DESIGNED & RATED FOR EXTERIOR USE

May be attached direct to studs; see application instructions for fastening and installation requirements

Grooved panels are designed for vertical installation only

Rated for structural use by APA

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Application Instructions:


LPCorp.com/Literature



## 190 Series Panel - Cedar Texture


19/32" Nominal Thickness  
Primed: 8" o.c.: 8'

### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	GROOVE	GROOVE WIDTH	THICKNESS	MAX SPAN RATING	WEIGHT	PID
190 Series Cedar Texture Panel 8" o.c.	8 ft. (96 in.) (2.4 m)	48.56 in. (1234 mm)	8 in. o.c.	3/8 in. (10 mm)	0.578 in. (14.7 mm)	24 in. o.c.	2 PSF	25852

### 190 SERIES CEDAR TEXTURE PANEL 8" O.C.



# VERTICAL SIDING

## Cedar Texture

### Products:

- LP® SmartSide® 38 Series Vertical Siding
- LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

### DESIGNED & RATED FOR EXTERIOR USE

Not rated for structural use. Sheathing-only attachment; see installation instructions for details\*

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

#### 38 SERIES CEDAR TEXTURE VERTICAL SIDING

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
38 Series Cedar Texture Vertical Siding	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	40503

**Vertical Siding - Cedar Texture**  
3/8" Nominal Thickness  
Primed: 16' x 16"



Pair with LP® SmartSide® trim for board & batten style applications

### Application Instructions:

LPCorp.com/Literature



## Vertical Siding - Cedar Texture


3/8" Nominal Thickness  
Prefinished: 16' x 16"

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	41730
Sand Dunes	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	41820
Desert Stone	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43152
Quarry Gray	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	41819
Prairie Clay	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43194
Terra Brown	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	41821
Harvest Honey	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45381
Timberland Suede	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43291
Garden Sage	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45382
Redwood Red	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43232
Tundra Gray	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43312
Summit Blue	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43341
Rapids Blue	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43337
Cavern Steel	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	43133
Midnight Shadow	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45383
Abyss Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	41775
Washed White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46875
Smoky Slate	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46874
Bonsai Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46873
Weathered Walnut	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46872
Aged Amber	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46871
Saffron Cedar	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46870

#### 38 SERIES CEDAR TEXTURE VERTICAL SIDING



\*Vertical Siding must be applied over a min. 7/16 Category Wood Structural Panel. See Technical Note #028.

All graphics are for illustrative purposes only. See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

All graphics are for illustrative purposes only. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

**Vertical Siding - Brushed Smooth**

3/8" Nominal Thickness  
Primed: 16' x 16"

# VERTICAL SIDING

**Brushed Smooth**

**Products:**

- LP® SmartSide® 38 Series Vertical Siding
- LP® SmartSide® ExpertFinish® 38 Series Vertical Siding

**DESIGNED & RATED FOR EXTERIOR USE**

Not rated for structural use. Sheathing-only attachment; see installation instructions for details\*

**Substrate:**

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



**Sustainability Info:**

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



Pair with LP® SmartSide® trim for board & batten style applications

**Application Instructions:**

LPCorp.com/Literature



**Primed Specifications and PIDs:**

**38 SERIES BRUSHED SMOOTH VERTICAL SIDING**

PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
38 Series Brushed Smooth Vertical Siding	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46007

**Vertical Siding - Brushed Smooth**


3/8" Nominal Thickness  
Prefinished: 16' x 16"

**ExpertFinish® Color Specifications and PIDs:**



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45877
Sand Dunes	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45876
Desert Stone	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45868
Quarry Gray	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45961
Prairie Clay	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45872
Terra Brown	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45964
Harvest Honey	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45870
Timberland Suede	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45880
Garden Sage	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45869
Redwood Red	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45875
Tundra Gray	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45965
Summit Blue	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45963
Rapids Blue	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45962
Cavern Steel	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45959
Midnight Shadow	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45960
Abyss Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	45866
Washed White	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46869
Smoky Slate	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46868
Bonsai Black	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46867
Weathered Walnut	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46866
Aged Amber	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46865
Saffron Cedar	16 ft. (192 in.) (4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	1.5 PSF	46864

**38 SERIES BRUSHED SMOOTH VERTICAL SIDING**



\*Vertical Siding must be applied over a min. 7/16 Category Wood Structural Panel. See Technical Note #028.

All graphics are for illustrative purposes only. See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

All graphics are for illustrative purposes only. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 190 Series Trim
- LP® SmartSide® ExpertFinish® 190 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	28448
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.578 in. (14.7 mm)	2 PSF	28450
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.578 in. (14.7 mm)	2 PSF	28452

## 190 Series Trim - Cedar Texture

19/32" Nominal Thickness  
Primed: 3" | 4" | 6"



Cedar Texture

### Application Instructions:

LPCorp.com/Literature



## 190 Series Trim - Cedar Texture


19/32" Nominal Thickness  
Prefinished: 3"



### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46268
Sand Dunes	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46267
Desert Stone	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46248
Quarry Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46264
Prairie Clay	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46263
Terra Brown	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46270
Harvest Honey	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46261
Timberland Suede	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46271
Garden Sage	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46249
Redwood Red	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46266
Tundra Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46272
Summit Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46269
Rapids Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46265
Cavern Steel	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46247
Midnight Shadow	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46262
Abyss Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46246
Washed White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46779
Smoky Slate	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46777
Bonsai Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46775
Weathered Walnut	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46773
Aged Amber	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46771
Saffron Cedar	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46769

NEW NATURALS COLLECTION™ TRIM



# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 190 Series Trim
- LP® SmartSide® ExpertFinish® 190 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay





### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	48027

## 190 Series Trim - Brushed Smooth

19/32" Nominal Thickness  
Primed: 3"



Brushed Smooth

### Application Instructions:

LPCorp.com/Literature



## 190 Series Trim - Brushed Smooth

19/32" Nominal Thickness  
Prefinished: 3"


### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45779
Sand Dunes	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45778
Desert Stone	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45770
Quarry Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45775
Prairie Clay	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45774
Terra Brown	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45781
Harvest Honey	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45772
Timberland Suede	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45782
Garden Sage	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45771
Redwood Red	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45777
Tundra Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45783
Summit Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45780
Rapids Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45776
Cavern Steel	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45769
Midnight Shadow	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45773
Abyss Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45768
Washed White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46767
Smoky Slate	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46765
Bonsai Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46763
Weathered Walnut	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46761
Aged Amber	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46759
Saffron Cedar	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46757

NEW NATURALS COLLECTION™ TRIM

### 190 SERIES BRUSHED SMOOTH TRIM



# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 440 Series Trim
- LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

#### 440 SERIES CEDAR TEXTURE TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	25877
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	25878
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	25880
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	25882
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	25883
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	25884
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	25885

## 440 Series Trim - Cedar Texture

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"



### Application Instructions:

LPCorp.com/Literature



## 440 Series Trim - Cedar Texture

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.675 in. (17.1 mm)	2 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	42324
	5.50 in. (140 mm)	42328
	7.21 in. (183 mm)	46396
	9.21 in. (234 mm)	46412
	11.21 in. (285 mm)	46428
Sand Dunes	3.50 in. (89 mm)	46363
	5.50 in. (140 mm)	46379
	7.21 in. (183 mm)	46395
	9.21 in. (234 mm)	46411
	11.21 in. (285 mm)	46427
Desert Stone	3.50 in. (89 mm)	46355
	5.50 in. (140 mm)	46371
	7.21 in. (183 mm)	46387
	9.21 in. (234 mm)	46403
	11.21 in. (285 mm)	46419
Quarry Gray	3.50 in. (89 mm)	46360
	5.50 in. (140 mm)	46376
	7.21 in. (183 mm)	46392
	9.21 in. (234 mm)	46408
	11.21 in. (285 mm)	46424
Prairie Clay	3.50 in. (89 mm)	46359
	5.50 in. (140 mm)	46375
	7.21 in. (183 mm)	46391
	9.21 in. (234 mm)	46407
	11.21 in. (285 mm)	46423
Terra Brown	3.50 in. (89 mm)	46366
	5.50 in. (140 mm)	46382
	7.21 in. (183 mm)	46398
	9.21 in. (234 mm)	46414
	11.21 in. (285 mm)	46430
Harvest Honey	3.50 in. (89 mm)	46357
	5.50 in. (140 mm)	46373
	7.21 in. (183 mm)	46389
	9.21 in. (234 mm)	46405
	11.21 in. (285 mm)	46421
Timberland Suede	3.50 in. (89 mm)	46367
	5.50 in. (140 mm)	46383
	7.21 in. (183 mm)	46399
	9.21 in. (234 mm)	46415
	11.21 in. (285 mm)	46431
Garden Sage	3.50 in. (89 mm)	46356
	5.50 in. (140 mm)	46372
	7.21 in. (183 mm)	46388
	9.21 in. (234 mm)	46404
	11.21 in. (285 mm)	46420

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	46362
	5.50 in. (140 mm)	46378
	7.21 in. (183 mm)	46394
	9.21 in. (234 mm)	46410
	11.21 in. (285 mm)	46426
Tundra Gray	3.50 in. (89 mm)	46368
	5.50 in. (140 mm)	46384
	7.21 in. (183 mm)	46400
	9.21 in. (234 mm)	46416
	11.21 in. (285 mm)	46432
Summit Blue	3.50 in. (89 mm)	46365
	5.50 in. (140 mm)	46381
	7.21 in. (183 mm)	46397
	9.21 in. (234 mm)	46413
	11.21 in. (285 mm)	46429
Rapids Blue	3.50 in. (89 mm)	46361
	5.50 in. (140 mm)	46377
	7.21 in. (183 mm)	46393
	9.21 in. (234 mm)	46409
	11.21 in. (285 mm)	46425
Cavern Steel	3.50 in. (89 mm)	46354
	5.50 in. (140 mm)	46370
	7.21 in. (183 mm)	46386
	9.21 in. (234 mm)	46402
	11.21 in. (285 mm)	46418
Midnight Shadow	3.50 in. (89 mm)	46358
	5.50 in. (140 mm)	46374
	7.21 in. (183 mm)	46390
	9.21 in. (234 mm)	46406
	11.21 in. (285 mm)	46422
Abyss Black	3.50 in. (89 mm)	46353
	5.50 in. (140 mm)	46369
	7.21 in. (183 mm)	46385
	9.21 in. (234 mm)	46401
	11.21 in. (285 mm)	46417
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46839 5.50 in. (140 mm) 46863
	Smoky Slate	3.50 in. (89 mm) 46838 5.50 in. (140 mm) 46861
Bonsai Black	3.50 in. (89 mm) 46837 5.50 in. (140 mm) 46859	
	Weathered Walnut	3.50 in. (89 mm) 46836 5.50 in. (140 mm) 46857
Aged Amber	3.50 in. (89 mm) 46835 5.50 in. (140 mm) 46855	
	Saffron Cedar	3.50 in. (89 mm) 46834 5.50 in. (140 mm) 46853

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 440 Series Trim
- LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards




### Application Instructions:

LPCorp.com/Literature



### Primed Specifications and PIDs:

**440 SERIES BRUSHED SMOOTH TRIM**




PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	46012
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	45999
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	46000
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	46001
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	46002
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	46003
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	46004

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.675 in. (17.1 mm)	2 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	45795
	5.50 in. (140 mm)	45811
	7.21 in. (183 mm)	45827
	9.21 in. (234 mm)	45843
	11.21 in. (285 mm)	45859
Sand Dunes	3.50 in. (89 mm)	45794
	5.50 in. (140 mm)	45810
	7.21 in. (183 mm)	45826
	9.21 in. (234 mm)	45842
	11.21 in. (285 mm)	45858
Desert Stone	3.50 in. (89 mm)	45786
	5.50 in. (140 mm)	45802
	7.21 in. (183 mm)	45818
	9.21 in. (234 mm)	45834
	11.21 in. (285 mm)	45850
Quarry Gray	3.50 in. (89 mm)	45791
	5.50 in. (140 mm)	45807
	7.21 in. (183 mm)	45823
	9.21 in. (234 mm)	45839
	11.21 in. (285 mm)	45855
Prairie Clay	3.50 in. (89 mm)	45790
	5.50 in. (140 mm)	45806
	7.21 in. (183 mm)	45822
	9.21 in. (234 mm)	45838
	11.21 in. (285 mm)	45854
Terra Brown	3.50 in. (89 mm)	45797
	5.50 in. (140 mm)	45813
	7.21 in. (183 mm)	45829
	9.21 in. (234 mm)	45845
	11.21 in. (285 mm)	45861
Harvest Honey	3.50 in. (89 mm)	45788
	5.50 in. (140 mm)	45804
	7.21 in. (183 mm)	45820
	9.21 in. (234 mm)	45836
	11.21 in. (285 mm)	45852
Timberland Suede	3.50 in. (89 mm)	45798
	5.50 in. (140 mm)	45814
	7.21 in. (183 mm)	45830
	9.21 in. (234 mm)	45846
	11.21 in. (285 mm)	45862
Garden Sage	3.50 in. (89 mm)	45787
	5.50 in. (140 mm)	45803
	7.21 in. (183 mm)	45819
	9.21 in. (234 mm)	45835
	11.21 in. (285 mm)	45851

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	45793
	5.50 in. (140 mm)	45809
	7.21 in. (183 mm)	45825
	9.21 in. (234 mm)	45841
	11.21 in. (285 mm)	45857
Tundra Gray	3.50 in. (89 mm)	45799
	5.50 in. (140 mm)	45815
	7.21 in. (183 mm)	45831
	9.21 in. (234 mm)	45847
	11.21 in. (285 mm)	45863
Summit Blue	3.50 in. (89 mm)	45796
	5.50 in. (140 mm)	45812
	7.21 in. (183 mm)	45828
	9.21 in. (234 mm)	45844
	11.21 in. (285 mm)	45860
Rapids Blue	3.50 in. (89 mm)	45792
	5.50 in. (140 mm)	45808
	7.21 in. (183 mm)	45824
	9.21 in. (234 mm)	45840
	11.21 in. (285 mm)	45856
Cavern Steel	3.50 in. (89 mm)	45785
	5.50 in. (140 mm)	45801
	7.21 in. (183 mm)	45817
	9.21 in. (234 mm)	45833
	11.21 in. (285 mm)	45849
Midnight Shadow	3.50 in. (89 mm)	45789
	5.50 in. (140 mm)	45805
	7.21 in. (183 mm)	45821
	9.21 in. (234 mm)	45837
	11.21 in. (285 mm)	45853
Abyss Black	3.50 in. (89 mm)	45784
	5.50 in. (140 mm)	45800
	7.21 in. (183 mm)	45816
	9.21 in. (234 mm)	45832
	11.21 in. (285 mm)	45848
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46833 5.50 in. (140 mm) 46851
	Smoky Slate	3.50 in. (89 mm) 46832 5.50 in. (140 mm) 46849
Bonsai Black	3.50 in. (89 mm) 46831 5.50 in. (140 mm) 46847	
	Weathered Walnut	3.50 in. (89 mm) 46830 5.50 in. (140 mm) 46845
Aged Amber	3.50 in. (89 mm) 46829 5.50 in. (140 mm) 46843	
	Saffron Cedar	3.50 in. (89 mm) 46828 5.50 in. (140 mm) 46841

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Cedar Texture

### Application Instructions:

LPCorp.com/Literature




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

**540 SERIES CEDAR TEXTURE TRIM**



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	25886*
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	25887*
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	25888
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	25890
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	25891
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	25892
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	25893

\*Special order item; Requires minimum quantity and extended lead times.

All graphics are for illustrative purposes only. See LPCorp.com for product, warranty, and installation details. Metric units are rounded. PSF = Pounds Per Square Foot. Refer to limited warranty at LPCorp.com/literature for complete details, including important limitations and exclusions.

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.970 in. (24.6 mm)	3 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	42312
	5.50 in. (140 mm)	42316
	7.21 in. (183 mm)	46316
	9.21 in. (234 mm)	46332
	11.21 in. (285 mm)	46348
Sand Dunes	3.50 in. (89 mm)	46283
	5.50 in. (140 mm)	46299
	7.21 in. (183 mm)	46315
	9.21 in. (234 mm)	46331
	11.21 in. (285 mm)	46347
Desert Stone	3.50 in. (89 mm)	46275
	5.50 in. (140 mm)	46291
	7.21 in. (183 mm)	46307
	9.21 in. (234 mm)	46323
	11.21 in. (285 mm)	46339
Quarry Gray	3.50 in. (89 mm)	46280
	5.50 in. (140 mm)	46296
	7.21 in. (183 mm)	46312
	9.21 in. (234 mm)	46328
	11.21 in. (285 mm)	46344
Prairie Clay	3.50 in. (89 mm)	46279
	5.50 in. (140 mm)	46295
	7.21 in. (183 mm)	46311
	9.21 in. (234 mm)	46327
	11.21 in. (285 mm)	46343
Terra Brown	3.50 in. (89 mm)	46286
	5.50 in. (140 mm)	46302
	7.21 in. (183 mm)	46318
	9.21 in. (234 mm)	46334
	11.21 in. (285 mm)	46350
Harvest Honey	3.50 in. (89 mm)	46277
	5.50 in. (140 mm)	46293
	7.21 in. (183 mm)	46309
	9.21 in. (234 mm)	46325
	11.21 in. (285 mm)	46341
Timberland Suede	3.50 in. (89 mm)	46287
	5.50 in. (140 mm)	46303
	7.21 in. (183 mm)	46319
	9.21 in. (234 mm)	46335
	11.21 in. (285 mm)	46351
Garden Sage	3.50 in. (89 mm)	46276
	5.50 in. (140 mm)	46292
	7.21 in. (183 mm)	46308
	9.21 in. (234 mm)	46324
	11.21 in. (285 mm)	46340

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	46282
	5.50 in. (140 mm)	46298
	7.21 in. (183 mm)	46314
	9.21 in. (234 mm)	46330
	11.21 in. (285 mm)	46346
Tundra Gray	3.50 in. (89 mm)	46288
	5.50 in. (140 mm)	46304
	7.21 in. (183 mm)	46320
	9.21 in. (234 mm)	46336
	11.21 in. (285 mm)	46352
Summit Blue	3.50 in. (89 mm)	46285
	5.50 in. (140 mm)	46301
	7.21 in. (183 mm)	46317
	9.21 in. (234 mm)	46333
	11.21 in. (285 mm)	46349
Rapids Blue	3.50 in. (89 mm)	46281
	5.50 in. (140 mm)	46297
	7.21 in. (183 mm)	46313
	9.21 in. (234 mm)	46329
	11.21 in. (285 mm)	46345
Cavern Steel	3.50 in. (89 mm)	46274
	5.50 in. (140 mm)	46290
	7.21 in. (183 mm)	46306
	9.21 in. (234 mm)	46322
	11.21 in. (285 mm)	46338
Midnight Shadow	3.50 in. (89 mm)	46278
	5.50 in. (140 mm)	46294
	7.21 in. (183 mm)	46310
	9.21 in. (234 mm)	46326
	11.21 in. (285 mm)	46342
Abyss Black	3.50 in. (89 mm)	46273
	5.50 in. (140 mm)	46289
	7.21 in. (183 mm)	46305
	9.21 in. (234 mm)	46321
	11.21 in. (285 mm)	46337
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46803 5.50 in. (140 mm) 46827
	Smoky Slate	3.50 in. (89 mm) 46801 5.50 in. (140 mm) 46825
Bonsai Black	3.50 in. (89 mm) 46799 5.50 in. (140 mm) 46823	
	Weathered Walnut	3.50 in. (89 mm) 46797 5.50 in. (140 mm) 46821
Aged Amber	3.50 in. (89 mm) 46795 5.50 in. (140 mm) 46819	
	Saffron Cedar	3.50 in. (89 mm) 46793 5.50 in. (140 mm) 46817

Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	46011
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	46010
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	45992
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	45993
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	45995
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	45997
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	45998

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.970 in. (24.6 mm)	3 PSF



COLOR	ACTUAL WIDTH	PID	COLOR	ACTUAL WIDTH	PID		
Snowscape White	3.50 in. (89 mm)	45699	Redwood Red	3.50 in. (89 mm)	45697		
	5.50 in. (140 mm)	45715		5.50 in. (140 mm)	45713		
	7.21 in. (183 mm)	45731		7.21 in. (183 mm)	45729		
	9.21 in. (234 mm)	45747		9.21 in. (234 mm)	45745		
	11.21 in. (285 mm)	45763		11.21 in. (285 mm)	45761		
Sand Dunes	3.50 in. (89 mm)	45698	Tundra Gray	3.50 in. (89 mm)	45703		
	5.50 in. (140 mm)	45714		5.50 in. (140 mm)	45719		
	7.21 in. (183 mm)	45730		7.21 in. (183 mm)	45735		
	9.21 in. (234 mm)	45746		9.21 in. (234 mm)	45751		
	11.21 in. (285 mm)	45762		11.21 in. (285 mm)	45767		
Desert Stone	3.50 in. (89 mm)	45690	Summit Blue	3.50 in. (89 mm)	45700		
	5.50 in. (140 mm)	45706		5.50 in. (140 mm)	45716		
	7.21 in. (183 mm)	45722		7.21 in. (183 mm)	45732		
	9.21 in. (234 mm)	45738		9.21 in. (234 mm)	45748		
	11.21 in. (285 mm)	45754		11.21 in. (285 mm)	45764		
Quarry Gray	3.50 in. (89 mm)	45695	Rapids Blue	3.50 in. (89 mm)	45696		
	5.50 in. (140 mm)	45711		5.50 in. (140 mm)	45712		
	7.21 in. (183 mm)	45727		7.21 in. (183 mm)	45728		
	9.21 in. (234 mm)	45743		9.21 in. (234 mm)	45744		
	11.21 in. (285 mm)	45759		11.21 in. (285 mm)	45760		
Prairie Clay	3.50 in. (89 mm)	45694	Cavern Steel	3.50 in. (89 mm)	45689		
	5.50 in. (140 mm)	45710		5.50 in. (140 mm)	45705		
	7.21 in. (183 mm)	45726		7.21 in. (183 mm)	45721		
	9.21 in. (234 mm)	45742		9.21 in. (234 mm)	45737		
	11.21 in. (285 mm)	45758		11.21 in. (285 mm)	45753		
Terra Brown	3.50 in. (89 mm)	45701	Midnight Shadow	3.50 in. (89 mm)	45693		
	5.50 in. (140 mm)	45717		5.50 in. (140 mm)	45709		
	7.21 in. (183 mm)	45733		7.21 in. (183 mm)	45725		
	9.21 in. (234 mm)	45749		9.21 in. (234 mm)	45741		
	11.21 in. (285 mm)	45765		11.21 in. (285 mm)	45757		
Harvest Honey	3.50 in. (89 mm)	45692	Abyss Black	3.50 in. (89 mm)	45688		
	5.50 in. (140 mm)	45708		5.50 in. (140 mm)	45704		
	7.21 in. (183 mm)	45724		7.21 in. (183 mm)	45720		
	9.21 in. (234 mm)	45740		9.21 in. (234 mm)	45736		
	11.21 in. (285 mm)	45756		11.21 in. (285 mm)	45752		
Timberland Suede	3.50 in. (89 mm)	45702	Washed White	3.50 in. (89 mm)	46791		
	5.50 in. (140 mm)	45718		5.50 in. (140 mm)	46815		
	7.21 in. (183 mm)	45734		Smoky Slate	3.50 in. (89 mm)	46789	
	9.21 in. (234 mm)	45750			5.50 in. (140 mm)	46813	
	11.21 in. (285 mm)	45766		Bonsai Black	3.50 in. (89 mm)	46787	
Garden Sage	3.50 in. (89 mm)	45691	5.50 in. (140 mm)		46811		
	5.50 in. (140 mm)	45707	Weathered Walnut	3.50 in. (89 mm)	46785		
	7.21 in. (183 mm)	45723		5.50 in. (140 mm)	46809		
	9.21 in. (234 mm)	45739	Aged Amber	3.50 in. (89 mm)	46783		
	11.21 in. (285 mm)	45755		5.50 in. (140 mm)	46807		
NEW NATURALS COLLECTION™ TRIM					Saffron Cedar	3.50 in. (89 mm)	46781
						5.50 in. (140 mm)	46805

Metric units are rounded. PSF = Pounds Per Square Foot  
Contact your LP Sales Rep for product availability.  
All colors shown are representative and may not be an exact match.

# OUTSIDE CORNER

## Cedar Texture

### Product:

LP® SmartSide® ExpertFinish® 540 Series Outside Corner

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Accessories Warranty:

5/10-Year Limited Warranty



Outside Corner  
in Summit Blue

### Application Instructions:

LPCorp.com/Literature



## Outside Corner - Cedar Texture

1" Nominal Thickness  
ExpertFinish® Core Collection Colors: 4"  
Snowscape White and Abyss Black: 6"



### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	PID
Snowscape White	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47149
	16' (192 in.) (4.9 m)	5.625 in. (142.8 mm)	0.970 in. (24.6 mm)	47185
Sand Dunes	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47153
Desert Stone	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47155
Quarry Gray	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47157
Prairie Clay	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47159
Terra Brown	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47161
Harvest Honey	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47163
Timberland Suede	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47165
Garden Sage	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47167
Redwood Red	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47169
Tundra Gray	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47171
Summit Blue	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47173
Rapids Blue	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47175
Cavern Steel	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47177
Midnight Shadow	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47179
Abyss Black	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47151
	16' (192 in.) (4.9 m)	5.625 in. (142.8 mm)	0.970 in. (24.6 mm)	47187

# OUTSIDE CORNER

## Brushed Smooth

### Product:

LP® SmartSide® ExpertFinish® 540 Series Outside Corner

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Accessories Warranty:

5/10-Year Limited Warranty



Outside Corner  
in Summit Blue


### Application Instructions:

LPCorp.com/Literature



## Outside Corner - Brushed Smooth

1" Nominal Thickness  
ExpertFinish® Core Collection Colors: 4"  
Snowscape White and Abyss Black: 6"



### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	PID
Snowscape White	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47117
	16' (192 in.) (4.9 m)	5.625 in. (142.8 mm)	0.970 in. (24.6 mm)	47181
Sand Dunes	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47121
Desert Stone	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47123
Quarry Gray	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47125
Prairie Clay	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47127
Terra Brown	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47129
Harvest Honey	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47131
Timberland Suede	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47133
Garden Sage	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47135
Redwood Red	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47137
Tundra Gray	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47139
Summit Blue	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47141
Rapids Blue	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47143
Cavern Steel	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47145
Midnight Shadow	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47147
Abyss Black	16' (192 in.) (4.9 m)	3.625 in. (92.3 mm)	0.970 in. (24.6 mm)	47119
	16' (192 in.) (4.9 m)	5.625 in. (142.8 mm)	0.970 in. (24.6 mm)	47183

# J-BLOCK & MINI-SPLIT

## Cedar Texture

### Products:

- LP® SmartSide® J-Block
- LP® SmartSide® Mini-Split
- LP® SmartSide® ExpertFinish® J-Block
- LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	HEIGHT	WIDTH	THICKNESS	PID
Cedar Texture J-Block	7.25 in. (184 mm)	7.25 in. (184 mm)	0.970 in. (24.6 mm)	43509
Cedar Texture Mini-Split	7.25 in. (184 mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)	43510

### J-Block & Mini-Split - Cedar Texture

Primed:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split



Cedar Texture J-Block



Cedar Texture Mini-Split

### Application Instructions:

LPCorp.com/Literature



### Accessories Warranty:

5/10-Year Limited Warranty



### J-Block & Mini-Split - Cedar Texture

Prefinished:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split



### ExpertFinish® Color Specifications and PIDs:

#### J-Block

PRODUCT	HEIGHT	WIDTH	THICKNESS
Cedar Texture J-Block	7.25 in. (184 mm)	7.25 in. (184 mm)	0.970 in. (24.6 mm)

COLOR	PID
Snowscape White	43399
Sand Dunes	43401
Desert Stone	43402
Quarry Gray	43412
Prairie Clay	43404
Terra Brown	43403
Harvest Honey	45436
Timberland Suede	43405

COLOR	PID
Garden Sage	45437
Redwood Red	43408
Tundra Gray	43413
Summit Blue	43410
Rapids Blue	43411
Cavern Steel	43414
Midnight Shadow	45399
Abyss Black	43435



Cedar Texture J-Block in Tundra Gray

#### Mini-Split

PRODUCT	HEIGHT	WIDTH	THICKNESS
Cedar Texture Mini-Split	7.25 in. (184mm)	6.75 in. (171 mm)	0.970 in. (24.6 mm)

COLOR	PID
Snowscape White	43416
Sand Dunes	43417
Desert Stone	43418
Quarry Gray	43428
Prairie Clay	43420
Terra Brown	43432
Harvest Honey	45438
Timberland Suede	43421

COLOR	PID
Garden Sage	45402
Redwood Red	43424
Tundra Gray	43429
Summit Blue	43426
Rapids Blue	43427
Cavern Steel	43430
Midnight Shadow	45440
Abyss Black	43431



Cedar Texture Mini-Split in Tundra Gray

Shop now at Amazon.com  
Select products/colors available



# JUMBO BLOCK

**Cedar Texture**

## Product:

LP® SmartSide® ExpertFinish® Jumbo Block  
DESIGNED & RATED FOR EXTERIOR USE

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Accessories Warranty:

5/10-Year Limited Warranty



**NEW!**  
**Cedar Texture Jumbo Block**



## Application Instructions:

[LPCorp.com/Literature](http://LPCorp.com/Literature)



## Jumbo Block - Cedar Texture

Prefinished:  
10" x 11.25"



## ExpertFinish® Color Specifications and PIDs:

### Jumbo Block

PRODUCT	HEIGHT	WIDTH	THICKNESS
Cedar Texture Jumbo Block	9.96in (253 mm)	11.25in (286 mm)	0.970 in. (24.6 mm)

	COLOR	PID
	Snowscape White	48016
	Tundra Gray	48020
	Cavern Steel	48019
	Midnight Shadow	48018
	Abyss Black	48017
NEW NATURALS COLLECTION™ JUMBO BLOCK	Washed White	48135
	Smoky Slate	48133
	Bonsai Black	48131
	Weathered Walnut	48129
	Aged Amber	48127
	Saffron Cedar	48125

# J-BLOCK & MINI-SPLIT

Brushed Smooth

## Products:

- LP® SmartSide® ExpertFinish® J-Block
- LP® SmartSide® ExpertFinish® Mini-Split

DESIGNED & RATED FOR EXTERIOR USE

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Accessories Warranty:

5/10-Year Limited Warranty



Brushed Smooth J-Block in Summit Blue



Brushed Smooth Mini-Split in Summit Blue

## Application Instructions:

LPCorp.com/Literature



## J-Block & Mini-Split - Brushed Smooth

Prefinished:  
7.25" x 7.25" J-Block  
7.25" x 6.75" Mini Split

Brushed Smooth

ExpertFinish® Colors

## ExpertFinish® Color Specifications and PIDs:

### J-Block

PRODUCT	HEIGHT	WIDTH	THICKNESS
Brushed Smooth J-Block	7.25 in. (184 mm)	7.25 in. (184 mm)	.970 in. (24.6 mm)

COLOR	PID
Snowscape White	45925
Sand Dunes	45923
Desert Stone	45907
Quarry Gray	45917
Prairie Clay	45915
Terra Brown	45929
Harvest Honey	45911
Timberland Suede	45931

COLOR	PID
Garden Sage	45909
Redwood Red	45921
Tundra Gray	45933
Summit Blue	45927
Rapids Blue	45919
Cavern Steel	45905
Midnight Shadow	45913
Abyss Black	45903

### Mini-Split

PRODUCT	HEIGHT	WIDTH	THICKNESS
Brushed Smooth Mini-Split	7.25 in. (184 mm)	6.75 in. (171 mm)	.970 in. (24.6 mm)

COLOR	PID
Snowscape White	45953
Sand Dunes	45951
Desert Stone	45938
Quarry Gray	45974
Prairie Clay	45945
Terra Brown	45980
Harvest Honey	45942
Timberland Suede	45957

COLOR	PID
Garden Sage	45940
Redwood Red	45949
Tundra Gray	45982
Summit Blue	45978
Rapids Blue	45976
Cavern Steel	45970
Midnight Shadow	45972
Abyss Black	45935

# JUMBO BLOCK

Brushed Smooth

## Product:

LP® SmartSide® ExpertFinish® Jumbo Block  
DESIGNED & RATED FOR EXTERIOR USE

## Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



## Sustainability Info:

Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## Accessories Warranty:

5/10-Year Limited Warranty



**NEW!**

## Brushed Smooth Jumbo Block



Brushed Smooth Jumbo Block in Snowscape White

## Application Instructions:

LPCorp.com/Literature



Jumbo Block - Brushed Smooth

Prefinished:  
10" x 11.25"

Brushed Smooth

ExpertFinish® Colors

## ExpertFinish® Color Specifications and PIDs:

### Jumbo Block

PRODUCT	HEIGHT	WIDTH	THICKNESS
Brushed Smooth Jumbo Block	9.96in (253 mm)	11.25in (286 mm)	0.970 in. (24.6 mm)

	COLOR	PID
	Snowscape White	48021
	Tundra Gray	48025
	Cavern Steel	48024
	Midnight Shadow	48023
	Abyss Black	48022
NEW NATURALS COLLECTION™ JUMBO BLOCK	Washed White	48123
	Smoky Slate	48121
	Bonsai Black	48119
	Weathered Walnut	48117
	Aged Amber	48115
	Saffron Cedar	48113

# UNIT SIZES



PRODUCT	CEDAR TEXTURE UNIT SIZE	BRUSHED SMOOTH UNIT SIZE
38 Series Lap 3/8" x 6" x 16'	360 pcs.	360 pcs.
38 Series Lap 3/8" x 8" x 16'	270 pcs.	270 pcs.
38 Series Lap 3/8" x 12" x 16'	180 pcs.	180 pcs.
440 Series Trim 3/4" x 2" x 16'	384 pcs.	384 pcs.
440 Series Trim 3/4" x 3" x 16'	216 pcs.	216 pcs.
440 Series Trim 3/4" x 4" x 16'	350 pcs.	350 pcs.
440 Series Trim 3/4" x 6" x 16'	192 pcs.	192 pcs.
440 Series Trim 3/4" x 8" x 16'	144 pcs.	144 pcs.
440 Series Trim 3/4" x 10" x 16'	120 pcs.	120 pcs.
440 Series Trim 3/4" x 12" x 16'	96 pcs.	96 pcs.
540 Series Trim 1" x 2" x 16'	256 pcs.	256 pcs.
540 Series Trim 1" x 3" x 16'	162 pcs.	162 pcs.
540 Series Trim 1" x 4" x 16'	252 pcs.	252 pcs.
540 Series Trim 1" x 6" x 16'	144 pcs.	144 pcs.
540 Series Trim 1" x 8" x 16'	108 pcs.	108 pcs.
540 Series Trim 1" x 10" x 16'	90 pcs.	90 pcs.
540 Series Trim 1" x 12" x 16'	72 pcs.	72 pcs.
190 Series Trim 19/32" x 3" x 16'	270 pcs.	270 pcs.
190 Series Trim 19/32" x 4" x 16'	420 pcs.	-
190 Series Trim 19/32" x 6" x 16'	240 pcs.	-
38 Series Panel 3/8" x 4' x 6' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 7' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 9' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 12' (8" o.c.)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 8' (NGSE Dual Use Siding & Soffit)	90 pcs.	45 pcs.
38 Series Panel 3/8" x 4' x 9' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (NGSL)	90 pcs.	-
38 Series Panel 3/8" x 4' x 10' (NGSE Dual Use Siding & Soffit)	90 pcs.	45 pcs.

PRODUCT	CEDAR TEXTURE UNIT SIZE	BRUSHED SMOOTH UNIT SIZE
76 Series Panel 7/16" x 4' x 8' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 9' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 10' (8" o.c.)	80 pcs.	-
76 Series Panel 7/16" x 4' x 8' (NGSL)	80 pcs.	-
76 Series Panel 7/16" x 4' x 9' (NGSL)	80 pcs.	-
76 Series Panel 7/16" x 4' x 10' (NGSL)	80 pcs.	-
190 Series Panel 19/32" x 4' x 8' (8" o.c.)	60 pcs.	-
38 Series Soffit Panel 3/8" x 4' x 8'	90 pcs.	-
76 Series Soffit Panel 7/16" x 4' x 8'	80 pcs.	-
190 Series Soffit Panel 19/32" x 4' x 8'	60 pcs.	-
38 Series Soffit 3/8" x 12" x 16' Vented	180 pcs.	180 pcs.
38 Series Soffit 3/8" x 12" x 16' Closed	180 pcs.	180 pcs.
38 Series Soffit 3/8" x 16" x 16' Vented	135 pcs.	135 pcs.
38 Series Soffit 3/8" x 16" x 16' Closed	135 pcs.	135 pcs.
38 Series Soffit 3/8" x 24" x 16' Vented	90 pcs.	90 pcs.
38 Series Soffit 3/8" x 24" x 16' Closed	90 pcs.	90 pcs.
38 Series Vertical Siding 3/8" x 16" x 16'	135 pcs.	135 pcs.
Nickel Gap Siding 1/2" x 8" x 16'	180 pcs.	-
38 Series Shake Lap Siding 3/8" x 12" x 48"	400 pcs.	400 pcs.
540 Series J-Blocks 1" x 7.25" x 7.25"		
540 Series Mini-Splits 1" x 7.25" x 6.75"		
540 Series Jumbo Blocks 1" x 10" x 11.25"		

# UNIT SIZES



PRODUCT	MINI BUNDLE SIZE	CEDAR TEXTURE UNIT SIZE	BRUSHED SMOOTH UNIT SIZE
38 Series Lap 3/8" x 6" x 16'	6 pcs.	252 pcs.	252 pcs.
38 Series Lap 3/8" x 8" x 16'	6 pcs.	252 pcs.	252 pcs.
<b>NC</b> 38 Series Lap 3/8" x 8" x 16' <b>NATURALS COLLECTION™ colors</b>	6 pcs.	144 pcs.	144 pcs.
<b>NC</b> 190 Series Trim 19/32" x 3" x 16'	16 pcs.	90 pcs.	90 pcs.
<b>NC</b> 540 Series Trim 1" x 4" x 16'	4 pcs.	120 pcs. (Snowscape White = 216)	120 pcs.
<b>NC</b> 540 Series Trim 1" x 6" x 16'	4 pcs.	64 pcs. (Snowscape White = 128)	64 pcs.
<b>NC</b> 540 Series Trim 1" x 8" x 16'	4 pcs.	48 pcs.	48 pcs.
540 Series Trim 1" x 10" x 16'	2 pcs.	50 pcs.	50 pcs.
<b>NC</b> 540 Series Trim 1" x 12" x 16'	2 pcs.	40 pcs.	40 pcs.
<b>NC</b> 440 Series Trim 3/4" x 4" x 16'	4 pcs.	144 pcs. (Snowscape White = 288)	144 pcs.
<b>NC</b> 440 Series Trim 3/4" x 6" x 16'	4 pcs.	96 pcs. (Snowscape White = 160)	96 pcs.
440 Series Trim 3/4" x 8" x 16'	4 pcs.	72 pcs.	72 pcs.
440 Series Trim 3/4" x 10" x 16'	2 pcs.	50 pcs.	50 pcs.
440 Series Trim 3/4" x 12" x 16'	2 pcs.	40 pcs.	40 pcs.
38 Series Soffit 3/8" x 12" x 16' Vented	2 pcs.	72 pcs.	72 pcs.
38 Series Soffit 3/8" x 12" x 16' Closed	2 pcs.	72 pcs.	72 pcs.
38 Series Soffit 3/8" x 16" x 16' Vented	2 pcs.	66 pcs.	66 pcs.
<b>NC</b> 38 Series Soffit 3/8" x 16" x 16' Closed	2 pcs.	66 pcs.	66 pcs.
38 Series Soffit 3/8" x 24" x 16' Vented	-	22 pcs.	22 pcs.
38 Series Soffit 3/8" x 24" x 16' Closed	-	22 pcs.	22 pcs.
<b>NC</b> 38 Series Vertical Siding 3/8" x 16" x 16'	2 pcs.	132 pcs.	132 pcs.
38 Series Panel 3/8" x 4' x 8'	-	45 pcs.	45 pcs.
38 Series Panel 3/8" x 4' x 10'	-	45 pcs.	45 pcs.
<b>NC</b> Nickel Gap 1/2" x 8" x 16'	6 pcs.	72 pcs.	72 pcs.
540 Series Outside Corners 1" x 4" x 16'	2 pcs.	24 pcs.	24 pcs.
540 Series Outside Corners 1" x 6" x 16'	2 pcs.	24 pcs.	24 pcs.
38 Series Shake Lap Siding 3/8" x 12" x 48"	10 pcs.	80 pcs.	-
540 Series J-Blocks 1" x 7.25" x 7.25"	10 pcs.	10 pcs.	10 pcs.
540 Series Mini-Splits 1" x 7.25" x 6.75"	10 pcs.	10 pcs.	10 pcs.
<b>NC</b> 540 Series Mini-Splits 1" x 7.25" x 6.75" <b>NATURALS COLLECTION™ colors</b>	5 pcs.	5 pcs.	5 pcs.
<b>NC</b> 540 Series Jumbo Blocks 1" x 10" x 11.25"	2 pcs.	2 pcs.	2 pcs.

**NC** = Available in LP® NATURALS COLLECTION™ colors  
**NATURALS COLLECTION™ colors** = Unit size differs from ExpertFinish® core collection colors

# LAP SIDING

## Coverage Chart All Textures & Colors

Lap Siding 16' Length Area (sq. ft.)	Reveal (size)		
	4-7/8" (6")	6-7/8" (8")	10-7/8" (12")
100	16 pcs.	11 pcs.	7 pcs.
200	31 pcs.	22 pcs.	14 pcs.
300	47 pcs.	33 pcs.	21 pcs.
400	62 pcs.	44 pcs.	28 pcs.
500	77 pcs.	55 pcs.	35 pcs.
600	93 pcs.	66 pcs.	42 pcs.
700	108 pcs.	77 pcs.	49 pcs.
800	124 pcs.	88 pcs.	56 pcs.
900	139 pcs.	99 pcs.	63 pcs.
1000	154 pcs.	110 pcs.	69 pcs.
1500	231 pcs.	164 pcs.	104 pcs.
2000	308 pcs.	219 pcs.	138 pcs.
2500	385 pcs.	273 pcs.	173 pcs.
3000	462 pcs.	328 pcs.	207 pcs.
3500	539 pcs.	382 pcs.	242 pcs.
4000	616 pcs.	437 pcs.	276 pcs.
4500	693 pcs.	491 pcs.	311 pcs.
5000	770 pcs.	546 pcs.	345 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# NICKEL GAP

## Coverage Chart All Textures & Colors

Nickel Gap 16' Length Area (sq. ft.)	Reveal (size)
	6-7/8" (7")
100	11 pcs.
200	22 pcs.
300	33 pcs.
400	44 pcs.
500	55 pcs.
600	66 pcs.
700	77 pcs.
800	88 pcs.
900	99 pcs.
1000	110 pcs.
1500	164 pcs.
2000	219 pcs.
2500	273 pcs.
3000	328 pcs.
3500	382 pcs.
4000	437 pcs.
4500	491 pcs.
5000	546 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# SHAKES

## Coverage Chart All Textures & Colors

Shake Lap Siding 4' Length	Reveal (size)	
	7" (12")	10" (12")
Area (sq. ft.)		
100	44 pcs.	31 pcs.
200	88 pcs.	61 pcs.
300	131 pcs.	92 pcs.
400	175 pcs.	122 pcs.
500	219 pcs.	152 pcs.
600	262 pcs.	183 pcs.
700	306 pcs.	213 pcs.
800	350 pcs.	244 pcs.
900	393 pcs.	274 pcs.
1000	437 pcs.	304 pcs.
1500	655 pcs.	456 pcs.
2000	873 pcs.	608 pcs.
2500	1091 pcs.	760 pcs.
3000	1310 pcs.	912 pcs.
3500	1528 pcs.	1064 pcs.
4000	1746 pcs.	1216 pcs.
4500	1964 pcs.	1368 pcs.
5000	2182 pcs.	1519 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# PANEL

## Coverage Chart All Textures & Colors

Panel Siding	Reveal (size)			
	4' x 8'	4' x 9'	4' x 10'	4' x 12'
Area (sq. ft.)				
100	4 pcs.	3 pcs.	3 pcs.	3 pcs.
200	7 pcs.	6 pcs.	5 pcs.	5 pcs.
300	10 pcs.	9 pcs.	8 pcs.	7 pcs.
400	13 pcs.	12 pcs.	10 pcs.	9 pcs.
500	16 pcs.	14 pcs.	13 pcs.	11 pcs.
600	19 pcs.	17 pcs.	15 pcs.	13 pcs.
700	22 pcs.	20 pcs.	18 pcs.	15 pcs.
800	25 pcs.	23 pcs.	20 pcs.	17 pcs.
900	29 pcs.	25 pcs.	23 pcs.	19 pcs.
1000	32 pcs.	28 pcs.	25 pcs.	21 pcs.
1500	47 pcs.	42 pcs.	38 pcs.	32 pcs.
2000	63 pcs.	56 pcs.	50 pcs.	42 pcs.
2500	79 pcs.	70 pcs.	63 pcs.	53 pcs.
3000	94 pcs.	84 pcs.	75 pcs.	63 pcs.
3500	110 pcs.	98 pcs.	88 pcs.	73 pcs.
4000	125 pcs.	112 pcs.	100 pcs.	84 pcs.
4500	141 pcs.	125 pcs.	113 pcs.	94 pcs.
5000	157 pcs.	139 pcs.	125 pcs.	105 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.



# VERTICAL SIDING

## Coverage Chart All Textures & Colors

Vertical Siding	Reveal (size)
Area (sq. ft.)	15-15/16" (16")
100	5 pcs.
200	10 pcs.
300	15 pcs.
400	19 pcs.
500	24 pcs.
600	29 pcs.
700	33 pcs.
800	38 pcs.
900	43 pcs.
1000	48 pcs.
1500	71 pcs.
2000	95 pcs.
2500	118 pcs.
3000	142 pcs.
3500	165 pcs.
4000	189 pcs.
4500	212 pcs.
5000	236 pcs.

Disclaimer: The above chart does not account for waste factors. Remember to include your expected jobsite waste. It is up to the purchaser to determine the appropriate waste factor to add to the material estimate. LP takes no responsibility for estimates, including overages or shortages of material based on the above coverage chart.




# BUILD BETTER WITH LP BUILDING SOLUTIONS.



## Building a Better World™

LP's mission is to provide an innovative and sustainable portfolio of high-quality products that help our customers build beautiful, durable homes and structures. With a united spirit of discovery, LP is forging ahead with innovative ideas to create new products that make a difference in the world.





# SIDING WITH A FAST INSTALL AND LONG WARRANTY.

# THAT'S SMART.

LP® SmartSide®  
**5/50** YEAR  
PRORATED  
LIMITED  
WARRANTY

LP® SmartSide® ExpertFinish®  
**5/15/50** YEAR  
PRORATED  
LIMITED  
WARRANTY



For more information, visit  
[LPCorp.com/SmartSide](http://LPCorp.com/SmartSide)



@LP\_Profs



LP Building Solutions  
for Professionals



LP Building Solutions

**⚠ WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to [www.P65Warnings.ca.gov/wood](http://www.P65Warnings.ca.gov/wood).

© 2026 Louisiana-Pacific Corporation. Sustainable Forestry Initiative, SFI, and associated logo are registered trademarks of Sustainable Forestry Initiative, Inc. LEED is a registered trademark of the U.S. Green Building Council. WELL BUILDING STANDARD is a registered trademark of the International Well Building Institute. The National Green Building Standard is a registered trademark of the National Association of Home Builders of the United States.

Refer to limited warranty at [LPCorp.com/literature](http://LPCorp.com/literature) for complete details, including important limitations and exclusions. Specifications subject to change without notice.

LPZB0946 5/26