

# TRIM

## Cedar Texture

### Products:

LP® SmartSide® 190 Series Trim  
LP® SmartSide® ExpertFinish® 190 Series Trim  
DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



## 190 Series Trim - Cedar Texture

19/32" Nominal Thickness  
Primed: 3" | 4" | 6"





Cedar Texture

### Application Instructions:

LPCorp.com/Literature




### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	28448
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.578 in. (14.7 mm)	2 PSF	28450
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.578 in. (14.7 mm)	2 PSF	28452


## 190 Series Trim - Cedar Texture

19/32" Nominal Thickness  
Prefinished: 3"



### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46268
Sand Dunes	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46267
Desert Stone	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46248
Quarry Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46264
Prairie Clay	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46263
Terra Brown	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46270
Harvest Honey	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46261
Timberland Suede	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46271
Garden Sage	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46249
Redwood Red	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46266
Tundra Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46272
Summit Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46269
Rapids Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46265
Cavern Steel	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46247
Midnight Shadow	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46262
Abyss Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46246
Washed White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46779
Smoky Slate	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46777
Bonsai Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46775
Weathered Walnut	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46773
Aged Amber	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46771
Saffron Cedar	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46769



All graphics are for illustrative purposes only. Metric units are rounded. PSF = Pounds Per Square Foot. Contact your LP Sales Rep for product availability. All colors shown are representative and may not be an exact match.

# TRIM

## Brushed Smooth

### Products:

LP® SmartSide® 190 Series Trim  
LP® SmartSide® ExpertFinish® 190 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
190 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	48027

## 190 Series Trim - Brushed Smooth

19/32" Nominal Thickness  
Primed: 3"



Brushed Smooth

### Application Instructions:


LPCorp.com/Literature



## 190 Series Trim - Brushed Smooth


19/32" Nominal Thickness  
Prefinished: 3"

### ExpertFinish® Color Specifications and PIDs:



COLOR	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
Snowscape White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45779
Sand Dunes	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45778
Desert Stone	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45770
Quarry Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45775
Prairie Clay	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45774
Terra Brown	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45781
Harvest Honey	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45772
Timberland Suede	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45782
Garden Sage	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45771
Redwood Red	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45777
Tundra Gray	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45783
Summit Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45780
Rapids Blue	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45776
Cavern Steel	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45769
Midnight Shadow	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45773
Abyss Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	45768
Washed White	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46767
Smoky Slate	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46765
Bonsai Black	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46763
Weathered Walnut	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46761
Aged Amber	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46759
Saffron Cedar	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.578 in. (14.7 mm)	2 PSF	46757

NEW NATURALS COLLECTION™ TRIM



# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 440 Series Trim
  - LP® SmartSide® ExpertFinish® 440 Series Trim
- DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

#### 440 SERIES CEDAR TEXTURE TRIM



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	25877
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	25878
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	25880
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	25882
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	25883
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	25884
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	25885


## 440 Series Trim - Cedar Texture

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"



### Application Instructions:

LPCorp.com/Literature



## 440 Series Trim - Cedar Texture

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.675 in. (17.1 mm)	2 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	42324
	5.50 in. (140 mm)	42328
	7.21 in. (183 mm)	46396
	9.21 in. (234 mm)	46412
	11.21 in. (285 mm)	46428
Sand Dunes	3.50 in. (89 mm)	46363
	5.50 in. (140 mm)	46379
	7.21 in. (183 mm)	46395
	9.21 in. (234 mm)	46411
	11.21 in. (285 mm)	46427
Desert Stone	3.50 in. (89 mm)	46355
	5.50 in. (140 mm)	46371
	7.21 in. (183 mm)	46387
	9.21 in. (234 mm)	46403
	11.21 in. (285 mm)	46419
Quarry Gray	3.50 in. (89 mm)	46360
	5.50 in. (140 mm)	46376
	7.21 in. (183 mm)	46392
	9.21 in. (234 mm)	46408
	11.21 in. (285 mm)	46424
Prairie Clay	3.50 in. (89 mm)	46359
	5.50 in. (140 mm)	46375
	7.21 in. (183 mm)	46391
	9.21 in. (234 mm)	46407
	11.21 in. (285 mm)	46423
Terra Brown	3.50 in. (89 mm)	46366
	5.50 in. (140 mm)	46382
	7.21 in. (183 mm)	46398
	9.21 in. (234 mm)	46414
	11.21 in. (285 mm)	46430
Harvest Honey	3.50 in. (89 mm)	46357
	5.50 in. (140 mm)	46373
	7.21 in. (183 mm)	46389
	9.21 in. (234 mm)	46405
	11.21 in. (285 mm)	46421
Timberland Suede	3.50 in. (89 mm)	46367
	5.50 in. (140 mm)	46383
	7.21 in. (183 mm)	46399
	9.21 in. (234 mm)	46415
	11.21 in. (285 mm)	46431
Garden Sage	3.50 in. (89 mm)	46356
	5.50 in. (140 mm)	46372
	7.21 in. (183 mm)	46388
	9.21 in. (234 mm)	46404
	11.21 in. (285 mm)	46420

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	46362
	5.50 in. (140 mm)	46378
	7.21 in. (183 mm)	46394
	9.21 in. (234 mm)	46410
	11.21 in. (285 mm)	46426
Tundra Gray	3.50 in. (89 mm)	46368
	5.50 in. (140 mm)	46384
	7.21 in. (183 mm)	46400
	9.21 in. (234 mm)	46416
	11.21 in. (285 mm)	46432
Summit Blue	3.50 in. (89 mm)	46365
	5.50 in. (140 mm)	46381
	7.21 in. (183 mm)	46397
	9.21 in. (234 mm)	46413
	11.21 in. (285 mm)	46429
Rapids Blue	3.50 in. (89 mm)	46361
	5.50 in. (140 mm)	46377
	7.21 in. (183 mm)	46393
	9.21 in. (234 mm)	46409
	11.21 in. (285 mm)	46425
Cavern Steel	3.50 in. (89 mm)	46354
	5.50 in. (140 mm)	46370
	7.21 in. (183 mm)	46386
	9.21 in. (234 mm)	46402
	11.21 in. (285 mm)	46418
Midnight Shadow	3.50 in. (89 mm)	46358
	5.50 in. (140 mm)	46374
	7.21 in. (183 mm)	46390
	9.21 in. (234 mm)	46406
	11.21 in. (285 mm)	46422
Abyss Black	3.50 in. (89 mm)	46353
	5.50 in. (140 mm)	46369
	7.21 in. (183 mm)	46385
	9.21 in. (234 mm)	46401
	11.21 in. (285 mm)	46417
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46839 5.50 in. (140 mm) 46863
	Smoky Slate	3.50 in. (89 mm) 46838 5.50 in. (140 mm) 46861
Bonsai Black	3.50 in. (89 mm) 46837 5.50 in. (140 mm) 46859	
	Weathered Walnut	3.50 in. (89 mm) 46836 5.50 in. (140 mm) 46857
Aged Amber	3.50 in. (89 mm) 46835 5.50 in. (140 mm) 46855	
	Saffron Cedar	3.50 in. (89 mm) 46834 5.50 in. (140 mm) 46853

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Brushed Smooth

### Products:

- LP® SmartSide® 440 Series Trim
- LP® SmartSide® ExpertFinish® 440 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



### Application Instructions:

LPCorp.com/Literature




### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

**440 SERIES BRUSHED SMOOTH TRIM**




PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
440 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	2 PSF	46012
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	2 PSF	45999
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	2 PSF	46000
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	2 PSF	46001
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	2 PSF	46002
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	2 PSF	46003
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	2 PSF	46004

**440 Series Trim - Brushed Smooth**

3/4" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.675 in. (17.1 mm)	2 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	45795
	5.50 in. (140 mm)	45811
	7.21 in. (183 mm)	45827
	9.21 in. (234 mm)	45843
	11.21 in. (285 mm)	45859
Sand Dunes	3.50 in. (89 mm)	45794
	5.50 in. (140 mm)	45810
	7.21 in. (183 mm)	45826
	9.21 in. (234 mm)	45842
	11.21 in. (285 mm)	45858
Desert Stone	3.50 in. (89 mm)	45786
	5.50 in. (140 mm)	45802
	7.21 in. (183 mm)	45818
	9.21 in. (234 mm)	45834
	11.21 in. (285 mm)	45850
Quarry Gray	3.50 in. (89 mm)	45791
	5.50 in. (140 mm)	45807
	7.21 in. (183 mm)	45823
	9.21 in. (234 mm)	45839
	11.21 in. (285 mm)	45855
Prairie Clay	3.50 in. (89 mm)	45790
	5.50 in. (140 mm)	45806
	7.21 in. (183 mm)	45822
	9.21 in. (234 mm)	45838
	11.21 in. (285 mm)	45854
Terra Brown	3.50 in. (89 mm)	45797
	5.50 in. (140 mm)	45813
	7.21 in. (183 mm)	45829
	9.21 in. (234 mm)	45845
	11.21 in. (285 mm)	45861
Harvest Honey	3.50 in. (89 mm)	45788
	5.50 in. (140 mm)	45804
	7.21 in. (183 mm)	45820
	9.21 in. (234 mm)	45836
	11.21 in. (285 mm)	45852
Timberland Suede	3.50 in. (89 mm)	45798
	5.50 in. (140 mm)	45814
	7.21 in. (183 mm)	45830
	9.21 in. (234 mm)	45846
	11.21 in. (285 mm)	45862
Garden Sage	3.50 in. (89 mm)	45787
	5.50 in. (140 mm)	45803
	7.21 in. (183 mm)	45819
	9.21 in. (234 mm)	45835
	11.21 in. (285 mm)	45851

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	45793
	5.50 in. (140 mm)	45809
	7.21 in. (183 mm)	45825
	9.21 in. (234 mm)	45841
	11.21 in. (285 mm)	45857
Tundra Gray	3.50 in. (89 mm)	45799
	5.50 in. (140 mm)	45815
	7.21 in. (183 mm)	45831
	9.21 in. (234 mm)	45847
	11.21 in. (285 mm)	45863
Summit Blue	3.50 in. (89 mm)	45796
	5.50 in. (140 mm)	45812
	7.21 in. (183 mm)	45828
	9.21 in. (234 mm)	45844
	11.21 in. (285 mm)	45860
Rapids Blue	3.50 in. (89 mm)	45792
	5.50 in. (140 mm)	45808
	7.21 in. (183 mm)	45824
	9.21 in. (234 mm)	45840
	11.21 in. (285 mm)	45856
Cavern Steel	3.50 in. (89 mm)	45785
	5.50 in. (140 mm)	45801
	7.21 in. (183 mm)	45817
	9.21 in. (234 mm)	45833
	11.21 in. (285 mm)	45849
Midnight Shadow	3.50 in. (89 mm)	45789
	5.50 in. (140 mm)	45805
	7.21 in. (183 mm)	45821
	9.21 in. (234 mm)	45837
	11.21 in. (285 mm)	45853
Abyss Black	3.50 in. (89 mm)	45784
	5.50 in. (140 mm)	45800
	7.21 in. (183 mm)	45816
	9.21 in. (234 mm)	45832
	11.21 in. (285 mm)	45848
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46833 5.50 in. (140 mm) 46851
	Smoky Slate	3.50 in. (89 mm) 46832 5.50 in. (140 mm) 46849
Bonsai Black	3.50 in. (89 mm) 46831 5.50 in. (140 mm) 46847	
	Weathered Walnut	3.50 in. (89 mm) 46830 5.50 in. (140 mm) 46845
Aged Amber	3.50 in. (89 mm) 46829 5.50 in. (140 mm) 46843	
	Saffron Cedar	3.50 in. (89 mm) 46828 5.50 in. (140 mm) 46841

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

# TRIM

## Cedar Texture

### Products:

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

### Substrate:

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay



Cedar Texture

### Application Instructions:

LPCorp.com/Literature





### Sustainability Info:

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



### Primed Specifications and PIDs:

**540 SERIES CEDAR TEXTURE TRIM**



PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Cedar Texture Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	25886*
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	25887*
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	25888
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	25890
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	25891
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	25892
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	25893

\*Special order item; Requires minimum quantity and extended lead times.

**540 Series Trim - Cedar Texture**

1" Nominal Thickness  
Prefinished: Varies by color

### ExpertFinish® Color Specifications and PIDs:

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.970 in. (24.6 mm)	3 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	42312
	5.50 in. (140 mm)	42316
	7.21 in. (183 mm)	46316
	9.21 in. (234 mm)	46332
	11.21 in. (285 mm)	46348
Sand Dunes	3.50 in. (89 mm)	46283
	5.50 in. (140 mm)	46299
	7.21 in. (183 mm)	46315
	9.21 in. (234 mm)	46331
	11.21 in. (285 mm)	46347
Desert Stone	3.50 in. (89 mm)	46275
	5.50 in. (140 mm)	46291
	7.21 in. (183 mm)	46307
	9.21 in. (234 mm)	46323
	11.21 in. (285 mm)	46339
Quarry Gray	3.50 in. (89 mm)	46280
	5.50 in. (140 mm)	46296
	7.21 in. (183 mm)	46312
	9.21 in. (234 mm)	46328
	11.21 in. (285 mm)	46344
Prairie Clay	3.50 in. (89 mm)	46279
	5.50 in. (140 mm)	46295
	7.21 in. (183 mm)	46311
	9.21 in. (234 mm)	46327
	11.21 in. (285 mm)	46343
Terra Brown	3.50 in. (89 mm)	46286
	5.50 in. (140 mm)	46302
	7.21 in. (183 mm)	46318
	9.21 in. (234 mm)	46334
	11.21 in. (285 mm)	46350
Harvest Honey	3.50 in. (89 mm)	46277
	5.50 in. (140 mm)	46293
	7.21 in. (183 mm)	46309
	9.21 in. (234 mm)	46325
	11.21 in. (285 mm)	46341
Timberland Suede	3.50 in. (89 mm)	46287
	5.50 in. (140 mm)	46303
	7.21 in. (183 mm)	46319
	9.21 in. (234 mm)	46335
	11.21 in. (285 mm)	46351
Garden Sage	3.50 in. (89 mm)	46276
	5.50 in. (140 mm)	46292
	7.21 in. (183 mm)	46308
	9.21 in. (234 mm)	46324
	11.21 in. (285 mm)	46340

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	46282
	5.50 in. (140 mm)	46298
	7.21 in. (183 mm)	46314
	9.21 in. (234 mm)	46330
	11.21 in. (285 mm)	46346
Tundra Gray	3.50 in. (89 mm)	46288
	5.50 in. (140 mm)	46304
	7.21 in. (183 mm)	46320
	9.21 in. (234 mm)	46336
	11.21 in. (285 mm)	46352
Summit Blue	3.50 in. (89 mm)	46285
	5.50 in. (140 mm)	46301
	7.21 in. (183 mm)	46317
	9.21 in. (234 mm)	46333
	11.21 in. (285 mm)	46349
Rapids Blue	3.50 in. (89 mm)	46281
	5.50 in. (140 mm)	46297
	7.21 in. (183 mm)	46313
	9.21 in. (234 mm)	46329
	11.21 in. (285 mm)	46345
Cavern Steel	3.50 in. (89 mm)	46274
	5.50 in. (140 mm)	46290
	7.21 in. (183 mm)	46306
	9.21 in. (234 mm)	46322
	11.21 in. (285 mm)	46338
Midnight Shadow	3.50 in. (89 mm)	46278
	5.50 in. (140 mm)	46294
	7.21 in. (183 mm)	46310
	9.21 in. (234 mm)	46326
	11.21 in. (285 mm)	46342
Abyss Black	3.50 in. (89 mm)	46273
	5.50 in. (140 mm)	46289
	7.21 in. (183 mm)	46305
	9.21 in. (234 mm)	46321
	11.21 in. (285 mm)	46337
NEW NATURALS COLLECTION™ TRIM	Washed White	3.50 in. (89 mm) 46803 5.50 in. (140 mm) 46827
	Smoky Slate	3.50 in. (89 mm) 46801 5.50 in. (140 mm) 46825
	Bonsai Black	3.50 in. (89 mm) 46799 5.50 in. (140 mm) 46823
Weathered Walnut	3.50 in. (89 mm) 46797 5.50 in. (140 mm) 46821	
	Aged Amber	3.50 in. (89 mm) 46795 5.50 in. (140 mm) 46819
	Saffron Cedar	3.50 in. (89 mm) 46793 5.50 in. (140 mm) 46817

Metric units are rounded. PSF = Pounds Per Square Foot  
Contact your LP Sales Rep for product availability.  
All colors shown are representative and may not be an exact match.

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Primed: 2" | 3" | 4" | 6" | 8" | 10" | 12"

**TRIM**

**Brushed Smooth**

**Products:**

- LP® SmartSide® 540 Series Trim
- LP® SmartSide® ExpertFinish® 540 Series Trim

DESIGNED & RATED FOR EXTERIOR USE

**Substrate:**

- Features engineered wood strand technology with precisely-sized, shaped, and layered wood strands from responsibly sourced logs
- Made using LP's proprietary SmartGuard® process, which includes industrial-grade resins, water-resistant waxes, zinc borate, and a resin-saturated overlay




**Sustainability Info:**

- ASTM-Verified Carbon Negative
- Made with wood, a renewable resource, vetted through strict Sustainable Forestry Initiative® (SFI®) standards



**Primed Specifications and PIDs:**




PRODUCT	LENGTH	ACTUAL WIDTH	THICKNESS	WEIGHT	PID
540 Series Brushed Smooth Trim	16 ft. (192 in.) (4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	3 PSF	46011
	16 ft. (192 in.) (4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	3 PSF	46010
	16 ft. (192 in.) (4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	3 PSF	45992
	16 ft. (192 in.) (4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	3 PSF	45993
	16 ft. (192 in.) (4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	3 PSF	45995
	16 ft. (192 in.) (4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	3 PSF	45997
	16 ft. (192 in.) (4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	3 PSF	45998

**540 Series Trim - Brushed Smooth**

1" Nominal Thickness  
Prefinished: Varies by color

**ExpertFinish® Color Specifications and PIDs:**

COLOR	LENGTH	THICKNESS	WEIGHT
All colors	16 ft. (192 in.) (4.9 m)	0.970 in. (24.6 mm)	3 PSF



COLOR	ACTUAL WIDTH	PID
Snowscape White	3.50 in. (89 mm)	45699
	5.50 in. (140 mm)	45715
	7.21 in. (183 mm)	45731
	9.21 in. (234 mm)	45747
Sand Dunes	11.21 in. (285 mm)	45763
	3.50 in. (89 mm)	45698
	5.50 in. (140 mm)	45714
	7.21 in. (183 mm)	45730
Desert Stone	9.21 in. (234 mm)	45746
	11.21 in. (285 mm)	45762
	3.50 in. (89 mm)	45690
	5.50 in. (140 mm)	45706
Quarry Gray	7.21 in. (183 mm)	45722
	9.21 in. (234 mm)	45738
	11.21 in. (285 mm)	45754
	3.50 in. (89 mm)	45695
Prairie Clay	5.50 in. (140 mm)	45711
	7.21 in. (183 mm)	45727
	9.21 in. (234 mm)	45743
	11.21 in. (285 mm)	45759
Terra Brown	3.50 in. (89 mm)	45694
	5.50 in. (140 mm)	45710
	7.21 in. (183 mm)	45726
	9.21 in. (234 mm)	45742
Harvest Honey	11.21 in. (285 mm)	45758
	3.50 in. (89 mm)	45701
	5.50 in. (140 mm)	45717
	7.21 in. (183 mm)	45733
Timberland Suede	9.21 in. (234 mm)	45749
	11.21 in. (285 mm)	45765
	3.50 in. (89 mm)	45692
	5.50 in. (140 mm)	45708
Garden Sage	7.21 in. (183 mm)	45724
	9.21 in. (234 mm)	45740
	11.21 in. (285 mm)	45756
	3.50 in. (89 mm)	45702

COLOR	ACTUAL WIDTH	PID
Redwood Red	3.50 in. (89 mm)	45697
	5.50 in. (140 mm)	45713
	7.21 in. (183 mm)	45729
	9.21 in. (234 mm)	45745
Tundra Gray	11.21 in. (285 mm)	45761
	3.50 in. (89 mm)	45703
	5.50 in. (140 mm)	45719
	7.21 in. (183 mm)	45735
Summit Blue	9.21 in. (234 mm)	45751
	11.21 in. (285 mm)	45767
	3.50 in. (89 mm)	45700
	5.50 in. (140 mm)	45716
Rapids Blue	7.21 in. (183 mm)	45732
	9.21 in. (234 mm)	45748
	11.21 in. (285 mm)	45764
	3.50 in. (89 mm)	45696
Cavern Steel	5.50 in. (140 mm)	45712
	7.21 in. (183 mm)	45728
	9.21 in. (234 mm)	45744
	11.21 in. (285 mm)	45760
Midnight Shadow	3.50 in. (89 mm)	45689
	5.50 in. (140 mm)	45705
	7.21 in. (183 mm)	45721
	9.21 in. (234 mm)	45737
Abyss Black	11.21 in. (285 mm)	45753
	3.50 in. (89 mm)	45693
	5.50 in. (140 mm)	45709
	7.21 in. (183 mm)	45725
Washed White	9.21 in. (234 mm)	45741
	11.21 in. (285 mm)	45757
	3.50 in. (89 mm)	45688
	5.50 in. (140 mm)	45704
Smoky Slate	7.21 in. (183 mm)	45720
	9.21 in. (234 mm)	45736
Bonsai Black	11.21 in. (285 mm)	45752
	3.50 in. (89 mm)	46791
Weathered Walnut	5.50 in. (140 mm)	46815
	7.21 in. (183 mm)	46789
Aged Amber	9.21 in. (234 mm)	46813
	11.21 in. (285 mm)	46787
Saffron Cedar	3.50 in. (89 mm)	46811
	5.50 in. (140 mm)	46785

NEW NATURALS COLLECTION™ TRIM