FlowCrete SLU+

Version 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled):	FlowCrete SLU+
Synonyms:	N/A
CAS No:	Mixture
1.2 Product Use:	Premium self-leveling underlayment
1.3 Company Name:	Lyons Manufacturing
Company Address:	8900 Forney Rd.
Company Address Cont:	Dallas, TX 75227
Business Phone:	(214) 381-8100
1.4 Emergency Telephone Number:	Chemtrec: (800) 424-9300
Date of Current Revision:	March 14, 2017
Date of Last Revision:	May 17, 2012

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a gray powder with minimal odor.

<u>Health Hazards</u>: May cause skin and respiratory irritation and burns to the eyes. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs. Contains components that are defined as human carcinogens.

Flammability Hazards: This product is not considered flammable.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not Regulated



EU and GHS Symbols

Signal Word Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

238-878-4 is not listed in Annex I

266-043-4 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification:

Crystalline Silica (Quartz)/Silica Sand, Portland Cement, Calcium Oxide, Aluminum Sulfate

2.2 Label Elements:

FlowCrete SLU+

Version 1	
GHS Hazard Classifications:	Carcinogenicity Category 2 STOT – SE Category 3 (Respiratory System)
	Skin Irritation Category 2
	Skin Sensitization Category 1
	Eye Damage Category 1
Hazard Statements:	H351 Suspected of causing cancer
	H373 May cause damage to organs
	(Respiratory System) through prolonged or
	repeated exposure H335 May cause respiratory irritation
	H315 Causes skin irritation
	H317 May cause an allergic skin reaction
	H318 Causes serious eye damage
Precautionary Statements:	P201 Obtain special instructions before use.
riceautionary otatements.	P202 Do not handle until all safety precautions
	have been read and understood.
	P260 Do not breath
	dust/fume/gas/mist/vapours/spray.
	P264 Wash thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated
	area.
	P272 Contaminated work clothing should not be
	allowed out of the workplace
	P270 Do not eat, drink or smoke when using
	this product.
	P280 Wear protective gloves/eye
	protection/face protection.
Response Statements:	P308+P313 IF exposed or concerned: Get
	medical advice/attention.
	P304+P340 IF INHALED: Remove person to
	fresh air and keep comfortable for breathing.
	P312 Call a POISON CENTER/Doctor if you
	feel unwell.
	P302+P352 IF ON SKIN: Wash with plenty of
	water. D222 - D242 If elvin invitation or reach ecourty. Cot
	P333+P312 If skin irritation or rash occurs: Get
	medical advice/attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P305+P351+P338 IF IN EYES: Rinse
	cautiously with water for several minutes.
	Remove contact lenses, if present and easy to
	do. Continue rinsing.
	P310 Immediately call a POISON
	CENTER/Doctor.
Storage Statements:	P403+P233 Store in a well-ventilated place.
	Keep container tightly closed.
	P405 Store locked up.
	· · · · · · · · · · · · · · · · · · ·

FlowCrete SLU+

Version 1

Disposal Statements:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations..

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory irritation.

Skin Contact: May cause irritation to skin.

Eye Contact: Contact with the eyes may cause burns or irritation.

Ingestion: May cause gastrointestinal irritation, nausea, and vomiting.

Chronic: Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Eyes, Skin, Respiratory Chronic: Lung, Skin

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Crystalline Silica (Quartz)/ Silica Sand	50–70%	14808-60-7	238-878-4	Carc. 2, STOT RE2
Portland Cement	25–45%	65997-15-1	266-043-4	STOT SE3, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1
Calcium Oxide 3–10% 1305-78-8 215-138-9 STOT SE3, Skin Irrit. 2, Eye Dam. 1				
Aluminum Sulfate	1–4%	10043-01-3	233-135-0	STOT SE3, Skin Irrit. 2, Eye Dam. 1
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or				

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.
Ingestion:	If product is swallowed, call physician or poison center if you feel unwell.

FlowCrete SLU+

ersion 1	
	If professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.
Medical Conditions	
Generally Aggravate	ed the second
By Exposure:	Pre-existing skin, respiratory system or eye problems may be
	aggravated by prolonged contact.
4.2 Symptoms and E	iffects Both Acute and Delayed: Exposure to skin and respiratory may cause
	irritation. Contact with the eyes may cause burns. Contact with skin may cause an allergic reaction. Repeated exposure may cause damage to the lungs.
4.2 Recommondation	0
4.3 Recommendation	ns to Physicians: Treat symptoms and eliminate overexposure.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: Yes Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact:	No
Explosive Sensitivity to Static Discharge:	No


5.3 Special Fire-Fighting Procedures:

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full
 protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully
 applied water spray.

FlowCrete SLU+

Version 1

• If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

If liquid was introduced, construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

FlowCrete SLU+

Version 1

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Rapid setting concrete repair mortar.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL	ACGIH TWA
Crystalline Silica (Quartz)/Silica Sand	14808-60-7	TWA 0.1 mg/m3 (resp) TWA 0.3 mg/m3 (total)		0.025 mg/m3
Portland Cement	65997-15-1	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	TWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)	10 mg/m3 (total)
Calcium Oxide	1305-78-8	TWA 5 mg/m3	TWA 2 mg/m3	TWA 2 mg/m3
Aluminum Sulfate	10043-01-3	TWA 2 mg/m3	TWA 2 mg/m3	TWA 2 mg/m3

8.2 Exposure Controls: Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Maintain airborne contaminant concentrations below guidelines listed above. Use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European

FlowCrete SLU+

Version 1	
Body Protection:	Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.
SECTION 9 – PHYSICAL AND CHEMICAL PROP	PERTIES
 9.1 Information on Basic Physical and C ppearance (Physical State and Color): G Odor: Minimal Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: No data available Flash Point: No data available Flammability (Solid; Gas): No data available Relative Density: No data available Specific Gravity: 2.6 - 3.2 Solubility in Water: Miscible Weight per Gallon: No data available Partition Coefficient (n-octanol/water): N Auto-Ignition Temperature: No data avail Decomposition Temperature: No data avail Decomposition Temperature: No data available 9.2 Other Information: No data available 	ble Limits: No data available No data available
SECTION 10 - STABILITY AND REACTIVITY	
<u>10.1 Reactivity:</u> <u>10.2 Stability:</u> <u>10.3 Possibility of Hazardous Reactions</u> <u>10.4 Conditions to Avoid:</u>	This product is not reactive. Stable under conditions of normal storage and use. Will not occur. No data available.

FlowCrete SLU+

Version 1

Version 1	
10.5 Incompatible Substances:	Hydrogen fluoride.
10.6 Hazardous Decomposition Produc	ts: No data available.
SECTION 11 – TOXICOLOGY INFORMATION	
11.1 Information on Toxicological Effec	ts:
Toxicity Data:	No data available
Suspected Cancer Agent:	Crystalline Silica (Quartz)/Silica Sand (CAS 14808-60-7) is
	found on one or more of the following lists: FEDERAL OSHA Z
	LIST, NTP, IARC, or CAL/OSHA and therefore is considered
	to be a cancer-causing agent by these agencies.
Irritancy:	Skin, eye, and respiratory irritant.
Sensitization to the Product:	This product is expected to cause skin sensitization.
Germ Cell Mutagenicity:	This product does not contain ingredients that are suspected
Dense heather Testato	to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive
	toxicant.
SECTION 12 – ECOLOGICAL INFORMATION	
12.1 Toxicity:	No data available
12.2 Persistence and Degradability:	No specific data available on this product.
12.3 Bioaccumulative Potential: 12.4 Mobility in Soil:	No specific data available on this product. No specific data available on this product.
	nent: No specific data available on this product.
12.6 Other Adverse Effects:	No data available
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments
· ·	for this product.
SECTION 13 – DISPOSAL CONSIDERATIONS	
13.1 Waste Treatment Methods:	Waste disposal must be in accordance with
	appropriate U.S. Federal, State, and local
	regulations, those of Australia, EU Member
	States and Japan.
13.2 EU Waste Code:	Not determined
SECTION 14 - TRANSPORTATION INFORMATI	ON
14.1 U.S. Department of Transportation	
This product is classified (per 49 CFR 172	2.101) by the U.S. Department of Transportation, as follows.
UN Identification Number:	Not applicable
Proper Shipping Name:	Not regulated
Proper Shipping Name: Hazard Class Number and Description:	Not applicable
Proper Shipping Name: Hazard Class Number and Description: Packing Group:	Not applicable Not applicable
Proper Shipping Name: Hazard Class Number and Description:	Not applicable
Proper Shipping Name: Hazard Class Number and Description: Packing Group:	Not applicable Not applicable

FlowCrete SLU+

Version 1

North American Emergency **Response Guidebook Number:** 14.2 Environmental Hazards: Marine Pollutant:

14.3 Special Precaution for User: 14.4 International Air Transport Association Shipping Information (IATA): 14.5 International Maritime Organization Shipping Information (IMO): **UN Identification Number: Proper Shipping Name:** Hazard Class Number and Description: Packing Group: EMS-No:

Not applicable

The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). None

Not regulated.

Not applicable Not regulated Not applicable Not applicable Not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture: **United States Regulations:**

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does contain "Silica, crystalline", which is on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:


This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations. **Canadian WHMIS Classification and Symbols:**

This product is Class E, Corrosive, and D2B, Materials causing other toxic effects, per WHMIS Controlled **Product Regulations**

remains the responsibility of the user.

FlowCrete SLU+

Version 1



END OF SDS SHEET