
Printing date 06/02/2015

Reviewed on 06/02/2015

1 Identification
· Product identifier
· Trade name: Pavecrete Plus
· Article number: PCP 80
 Recommended use and restriction on use Recommended use: Concrete surfacer Restrictions on use: No further relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Lyons Manufacturing, Inc 8900 Forney Rd Dallas, TX 75227 (214) 381-8100
• Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
2 Hazard(s) identification
· Classification of the substance or mixture
GHS08 Health hazard
Carc. 1A H350 May cause cancer. Route of exposure: Inhalative.
GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation. • Additional information:
There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of ingredient(s) of unknown toxicity.
· Label elements
• GHS label elements
The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 06/02/2015

Reviewed on 06/02/2015



Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH1Health = *2FIREIFire = 0REACTIVITYReactivity = 0

· Other hazards

 \cdot Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

	Dungerous	components.	
ľ	65997-15-1		20-40%
		 Eye Dam. 1, H318 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 	
Ī	471-34-1	calcium carbonate	20-40%
	14808-60-7		20-40%
		🗞 Carc. 1A, H350	
	14464-46-1		<1.0%
		😵 Carc. 1A, H350; STOT RE 2, H373	
	· Additional i	information:	

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Brush off loose particles from skin. Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 4)

Reviewed on 06/02/2015

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Trade name: Pavecrete Plus (Contd. of page 3) · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor: · Most important symptoms and effects, both acute and delayed Coughing Allergic reactions Breathing difficulty Irritant to skin and mucous membranes. Strong irritant with the danger of severe eye injury. May cause respiratory irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Danger Danger of impaired breathing. Causes serious eye damage. · Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations. Contains Cement, portland, chemicals. May produce an allergic reaction. **5 Fire-fighting measures**

· Extinguishing media

Printing date 06/02/2015

- Suitable extinguishing agents: The product is not flammable. Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.
- · Additional information No further relevant information available.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Avoid formation of dust. · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Damp down dust with water spray.

(Contd. on page 5)

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

(Contd. of page 4)

- Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Send for recovery or disposal in suitable receptacles.
 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling Use only in well ventilated areas.
 Prevent formation of dust.
 Any deposit of dust which cannot be avoided must be regularly removed.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles:
 Store only in the original receptacle.
 Protect from humidity and water.
- Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components	with limit values that require monitoring at the workplace:	
65997-15-1 C	ement, portland, chemicals	
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction	
		(Contd. on page 6)

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

	(Contd. of page 5
EL (Canada)	Long-term value: 10* 3** mg/m ³
	*total dust;**respirable fraction
EV (Canada)	Long-term value: 10(D) mg/m ³ total dust
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracción respirable
471-34-1 calciu	m carbonate
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn
14808-60-7 Qua	artz (SiO2)
PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable
13397-24-5 cald	cium sulphate
REL (USA)	Long-term value: 10* 5** mg/m ³ *Total dust; **Respirable fraction
TLV (USA)	Long-term value: 10* mg/m ³ *as inhalable fraction
EL (Canada)	Short-term value: 20* mg/m³ Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction
EV (Canada)	Long-term value: 10 mg/m³ inhalable
LMPE (Mexico)	Long-term value: 10* mg/m³ *fracción inhalable
1332-58-7 Kaol	in
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 2* mg/m³ E; as respirable fraction
L	(Contd. on page 7

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

		(Contd. of page 6)
EL (Canada)	Long-term value: 2 mg/m ³	(Conto. of page 6)
EV (Canada)	Long-term value: 2(D) mg/m ³ respirable	
LMPE (Mexico)	LMPE (Mexico) Long-term value: 2* mg/m ³ A4, *fracción respirable	
14464-46-1 cris	tobalite	
PEL (USA)	1/2 value from respirable dust formulae for Quartz	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction	
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.05* mg/m³ *respirable fraction	
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable	
 Additional info 	rmation: The lists that were valid during the creation were used as basis.	
 General protect The usual precative Keep away from Immediately rem Wash hands be Do not inhale du Avoid contact w Engineering construction Breathing equi Suitable respirative Use suitable respirative For spills, respirative Protection of h 	tory protective device recommended. spiratory protective device in case of insufficient ventilation. atory protection may be advisable. k should filter at least 99% of airborne particles.	
Protect	ive gloves	
 Eye protection 	rial has to be impermeable and resistant to the product/ the substance/ the : should not be worn.	e preparation.
Safety e	glasses	
· Body protectio	n: Protective work clothing	(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 06/02/2015

Trade name: Pavecrete Plus

• Limitation and supervision of exposure into the environment No further relevant information available.

9 Physical and chemical properties

 Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold: 	Powder Light grey Odorless Not determined.
· pH-value:	10 - 12 (in solution)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.
 Auto-ignition temperature: 	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
 Danger of explosion: 	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble.
· Partition coefficient (n-octanol/water): Not determined.
 Viscosity: Dynamic: Kinematic: Other information 	Not applicable. Not applicable. No further relevant information available.

Reviewed on 06/02/2015

(Contd. on page 9)

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

(Contd. of page 8)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Exothermic reaction with acids.

Reacts with certain metals.

Reacts with strong acids and oxidizing agents.

- · Conditions to avoid Avoid acids.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: Carbon monoxide and carbon dioxide
- Sulfur oxides (SOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

Sensitization possible through skin contact.

- Contains Cement, portland, chemicals. May produce an allergic reaction.
- Subacute to chronic toxicity: No further relevant information available.
- · Additional toxicological information:
- Irritant

Danger through skin absorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

· Carcinogenic categories

· NTP (National Toxicology Program)

|--|

14464-46-1 cristobalite

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• **Probable Routes of Exposure** Inhalation.

Eye contact.

Skin contact.

Acute effects (acute toxicity, irritation and corrosivity):

Irritating to respiratory system. Irritating to skin.

(Contd. on page 10)

K K

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

(Contd. of page 9)

· Repeated Dose Toxicity:

May cause cancer. Route of exposure: Inhalative.

Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number		
· DOT, ADR, ADN, IMDG, IATA · UN proper shipping name	Not Regulated	
· DOT, ADR, ADN, IMDG, IATA · Transport hazard class(es)	Not Regulated	
· DOT, ADR, ADN, IMDG, IATA		
· Class · Packing group	Not Regulated	
· DOT, ADR, IMDG, IATA	Not Regulated	(Contd. on page

(Contd. of page 10) · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": **15 Regulatory information** · Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA • Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California) · Chemicals known to cause cancer: 14808-60-7 Quartz (SiO2) 14464-46-1 cristobalite · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 1 14464-46-1 cristobalite 1 · TLV (Threshold Limit Value established by ACGIH) 14808-60-7 Quartz (SiO2) A2 1332-58-7 Kaolin Α4 14464-46-1 cristobalite A2 · NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

(Contd. on page 12)

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

Printing date 06/02/2015

Printing date 06/02/2015

Reviewed on 06/02/2015

Trade name: Pavecrete Plus

(Contd. of page 11)

14464-46-1 cristobalite

· State Right to Know Listings

None of the ingredients is listed.

· Canadian substance listings:

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

14808-60-7 Quartz (SiO2)

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 06/02/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com