# Safety Data Sheet KER 909

Safety Data Sheet dated: 09/15/2021 - version 7

Date of first edition: 06/24/2015



## 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: KER 909 Trade code: 9073465

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION

## Classification of the chemical

No specific hazards are encountered under normal product use.

#### Label elements

# **Precautionary statements:**

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust or mist.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves and eye protection.

P501 Dispose of contents/container in accordance with applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

# Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substances

N.A.

# Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

## List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	PETROLEUM HYDROCARBONS	CAS:8052-41-3	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2B, H320; STOT SE 3, H336; Aquatic Acute 2, H401; Aquatic Chronic 2, H411; Asp. Tox. 1, H304	
0.25-0.49 %	Silica Sand	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	

## 4. FIRST AID MEASURES

Date 11/10/2021 Production Name KER 909 Page n. 1 of 8

## **Description of first aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

ΝΔ

# Indication of any immediate medical attention and special treatment needed

Treatment: N.A.

(see paragraph 4.1)

# **5. FIRE-FIGHTING MEASURES**

## **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

## Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Date 11/10/2021 Production Name KER 909 Page n. 2 of 8

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

## List of components with OEL value

p									
Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
PETROLEUM HYDROCARBONS	OSHA			2900	500				
	ACGIH				100				CNS impairment;eye, kidney and skin damage;nausea;
	ACGIH				100				CNS impairment;eye, kidney and skin damage;nausea
Silica Sand	ACGIH			0.025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;

Appropriate engineering controls: N.A. **Individual protection measures** 

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

N.A.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste Beige

Odour: latex like

Odour threshold: No data available

pH: 8.00

Melting point / freezing point: No data available Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: 100 °C (212 °F) Notes CC Evaporation rate: Same as water

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available
Vapour pressure: No data available
Relative density: 1.40 g/cm3
Solubility in water: dispersible
Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

Other information

 Date
 11/10/2021
 Production Name
 KER 909
 Page n. 3 of 8

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## 10. STABILITY AND REACTIVITY

# Reactivity

Stable under normal conditions

## **Chemical stability**

Data not available.

## Possibility of hazardous reactions

None.

#### Conditions to avoid

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

None.

## 11. TOXICOLOGICAL INFORMATION

## Information on toxicological effects

## Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information on main components of the mixture:

Silica Sand

a) acute toxicity

LD50 Oral Rat = 500 mg/kg

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

## Substance(s) listed on the IARC Monographs:

Silica Sand Group 1

# Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

# Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

# Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

# 12. ECOLOGICAL INFORMATION

# Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of components with eco-toxicological properties

Date 11/10/2021 Production Name KER 909 Page n. 4 of 8

Component Ident. Numb. Ecotox Infos

Silica Sand CAS: 14808-60-7 a) Aquatic acute toxicity: LC50 carp > 10000.00000 mg/L 72h

Persistence and degradability

N.A.

**Bioaccumulative potential** 

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

## **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

## Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

## **UN proper shipping name**

ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A.

IMDG-Technical name: N.A.

# Transport hazard class(es)

ADR-Class: N.A. DOT-Hazard Class: N.A. IATA-Class: N.A.

IMDG-Class: N.A.

## **Packing group**

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

# **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

# **Special precautions**

Date 11/10/2021 Production Name KER 909 Page n. 5 of 8

Department of Transportation (DOT):

N.A.

Road and Rail ( ADR-RID ):

N.A.

Air ( IATA ):

N.A.

Sea ( IMDG ):

N.A.

## 15. REGULATORY INFORMATION

# **USA - Federal regulations**

# **TSCA - Toxic Substances Control Act**

**TSCA** inventory:

All the components are listed on the TSCA inventory

## **TSCA listed substances:**

PETROLEUM HYDROCARBONS is listed in TSCA Section 8b Silica Sand is listed in TSCA Section 8b

# **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

# **CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act**

Substance(s) listed under CERCLA:

No substances listed

**CAA - Clean Air Act** 

**CAA listed substances:** 

No substances listed

**CWA - Clean Water Act** 

**CWA listed substances:** 

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

## Substance(s) listed under California Proposition 65:

Silica Sand Listed as carcinogen

# Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

PETROLEUM HYDROCARBONS

Silica Sand

# Pennsylvania Right to know

# Substance(s) listed under Pennsylvania Right to know:

PETROLEUM HYDROCARBONS

Silica Sand

## New Jersey Right to know

# Substance(s) listed under New Jersey Right to know:

PETROLEUM HYDROCARBONS

Silica Sand

# **Canada - Federal regulations**

# **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

Date 11/10/2021 Production Name KER 909 Page n. 6 of 8

# NPRI - National Pollutant Release Inventory Substances listed in NPRI:

No substances listed

#### 16. OTHER INFORMATION

Safety Data Sheet dated: 9/15/2021 - version 7

# Additional classification information

NFPA Health: 2 = Moderate

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H320	Causes eye irritation
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H372	$\label{lem:causes} \mbox{ Causes damage to organs through prolonged or repeated exposure.}$
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects.

# Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

 $\hbox{GHS: Globally Harmonized System of Classification and Labeling of Chemicals.}$ 

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$ 

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION

Date 11/10/2021 Production Name KER 909 Page n. 7 of 8

- 15. REGULATORY INFORMATION

Date 11/10/2021 Production Name KER 909 Page n. 8 of 8