Safety Data Sheet KERAPOXY CQ PART B

Safety Data Sheet dated: 11/21/2023 - version 10

Date of first edition: 06/24/2015



1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: KERAPOXY CQ PART B

Trade code: 905UB9999

Recommended use of the chemical and restrictions on use

Recommended use: Hardener for epoxy products

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION





Classification of the chemical

Skin corrosion, Category 1B Causes severe skin burns and eye damage.

Serious eye damage, Category 1 Causes serious eye damage.

Skin Sensitization, Category 1B May cause an allergic skin reaction.

Chronic (long term) aquatic hazard, category 3 Harmful to aquatic life with long lasting effects.

Label elements

Hazard pictograms and Signal Word



Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

 ${\tt P301+P330+P33}\ \ {\tt IF}\ {\tt SWALLOWED};\ {\tt rinse}\ mouth.\ {\tt Do}\ {\tt NOT}\ {\tt induce}\ {\tt vomiting}.$

P303+P361+P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 1 of 10

P310 Immediately call a doctor.

P321 Specific treatment (see supplementary instructions on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulation.

P501 Dispose of contents/container in accordance with applicable regulations.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
25-50 %	fatty acids, tall-oil, polymers with bisphenol a, diethylenetriamine, epichlorohydrin and tetraethylenepentamine;	CAS:68951-85-9 EC:620-444-4	Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
20-25 %	isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine	CAS:2855-13-2 EC:220-666-8 Index:612-067- 00-9	H317; Aquatic Chronic 3, H412;	,
5-10 %	benzyl alcohol; benzenemethanol	CAS:100-51-6 EC:202-859-9 Index:603-057- 00-5	Acute Tox. 4, H302; Eye Irrit. 2A, H319	01-2119492630-38-XXXX
1-2.5 %	tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine	CAS:112-57-2 EC:203-986-2 Index:612-060- 00-0	Skin Sens. 1, H317; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Corr. 1B, H314	
1-2.5 %	dimethyldipropylenetriamine; N'- (3-aminopropyl)-N,N- dimethylpropane-1,3-diamine	CAS:10563-29-8 EC:234-148-4	Acute Tox. 4, H302; Skin Corr. 1A, H314; Skin Sens. 1B, H317	, 01-2119970376-29-XXXX

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation Eye damages Skin Irritation

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 2 of 10

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Data not available.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Community Occupational Exposure Limits (OEL)

OEL Type

MAK GERMANY Cocupational Exposure Limit

Long Term: 22 mg/m3 - 5 ppm

benzyl alcohol; benzenemethanol CAS: 100-51-6

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 3 of 10

Predicted No Effect Concentration (PNEC) values

dimethyldipropylenetriami Exposure Route: Fresh Water; PNEC Limit: 0.0092 mg/l

ne; N'-(3-aminopropyl)-N,N-dimethylpropane-1,

3-diamine CAS: 10563-29-8

> Exposure Route: Marine water; PNEC Limit: 0.00092 mg/l Exposure Route: Intermittent release; PNEC Limit: 0.092 mg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 18.1 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 0.0336 mg/kg

Derived No Effect Level (DNEL) values

dimethyldipropylenetriami Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 3.7 mg/m3; Consumer: 0.65 mg/m3 ne; N'-(3-aminopropyl)-

N,N-dimethylpropane-1,

3-diamine

CAS: 10563-29-8

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects

Worker Industry: 7.5 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Industry: 3.7 mg/m3; Consumer: 0.65 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 0.67 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 0.2 mg/kg

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste amber

Odour: like: Amines

Odour threshold: Not Relevant

pH: Not Relevant

Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant

Flash point: 94 °C (201 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 1.04 g/cm3

Print date 11/21/2023 Production Name KERAPOXY CQ PART B 4 of 10 Page n.

Solubility in water: insoluble Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Data not available.

Possibility of hazardous reactions

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth) and powerful reducing agents.

It may generate toxic gases on contact with oxidising mineral acids, halogenated organic substances, organic peroxides and hydroperoxides, and powerful oxidising agents.

It may catch fire on contact with powerful oxidising agents.

Conditions to avoid

No data available

Incompatible materials

Data not available.

Hazardous decomposition products

Data not available.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity Not classified

b) skin corrosion/irritation The product is classified: Skin corrosion, Category 1B(H314)
c) serious eye damage/irritation The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right)$

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met $% \label{eq:classification} % \label{eq:classif$

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

isophorone diamine; 3- a) acute toxicity

aminomethyl-3,5,5trimethylcyclohexylamine LD50 Oral Rat = 1030 mg/kg

LD50 Skin Rat > 2000 mg/kg

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 5 of 10

LD50 Oral Rat = 1030 mg/kg

benzyl alcohol; benzenemethanol a) acute toxicity

LD50 Oral Rat = 1230 mg/kg

LC50 Inhalation Rat = 8.8 mg/l 4h

tetraethylenepentamine; a) acute toxicity

3,6,9-

triazaundecamethylenedia

mine

LD50 Skin Rabbit = 660 μ L/kg

LD50 Oral Rat = 2100 mg/kg LD50 Skin Rabbit = $660 \mu L/kg$ LD50 Oral Rat = 3990 mg/kg

dimethyldipropylenetriami a) acute toxicity

ne; N'-(3-aminopropyl)-N,N-dimethylpropane-1, 3-diamine

LD50 Oral Rat = 1670 mg/kg

b) skin corrosion/irritation Skin Corrosive Skin Rabbit Positive d) respiratory or skin

sensitisation

Skin Sensitization Skin Positive

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Chronic (long term) aquatic hazard, category 3(H412)

List of Eco-Toxicological properties of the components

List of Eco-Toxicological properties of the components						
Component	Ident. Numb.	Ecotox Data				
isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine	CAS: 2855-13-2 - EINECS: 220- 666-8 - INDEX: 612-067-00-9	a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna 14.6 mg/L 48h EPA				
		a) Aquatic acute toxicity: EC50 Daphnia magna = 42 mg/L - 24hr				
		a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 37 mg/L 72h IUCLID				
		a) Aquatic acute toxicity: EC50 Algae idus = 110 mg/L 96h				
benzyl alcohol; benzenemethanol	CAS: 100-51-6 - EINECS: 202- 859-9 - INDEX: 603-057-00-5	a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 460 mg/L 96h EPA				
tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine	CAS: 112-57-2 - EINECS: 203- 986-2 - INDEX: 612-060-00-0	a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 420 mg/L 96h IUCLID				

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 6 of 10 a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 24.1 mg/L 48h

IUCLID

a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata = 2.1

mg/L 72h IUCLID

dimethyldipropylenetriamine; N'-

(3-aminopropyl)-N,Ndimethylpropane-1,3-diamine

CAS: 10563-29- a) Aquatic acute toxicity: LC50 Fish = 215 mg/L 96

8 - EINECS: 234-148-4

> a) Aquatic acute toxicity: EC50 Daphnia = 9.2 mg/L 48 a) Aquatic acute toxicity: EC50 Algae = 21 mg/L 72

a) Aquatic acute toxicity: LC50 Fish Danio rerio > 100 mg/L 96h ECHA

Persistence and degradability

NΔ

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN number

DOT-UN Number: UN2735 ADR-UN number: 2735 IATA-Un number: 2735 IMDG-Un number: 2735

UN proper shipping name

DOT-Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophoronediamine) ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophoronediamine) IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophoronediamine) IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (isophoronediamine)

Transport hazard class(es)

DOT-Hazard Class: 8

ADR-Class: 8 IATA-Class: 8 IMDG-Class: 8

Packing group

DOT Packing Group: III

Print date 11/21/2023 Production Name KERAPOXY CQ PART B 7 of 10 Page n.

ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

Environmental hazards

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): IB3, T7, TP1, TP28

DOT-Label(s): 8
DOT-Symbol: N/A
DOT-Cargo Aircraft: 60 L
DOT-Passenger Aircraft: 5 L

DOT-Bulk: 241 DOT-Non-Bulk: 203 Road and Rail (ADR-RID) : ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Transport category (Tunnel restriction code): 3 (E)

Air (IATA):

IATA-Passenger Aircraft: 852 IATA-Cargo Aircraft: 856

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisioning: A3 A803

Sea (IMDG) :

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 SGG18 IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 223 274

IMDG-EMS: F-A, S-B

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory

TSCA listed substances:

fatty acids, tall-oil, polymers with is listed in TSCA Section 8b bisphenol a, diethylenetriamine, epichlorohydrin and

tetraethylenepentamine;

isophorone diamine; 3- is listed in TSCA Section 8b aminomethyl-3,5,5- trimethylcyclohexylamine

benzyl alcohol; benzenemethanol is listed in TSCA Section 8b tetraethylenepentamine; 3,6,9- is listed in TSCA Section 8b

triazaundecamethylenediamine

dimethyldipropylenetriamine; N'- is listed in TSCA Section 8b

(3-aminopropyl)-N,N-

dimethylpropane-1,3-diamine

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 8 of 10

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

benzyl alcohol; benzenemethanol is listed in CAA Section 112(b) - HON tetraethylenepentamine; 3,6,9- is listed in CAA Section 112(b) - HON triazaundecamethylenediamine

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

benzyl alcohol; benzenemethanol

tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

benzyl alcohol; benzenemethanol

tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 11/21/2023 - version 10

Additional classification information

NFPA Health: 3 = Serious

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.



tv or anv

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 9 of 10

H319	Causes serious eye irritation.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Code	Hazard class and hazard category	Description	
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4	
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A	
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B	
A.2/2	Skin Irrit. 2	Skin irritation, Category 2	
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A	
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1	
A.4.2/1B	Skin Sens. 1B	Skin Sensitization, Category 1B	

Legend to abbreviations and acronyms used in the safety data sheet:

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Causes skin irritation.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

Chronic (long term) aquatic hazard, category 2

Chronic (long term) aquatic hazard, category 3

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

Aquatic Chronic 2

Aquatic Chronic 3

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

H314

H315

H317

US-HAE/C2

US-HAE/C3

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 14. TRANSPORT INFORMATION

Print date 11/21/2023 Production Name KERAPOXY CQ PART B Page n. 10of 10