# Safety Data Sheet PLANISEAL VS FAST PART A

Safety Data Sheet dated: 06/16/2021 - version 5

Date of first edition: 05/27/2015



## 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: PLANISEAL VS FAST PART A

Trade code: 9024371

Recommended use of the chemical and restrictions on use

Recommended use: Epoxy resins

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION





#### Classification of the chemical

Skin Irrit. 2 Causes skin irritation.

Eye Irrit. 2A Causes serious eye irritation.

Skin Sens. 1B May cause an allergic skin reaction.

Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

**Label elements** 

## **Pictograms and Signal Words**



Warning

#### **Hazard statements:**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements:**

P261 Avoid breathing mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P321 Specific treatment (see supplementary instructions on this label)
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P33/+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 1 of 8

## Ingredient(s) with unknown acute toxicity:

None

#### Hazards not otherwise classified identified during the classification process:

None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

N.A

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
50-75 %	Bisphenol A epoxy resin	CAS:25085-99-8	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Skin Sens. 1B, H317	
10-20 %	Alkyl epoxy resin	CAS:68609-97-2	Skin Irrit. 2, H315; Skin Sens. 1, H317	
10-20 %	PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER	CAS:28064-14-4	Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	N.A.

#### 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation

Remove casualty to fresh air and keep warm and at rest.

# Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

# Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

# **5. FIRE-FIGHTING MEASURES**

# **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 2 of 8

Explosive properties: N.A. Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

No data available

Appropriate engineering controls: N.A.

# **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

 $\label{eq:continuous} Polychloroprene - CR: thickness >= 0,5 mm; breakthrough time >= 480 min.$ 

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

N.A.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Amber

Odour: Like: Amines

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 3 of 8

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available
Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: No data available Solubility in water: Insoluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

# **Conditions to avoid**

Stable under normal conditions.

# **Incompatible materials**

None in particular.

#### Hazardous decomposition products

None.

# 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

# Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

# Toxicological information on main components of the mixture:

Alkyl epoxy resin a) acute toxicity LD50 Skin Rabbit > 3987 mg/kg

LD50 Oral Rat = 17100 mg/kg

PHENOL, POLYMER WITH a) acute toxicity

FORMALDEHYDE, GLYCIDYL ETHER LD50 Skin Rabbit > 5000,00000 mg/kg

LD50 Oral Rat > 11400,00000 mg/kg

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 4 of 8

- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

## Substance(s) listed on the IARC Monographs:

None

## Substance(s) listed as OSHA Carcinogen(s):

None

## Substance(s) listed as NIOSH Carcinogen(s):

None

## Substance(s) listed on the NTP report on Carcinogens:

None

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

No data available

#### Persistence and degradability

N.A.

#### **Bioaccumulative potential**

N.A.

#### Mobility in soil

N.A.

### Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

# Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

## Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

# **UN** number

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 5 of 8

ADR-UN number: 3082 DOT-UN Number: UN3082 IATA-Un number: 3082 IMDG-Un number: 3082

## UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - PHENOL, POLYMER

WITH FORMALDEHYDE, GLYCIDYL ETHER)

DOT-Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A epoxy resin - PHENOL, POLYMER

WITH FORMALDEHYDE, GLYCIDYL ETHER)

IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - PHENOL, POLYMER

WITH FORMALDEHYDE, GLYCIDYL ETHER)

IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol A epoxy resin - PHENOL, POLYMER

WITH FORMALDEHYDE, GLYCIDYL ETHER)

#### Transport hazard class(es)

ADR-Class: 9

DOT-Hazard Class: 9

IATA-Class: 9
IMDG-Class: 9

# **Packing group**

ADR-Packing Group: III DOT-Packing group: III IATA-Packing group: III IMDG-Packing group: III

#### **Environmental hazards**

Marine pollutant: Yes

Environmental Pollutant: N.A.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NΑ

# **Special precautions**

Department of Transportation (DOT):

DOT-Special Provision(s): 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT-Label(s): 9

DOT-Symbol: N/A DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A

DOT-Non-Bulk: N/A

Road and Rail ( ADR-RID ):

ADR exempt: No

ADR-Label: 9

ADR-Hazard identification number: 90

ADR-Transport category (Tunnel restriction code): 3 (-)

# Air ( IATA ):

IATA-Passenger Aircraft: 964 IATA-Cargo Aircraft: 964

IATA-Label: 9

IATA-Subsidiary hazards: -

IATA-Erg: 9L

IATA-Special Provisioning: A97 A158 A197

Sea ( IMDG ):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 274 335 969

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-A, S-F IMDG-MFAG: N/A

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 6 of 8

#### 15. REGULATORY INFORMATION

# **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

#### **TSCA** inventory:

All the components are listed on the TSCA inventory

## **TSCA listed substances:**

Bisphenol A epoxy resin is listed in TSCA Section 8b
Alkyl epoxy resin is listed in TSCA Section 8b
PHENOL, POLYMER WITH is listed in TSCA Section 8b

FORMALDEHYDE, GLYCIDYL ETHER

# **SARA - Superfund Amendments and Reauthorization Act**

# **Section 302 - Extremely Hazardous Substances:**

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

#### **CAA - Clean Air Act**

#### CAA listed substances:

No substances listed

#### **CWA - Clean Water Act**

#### **CWA listed substances:**

No substances listed

## **USA - State specific regulations**

## **California Proposition 65**

# **Substance(s) listed under California Proposition 65:**

No substances listed

# Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

No substances listed

## Pennsylvania Right to know

## Substance(s) listed under Pennsylvania Right to know:

No substances listed

#### New Jersey Right to know

# Substance(s) listed under New Jersey Right to know:

No substances listed

## Canada - Federal regulations

# **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

No substances listed

# **NPRI - National Pollutant Release Inventory**

**Substances listed in NPRI:** 

No substances listed

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 7 of 8

#### **16. OTHER INFORMATION**

Safety Data Sheet dated: 6/16/2021 - version 5

#### Additional classification information

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 11. TOXICOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION

Date 11/25/2021 Production Name PLANISEAL VS FAST PART A Page n. 8 of 8