# **Safety Data Sheet**

## **ULTRACARE ACIDIC TILE & GROUT CLEANER**

Safety Data Sheet dated: 06/16/2021 - version 7

Date of first edition: 05/11/2015



## 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRACARE ACIDIC TILE & GROUT CLEANER

Trade code: 9011553

Recommended use of the chemical and restrictions on use

Recommended use: Cleaner Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



#### Classification of the chemical

Skin Corr. 1A Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

**Label elements** 

## **Pictograms and Signal Words**



Danger

## **Hazard statements:**

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **Precautionary statements:**

P260 Do not breathe mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a doctor.

P321 Specific treatment (see supplementary instructions on this label)

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

Date 11/19/2021 Production Name ULTRACARE ACIDIC TILE & GROUT CLEANER Page n. 1 of 7

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
5-10 %	UREA HYDROCHLORIDE	CAS:506-89-8	Acute Tox. 4, H302; Skin Corr. 1B, H314	,

## 4. FIRST AID MEASURES

#### Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

# Unsuitable extinguishing media:

None in particular.

## Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Date 11/19/2021 Production Name ULTRACARE ACIDIC TILE & GROUT CLEANER

Page n. 2 of 7

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

No data available

Appropriate engineering controls: N.A.

# Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

## Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: clear Odour: No data available

Odour threshold: No data available

pH: 1.00

Melting point / freezing point: No data available Initial boiling point and boiling range: 100  $^{\circ}$ C (212  $^{\circ}$ F)

Flash point: 100 °C (212 °F) ( Closed Cup )

Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 1.03 g/cm3 Solubility in water: Soluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Date 11/19/2021 Production Name ULTRACARE ACIDIC TILE & GROUT CLEANER Page n. 3 of 7

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

## 10. STABILITY AND REACTIVITY

## Reactivity

Stable under normal conditions

#### Chemical stability

Data not available.

#### Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

#### **Hazardous decomposition products**

None.

### 11. TOXICOLOGICAL INFORMATION

## Information on toxicological effects

Toxicological information of the product: No data available

## Substance(s) listed on the IARC Monographs:

None

## Substance(s) listed as OSHA Carcinogen(s):

None

# Substance(s) listed as NIOSH Carcinogen(s):

None

## Substance(s) listed on the NTP report on Carcinogens:

None

## 12. ECOLOGICAL INFORMATION

## **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

No data available

## Persistence and degradability

N.A.

## **Bioaccumulative potential**

N.A.

# Mobility in soil

N.A.

#### Other adverse effects

N.A.

# 13. DISPOSAL CONSIDERATIONS

Date 11/19/2021 Production Name ULTRACARE ACIDIC TILE & GROUT CLEANER Page n. 4 of 7

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

## Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

#### **UN** number

ADR-UN number: 3265 DOT-UN Number: UN3265 IATA-Un number: 3265 IMDG-Un number: 3265

## **UN proper shipping name**

ADR-Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (UREA HYDROCHLORIDE) DOT-Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (UREA HYDROCHLORIDE) IATA-Technical name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (UREA HYDROCHLORIDE) IMDG-Technical name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (UREA HYDROCHLORIDE)

### Transport hazard class(es)

ADR-Class: 8

DOT-Hazard Class: 8

IATA-Class: 8
IMDG-Class: 8

## **Packing group**

ADR-Packing Group: II DOT-Packing group: II IATA-Packing group: II IMDG-Packing group: II

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

# **Special precautions**

Department of Transportation (DOT):

DOT-Special Provision(s): B2, IB2, T11, TP2, TP27

DOT-Label(s): 8

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail ( ADR-RID ) :

ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Transport category (Tunnel restriction code): 2 (E)

Air ( IATA ):

IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisioning: A3 A803

Sea ( IMDG ):

IMDG-Stowage Code: Category B SW2

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 274

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: F-A, S-B IMDG-MFAG: N/A

#### 15. REGULATORY INFORMATION

## **USA** - Federal regulations

## **TSCA - Toxic Substances Control Act**

**TSCA** inventory:

All the components are listed on the TSCA inventory

**TSCA listed substances:** 

UREA HYDROCHLORIDE is listed in TSCA Section 8b

## **SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:** 

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

## **CAA - Clean Air Act**

**CAA listed substances:** 

No substances listed

## **CWA - Clean Water Act**

**CWA** listed substances:

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

Substance(s) listed under California Proposition 65:

No substances listed

# Massachusetts Right to know

 ${\bf Substance} ({\bf s}) \ {\bf listed} \ {\bf under} \ {\bf Massachusetts} \ {\bf Right} \ {\bf to} \ {\bf know};$ 

No substances listed

# Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed

# New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed

# **Canada - Federal regulations**

# **DSL - Domestic Substances List**

**DSL Inventory:** 

Date 11/19/2021 Production Name ULTRACARE ACIDIC TILE & GROUT CLEANER Page n. 6 of 7

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

No substances listed

# **NPRI - National Pollutant Release Inventory** Substances listed in NPRI:

No substances listed

## **16. OTHER INFORMATION**

Safety Data Sheet dated: 6/16/2021 - version 7

# **Additional classification information**

NFPA Health: 3 = Serious

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = MinimalNFPA Special Risk: N.A.



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eve damage.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 16. OTHER INFORMATION

