# Safety Data Sheet ULTRABOND ECO 300

Safety Data Sheet dated: 06/16/2021 - version 5 Date of first edition: 05/08/2015



# **1. IDENTIFICATION**

#### Product identifier

Mixture identification:

Trade name: ULTRABOND ECO 300 Trade code: 9019412

#### Recommended use of the chemical and restrictions on use

Recommended use: Adhesive

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Responsible: RDProductSafety@mapei.com

#### **Emergency 24 hour numbers:**

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION

# **Classification of the chemical**

No specific hazards are encountered under normal product use.

#### Label elements

#### **Precautionary statements:**

P202	Do not handle until all safety precautions have been read and understood.	
P261	Avoid breathing dust.	
P264	Wash skin thoroughly after handling.	
P280	Wear protective gloves and eye protection.	
P501	Dispose of contents/container in accordance with applicable regulations.	
Ingredient(s) with unknown acute toxicity:		

None

## Hazards not otherwise classified identified during the classification process:

#### None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substances

N.A.

# Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

# List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
0.1-0.25 %	Silica Sand	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	

# **4. FIRST AID MEASURES**

# Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

#### Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label. In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

N.A.

#### Indication of any immediate medical attention and special treatment needed

Treatment:

(see paragraph 4.1)

N.A.

# **5. FIRE-FIGHTING MEASURES**

# **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

#### List of components with OEL value

Component	OEL Co Type	country Ceilir	g Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Silica Sand	ACGIH		0,025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
Appropriate engineering controls: N.A.								
Individual protection measures								

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. N.A.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state: Liquid
Appearance and colour: paste Beige
Odour: No data available
Odour threshold: No data available
pH: No data available
Melting point / freezing point: No data available
Initial boiling point and boiling range: 100 °C (212 °F)
Flash point: 100 °C (212 °F)
Evaporation rate: Same as water
Upper/lower flammability or explosive limits: No data available
Vapour density: No data available
Vapour pressure: No data available
Relative density: 1.45 g/cm3
Solubility in water: dispersible
Solubility in oil: No data available
Partition coefficient (n-octanol/water): No data available
Auto-ignition temperature: No data available
Decomposition temperature: No data available
Viscosity: No data available
Explosive properties: No data available
Oxidizing properties: No data available
Solid/gas flammability: No data available

# Other information

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

**Chemical stability** 

Data not available.

# Possibility of hazardous reactions None.

# **Conditions to avoid**

Stable under normal conditions.

# Incompatible materials

None in particular.

#### Hazardous decomposition products

None.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

#### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information on main components of the mixture:

Silica Sand a) acute toxicity LD50 Oral Rat = 500 mg/kg

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

Group 1

#### Substance(s) listed as OSHA Carcinogen(s):

Silica Sand

Silica Sand

# Substance(s) listed as NIOSH Carcinogen(s):

Silica Sand

#### Substance(s) listed on the NTP report on Carcinogens:

Silica Sand

# **12. ECOLOGICAL INFORMATION**

#### Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of components with eco-to-tological propertiesComponentIdent. Numb.Ecotox InfosSilica SandCAS: 14808-60-7a) Aquatic acute toxicity : LC50 carp > 10000,0000 mg/L 72hPersistence and degradabilityImage: Component of the second degradabilityImage: Component of the second degradabilityN.A.N.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradabilityImage: Component of the second degradabilityN.A.Image: Component of the second degradability

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

# Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

#### **UN number**

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

## **UN** proper shipping name

ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A. IMDG-Technical name: N.A.

## Transport hazard class(es)

ADR-Class: N.A. DOT-Hazard Class: N.A. IATA-Class: N.A. IMDG-Class: N.A.

#### Packing group

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

## **Environmental hazards**

Marine pollutant: No Environmental Pollutant: N.A.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

# Special precautions

Department of Transportation (DOT): N.A. Road and Rail ( ADR-RID ) : N.A. Air ( IATA ) : N.A. Sea ( IMDG ) :

N.A.

# **15. REGULATORY INFORMATION USA - Federal regulations TSCA - Toxic Substances Control Act**

TSCA inventory:	TSCA inventory:					
All the components are li	ted on the TSCA inventory					
TSCA listed substances						
Silica Sand	is listed in TSCA Section 8b					
SARA - Superfund Amendment	and Reauthorization Act					
Section 302 - Extreme	/ Hazardous Substances:					
No substances listed						
Section 304 - Hazardo	s substances:					
No substances listed						
Section 313 - Toxic ch	mical list:					
No substances listed						
CERCLA - Comprehensive Envir Substance(s) listed un	onmental Response, Compensation, and Liability Act ler CERCLA:					
No substances listed						
CAA - Clean Air Act						
CAA listed substances:						
No substances listed						
CWA - Clean Water Act						
CWA listed substances						
No substances listed						
USA - State specific regulat	tate specific regulations					
California Proposition 65						
	ler California Proposition 65:					
Silica Sand	Listed as carcinogen					
Massachusetts Right to know						
	ler Massachusetts Right to know:					
Silica Sand						
Pennsylvania Right to know	lex Denneylyania Diekt to know					
Silica Sand	ler Pennsylvania Right to know:					
New Jersey Right to know	ler New Jersey Right to know:					
Silica Sand	er new Jeisey Right to know.					
Canada - Federal regulation						
DSL - Domestic Substances Lis						
DSL Inventory:						
All the substances are lis	ed in the DSL.					
NDSL - Non Domestic Substan	es List					
NDSL Inventory:						
No substances listed						
NPRI - National Pollutant Rele	se Inventory					
Substances listed in N	RI:					
No substances listed						
16. OTHER INFORMATION						
Safety Data Sheet dated: 6/16/20 Additional classification inform						
NFPA Health: 1 = Slight						
NFPA Flammability: $1 = 0$	ombustible if heated	$\sim$				
NFPA Reactivity: 0 = Min	nal	NFPA				
NFPA Special Risk: NONE Reasonable care has been taken in	the preparation of this information, but the manufacturer makes no warranty of merchantability o	nr anv				
	and proper second of and mean adding but the manufacturer marked no warrancy of merchantability of					

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

Code	Description
Code	Description

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

# Legend to abbreviations and acronyms used in the safety data sheet:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- CLP: Classification, Labeling, Packaging.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- INCI: International Nomenclature of Cosmetic Ingredients.
- CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

- LC50: Lethal concentration, for 50 percent of test population.
- LD50: Lethal dose, for 50 percent of test population.
- DNEL: Derived No Effect Level.
- PNEC: Predicted No Effect Concentration.
- TLV: Threshold Limiting Value.
- TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
- STEL: Short Term Exposure limit.
- STOT: Specific Target Organ Toxicity.
- WGK: German Water Hazard Class.
- KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
  - 6. ACCIDENTAL RELEASE MEASURES
  - 7. HANDLING AND STORAGE
  - 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
  - 9. PHYSICAL AND CHEMICAL PROPERTIES
  - 14. TRANSPORT INFORMATION
  - 16. OTHER INFORMATION