# Safety Data Sheet ULTRABOND ECO 995

Safety Data Sheet dated: 09/24/2021 - version 7

Date of first edition: 05/22/2015



#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRABOND ECO 995

Trade code: 9019458

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



#### Classification of the chemical

Eye Irrit. 2A Causes serious eye irritation.

Resp. Sens. 1 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 May cause an allergic skin reaction.

STOT RE 2 May cause damage to organs through prolonged or repeated exposure if inhaled.

Carc. 2 Suspected of causing cancer if inhaled.

#### **Label elements**

## **Hazard pictograms and Signal Word**



Danger

# **Hazard statements**

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

## **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 1 of 9

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see supplementary instructions on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.

Dispose of contents/container in accordance with applicable regulations.

#### Ingredient(s) with unknown acute toxicity:

None

P501

#### Hazards not otherwise classified identified during the classification process:

None

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Not available

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
2.5-5 %	diphenylmethane-2,4- diisocyanate; o-(p- Isocyanatobenzyl)phenyl isocyanate	CAS:5873-54-1	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; STOT SE 3, H335; Resp. Sens. 1, H334; Acute Tox. 4, H332; STOT RE 2, H373; Skin Sens. 1, H317	
2.5-5 %	calcium oxide; quicklime	CAS:1305-78-8 EC:215-138-9	Skin Irrit. 2, H315; STOT SE 3, H335; Eye Dam. 1, H318	
1-2.5 %	4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-	EC:202-966-0	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; STOT RE 2, H373; Carc. 2, H351; Resp. Sens. 1, H334; Skin Sens. 1, H317	
0.25-0.49 %	silica sand; quartz	CAS:14808-60-7	STOT RE 1, H372; Carc. 1A, H350	
0.1-0.25 %	4-methylbenzenesulfonyl isocyanate; 4-isocyanatosulphonyltoluene	CAS:4083-64-1	Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334	

# 4. FIRST AID MEASURES

## **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

Print date 11/10/2022 Production Name **ULTRABOND ECO 995** Page n. 2 of 9 In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

#### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 3 of 9

#### **Control parameters**

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
diphenylmethane-2,4- diisocyanate; o-(p- Isocyanatobenzyl)phenyl isocyanate	MAK	AUSTRIA		0.05	0.005	0.1	0.01		
calcium oxide; quicklime	OSHA			5					
	ACGIH			2					upper respiratory tract irritation;
	MAK	GERMANY		1					
	ACGIH			2					upper respiratory tract irritation
	MAK	AUSTRIA		1		4			
	MAK	SWITZERLAND	)	2					
4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-	ACGIH				0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI));
	OSHA		С			0.2	0.02		
	MAK	GERMANY		0.05					
	ACGIH				0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI))
	MAK	AUSTRIA		0.05	0.005	0.1	0.01		
silica sand; quartz	ACGIH			0.025					A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;

Appropriate engineering controls: Not available

## **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste Beige

Odour: Odourless

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F)

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 4 of 9

Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 1.55 g/cm3 Solubility in water: insoluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

#### 10. STABILITY AND REACTIVITY

# Reactivity

Stable under normal conditions

#### **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

#### Conditions to avoid

Stable under normal conditions.

## **Incompatible materials**

None in particular.

## Hazardous decomposition products

None

## 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

# Toxicological information of the product:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

# Toxicological information of the main substances found in the product:

calcium oxide; quicklime a) acute toxicity LD50 Oral Rat = 500 mg/kg

4,4'-methylenediphenyl a) acute toxicity

diisocyanate; benzene, 1.1'-methylenebis[4-

LD50 Oral Rat = 31600 mg/kg

LC50 Inhalation Rat = 369 mg/m3 4h

silica sand; quartz a) acute toxicity LD50 Oral Rat = 500 mg/kg

4-methylbenzenesulfonyl a) acute toxicity

isocvanate: 4-

isocyanato-

LC50 Inhalation Rat > 640 ppm 1h

isocyanatosulphonyltoluen

LD50 Oral Rat = 2234 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

Print date 11/10/2022 Production Name **ULTRABOND ECO 995** 5 of 9 Page n.

- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

#### Substance(s) listed on the IARC Monographs:

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

Group 3

silica sand; quartz Group 1

#### Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

#### Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

#### Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

calcium oxide; quicklime CAS: 1305-78-8 a) Aquatic acute toxicity: LC50 Fish Cyprinus carpio = 1070 mg/L 96h IUCLID

- EINECS: 215-

138-9

silica sand; quartz CAS: 14808-60- a) Aquatic acute toxicity: LC50 carp > 10000.00000 mg/L 72h

7

# Persistence and degradability

Not available

#### **Bioaccumulative potential**

Not available

## Mobility in soil

Not available

#### Other adverse effects

Not available

# 13. DISPOSAL CONSIDERATIONS

# **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 6 of 9

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

# **UN** number

ADR-UN number: Not available DOT-UN Number: Not available IATA-Un number: Not available IMDG-Un number: Not available

#### **UN proper shipping name**

ADR-Shipping Name: Not available DOT-Proper Shipping Name: Not available IATA-Technical name: Not available IMDG-Technical name: Not available

#### Transport hazard class(es)

ADR-Class: Not available DOT-Hazard Class: Not available IATA-Class: Not available IMDG-Class: Not available

#### Packing group

ADR-Packing Group: Not available DOT-Packing group: Not available IATA-Packing group: Not available IMDG-Packing group: Not available

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

# **Special precautions**

Department of Transportation (DOT):

Not available

Road and Rail (ADR-RID):

Not available

Air ( IATA ) :

Not available

Sea ( IMDG ):

Not available

# 15. REGULATORY INFORMATION

## **USA - Federal regulations**

# **TSCA - Toxic Substances Control Act**

# **TSCA** inventory:

All the components are listed on the TSCA inventory

# **TSCA listed substances:**

methylenebis[4-isocyanato-

diphenylmethane-2,4- is listed in TSCA Section 8b Section 8a - PAIR diisocyanate; o-(p-

Isocyanatobenzyl)phenyl isocyanate

calcium oxide; quicklime is listed in TSCA Section 8b

4,4'-methylenediphenyl is listed in TSCA Section 8b Section 8a - PAIR diisocyanate; benzene, 1,1'-

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 7 of 9

silica sand; quartz is listed in TSCA Section 8b 4-methylbenzenesulfonyl is listed in TSCA Section 8b

isocyanate; 4-

isocyanatosulphonyltoluene

## **SARA - Superfund Amendments and Reauthorization Act**

# **Section 302 - Extremely Hazardous Substances:**

No substances listed

#### Section 304 - Hazardous substances:

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

#### Section 313 - Toxic chemical list:

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

4,4'-methylenediphenyl diisocyanate; Reportable quantity: 5000 pounds benzene, 1,1'-methylenebis[4-isocyanato-

#### CAA - Clean Air Act

#### **CAA listed substances:**

4,4'-methylenediphenyl is listed in CAA Section 112(b) - HAP Section 112(b) - HON disocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

# **CWA - Clean Water Act**

# **CWA listed substances:**

No substances listed

#### **USA - State specific regulations**

#### **California Proposition 65**

#### Substance(s) listed under California Proposition 65:

silica sand; quartz Listed as carcinogen

#### Massachusetts Right to know

#### Substance(s) listed under Massachusetts Right to know:

calcium oxide; quicklime

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

silica sand; quartz

#### Pennsylvania Right to know

# Substance(s) listed under Pennsylvania Right to know:

calcium oxide; quicklime

 ${\it 4,4'-methylenediphenyl\ diisocyanate;\ benzene,\ 1,1'-methylenebis[4-isocyanato-part]}$ 

silica sand; quartz

#### New Jersey Right to know

#### Substance(s) listed under New Jersey Right to know:

calcium oxide; quicklime

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

silica sand; quartz

#### Canada - Federal regulations

# **DSL - Domestic Substances List**

# **DSL (Domestic Substances List)**

All the substances are listed in the DSL.

# **NDSL - Non Domestic Substances List**

# **NDSL (Non Domestic Substances List)**

No substances listed

# **NPRI - National Pollutant Release Inventory**

# NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 8 of 9

#### **16. OTHER INFORMATION**

Safety Data Sheet dated: 9/24/2021 - version 7

#### Additional classification information

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H351	Suspected of causing cancer.
H351	Suspected of causing cancer if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$ 

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

#### Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 12. ECOLOGICAL INFORMATION
- 16. OTHER INFORMATION

Print date 11/10/2022 Production Name ULTRABOND ECO 995 Page n. 9 of 9