# **Safety Data Sheet ULTRACOLOR PLUS FA**

Safety Data Sheet dated: 07/11/2024 - version 13

Date of first edition: 02/09/2016



#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRACOLOR PLUS FA

Trade code: 906BU9990

Recommended use of the chemical and restrictions on use

Recommended use: Cementitious grout Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



#### Classification of the chemical

Carcinogenicity, Category 1A

May cause cancer if inhaled.

Specific target organ toxicity following repeated exposure,

Category 1

Causes damage to organs through prolonged or repeated exposure if inhaled.

## **Label elements**

#### Hazard pictograms and Signal Word



Danger

## **Hazard statements**

H350 May cause cancer if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

## **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

Wash skin thoroughly after handling. P264

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Ingredient(s) with unknown acute toxicity:

# Hazards not otherwise classified identified during the classification process:

None

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA 1 of 10 Page n.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
25-50 %	silica sand; quartz	CAS:14808-60-7 EC:238-878-4	7 STOT RE 1, H372; Carc. 1A, H350	
2.5-5 %	titanium dioxide; Dioxotitanium	CAS:13463-67-7 EC:236-675-5 Index:022-006- 00-2	·	01-2119489379-17-XXXX
0.1-0.25 %	6 lithium carbonate; Dilithium carbonate	CAS:554-13-2 EC:209-062-5	Acute Tox. 4, H302; Aquatic Acute 3, H402; Eye Irrit. 2A, H319	e 01-2119516034-53-XXXX

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

#### Most important symptoms/effects, acute and delayed

Not available

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant Oxidizing properties: Not Relevant

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 2 of 10

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Handle in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Community Occupational Exposure Limits (OEL)						
	OEL Type	Country	Occupational Exposure Limit			
silica sand; quartz CAS: 14808-60-7	ACGIH		Long Term: 0.025 mg/m3 A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis			
	MAK	AUSTRIA	Long Term: 0.15 mg/m3			
	ACGIH		Long Term: 0.025 mg/m3 (R), A2 - Pulm fibrosis, lung cancer			
	MAK	SWITZERLAN D	Long Term: 0.15 mg/m3			
	EU		Long Term: 0.1 mg/m3 Behaviour Binding			
titanium dioxide; Dioxotitanium CAS: 13463-67-7	ACGIH		Long Term: 10 mg/m3 A4 - LRT irr			
	MAK	GERMANY	Long Term: 0.3 mg/m3			
	OSHA		Long Term: 15 mg/m3			
	ACGIH		Long Term: 10 mg/m3 A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation			
	MAK	AUSTRIA	Long Term: 5 mg/m3; Short Term: 10 mg/m3			
	MAK	SWITZERLAN D	Long Term: 3 mg/m3			

## Predicted No Effect Concentration (PNEC) values

Exposure Route: Fresh Water; PNEC Limit: 0.184 mg/l titanium dioxide;

Dioxotitanium CAS: 13463-67-7

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 3 of 10 Exposure Route: Soil; PNEC Limit: 100 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

Exposure Route: Marine water; PNEC Limit: 0.0184 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 100 mg/kg Exposure Route: Freshwater sediments; PNEC Limit: 1000 mg/kg Exposure Route: Intermittent release; PNEC Limit: 0.193 mg/l

lithium carbonate; Dilithium carbonate CAS: 554-13-2 Exposure Route: Fresh Water; PNEC Limit: 9 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 35.2 mg/l

Exposure Route: Marine water; PNEC Limit: 0.9 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 3.52 mg/kg

Exposure Route: Soil; PNEC Limit: 1.76 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 122.2 mg/l

Exposure Route: Intermittent release; PNEC Limit: 0.3 mg/l

#### **Derived No Effect Level (DNEL) values**

titanium dioxide; Dioxotitanium CAS: 13463-67-7 Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Industry: 0.17 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Consumer: 0.028 mg/m3

lithium carbonate; Dilithium carbonate CAS: 554-13-2 Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects

Worker Industry: 100 mg/kg; Consumer: 19.23 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects

Worker Industry: 30 mg/m3; Consumer: 28.92 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 64.3 mg/kg; Consumer: 64.3 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 10 mg/m3; Consumer: 9.64 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 6.43 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 19.23 mg/m3

Appropriate engineering controls: Not available

## Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder various

Odour: characteristic

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 4 of 10

Odour threshold: Not Relevant

pH: Not Relevant

pH (water dispersion, 10%): 9.00

Melting point / freezing point: Not Relevant

Initial boiling point and boiling range: Not Relevant

Flash point: Not Relevant Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 2.00 g/cm3 Solubility in water: dispersible Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

#### Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

#### 10. STABILITY AND REACTIVITY

# Reactivity

Stable under normal conditions

## **Chemical stability**

Data not available.

## Possibility of hazardous reactions

None.

## **Conditions to avoid**

Stable under normal conditions.

# Incompatible materials

None in particular.

#### **Hazardous decomposition products**

None.

## 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

# **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation 

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity The product is classified: Carcinogenicity, Category 1A(H350)

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 5 of 10

The product is classified: Specific target organ toxicity following repeated exposure, i) STOT-repeated exposure

Category 1(H372)

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

silica sand; quartz a) acute toxicity LD50 Oral > 2000 mg/kg

LD50 Skin > 2000 mg/kg

titanium dioxide;

Dioxotitanium

a) acute toxicity

LD50 Oral Rat > 5000 mg/kg

LD50 Skin Rat > 2000 mg/m3

LC50 Inhalation Dust Rat > 6.82 mg/l 4h

LD50 Skin Rabbit > 10000 mg/kg

lithium carbonate;

Dilithium carbonate

a) acute toxicity

LD50 Oral Rat 525 mg/kg bw

LC50 Inhalation Rat > 2 mg/l 4h LD50 Skin Rat > 3000 mg/kg bw

c) serious eye

Eye Irritant Rat Positive

OECD TG 405

damage/irritation

e) germ cell mutagenicity NOAEL Oral Rat > 90 mg/kg g) reproductive toxicity

NOAEL Oral Rat = 15 mg/kg

i) STOT-repeated

exposure

NOAEL Oral = 6.43 mg/kg

NOAEL Skin = 64.3 mg/kgNOAEL Inhalation = 0.01 mg/l

## Substance(s) listed on the IARC Monographs:

silica sand; quartz titanium dioxide; Dioxotitanium Group 2B

#### Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

titanium dioxide; Dioxotitanium

## Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

titanium dioxide; Dioxotitanium

## Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

#### 12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### List of Eco-Toxicological properties of the components

Component Ident. Numb. **Ecotox Data** 

titanium dioxide; Dioxotitanium CAS: 13463-67- a) Aquatic acute toxicity: LC50 Fish > 100 mg/L 96

7 - EINECS: 236-675-5 -INDEX: 022-006-00-2

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA 6 of 10 Page n.

a) Aquatic acute toxicity: EC50 Algae = 16 mg/L 72

a) Aquatic acute toxicity: NOEC Algae = 5600 mg/L 72

a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 48

lithium carbonate; Dilithium carbonate

CAS: 554-13-2 - a) Aquatic acute toxicity: LC50 Fish = 30.3 mg/L 96 EINECS: 209-

062-5

a) Aquatic acute toxicity: EC50 Daphnia = 33.2 mg/L 48 a) Aquatic acute toxicity: EC50 Algae > 400 mg/L 72

b) Aquatic chronic toxicity: NOEC Fish = 19.1 mg/L 96

b) Aquatic chronic toxicity: NOEC Fish = 15.25 mg/L - 21 d

b) Aquatic chronic toxicity: NOEC Daphnia = 20 mg/L 48

b) Aquatic chronic toxicity: NOEC Daphnia = 9 mg/L - 21 d

b) Aquatic chronic toxicity: NOEC Algae = 50 mg/L 72

a) Aquatic acute toxicity: LC50 Fish Oncorhynchus mykiss = 30.3 mg/L 96h **ECHA** 

#### Persistence and degradability

N.A.

#### **Bioaccumulative potential**

N.A.

#### Mobility in soil

N.A.

#### Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## **UN** number

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

## **UN proper shipping name**

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

### Transport hazard class(es)

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA 7 of 10 Page n.

DOT-Hazard Class: Not Applicable ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

#### Packing group

DOT Packing Group: Not Applicable ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

#### Special precautions

Department of Transportation (DOT):

Not Applicable

Road and Rail ( ADR-RID ):

Not Applicable

Air ( IATA ):

Not Applicable

Sea (IMDG):

Not Applicable

#### 15. REGULATORY INFORMATION

# **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

silica sand; quartz is listed in TSCA Section 8b titanium dioxide; Dioxotitanium is listed in TSCA Section 8b lithium carbonate; Dilithium is listed in TSCA Section 8b carbonate

Carbonate

### **SARA - Superfund Amendments and Reauthorization Act**

#### **Section 302 - Extremely Hazardous Substances:**

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

#### Section 313 - Toxic chemical list:

lithium carbonate; Dilithium carbonate

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

#### Substance(s) listed under CERCLA:

No substances listed

#### CAA - Clean Air Act

## **CAA listed substances:**

No substances listed

## **CWA - Clean Water Act**

#### **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

## **California Proposition 65**

## Substance(s) listed under California Proposition 65:

silica sand; quartz Listed as carcinogen titanium dioxide; Dioxotitanium Listed as carcinogen

lithium carbonate; Dilithium

Listed as reproductive toxicant

carbonate

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 8 of 10

#### Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

lithium carbonate; Dilithium carbonate

#### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

## **New Jersey Right to know**

## Substance(s) listed under New Jersey Right to know:

silica sand; quartz

titanium dioxide; Dioxotitanium

lithium carbonate; Dilithium carbonate

#### Canada - Federal regulations

#### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

This product complies with NDSL inventory

#### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

#### 16. OTHER INFORMATION

Code

H302

Safety Data Sheet dated: 7/11/2024 - version 13

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Harmful if swallowed.

Description

H319	Causes serious eye irritation.		
H350	May cause cancer.		
H351	Suspected of causing cancer.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H402	Harmful to aquatic life		
Code	Hazard class and hazard category	Description	
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A	
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A	
A.6/2	Carc. 2	Carcinogenicity, Category 2	
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1	
US-HAE/A3	Aquatic Acute 3	Acute aquatic hazard, category 3	

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 9 of 10

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION

Print date 07/11/2024 Production Name ULTRACOLOR PLUS FA Page n. 10of 10