Safety Data Sheet ULTRAFLEX 1 WHITE

Safety Data Sheet dated: 11/25/2024 - version 5 Date of first edition: 05/11/2015



1. IDENTIFICATION

Product identifierMixture identification:Trade name: ULTRAFLEX 1 WHITETrade code: 9029057Recommended use of the chemical and restrictions on useRecommended use: Polymer modified mortarRestrictions on use: Not availableName, address, and telephone number of the chemical manufacturer, importer, or other responsible partyCompany: MAPEI CORP. (USA and Puerto Rico)1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USAPhone: 954-246-8888Responsable: RDProductSafety@mapei.comEmergency 24 hour numbers:Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

| Skin corrosion, Category 1A | Causes severe skin burns and eye damage. |
|---|--|
| Serious eye damage, Category 1 | Causes serious eye damage. |
| Skin Sensitization, Category 1 | May cause an allergic skin reaction. |
| Carcinogenicity, Category 1A | May cause cancer if inhaled. |
| Specific target organ toxicity following single exposure, Category 3 | May cause respiratory irritation. |
| Specific target organ toxicity following repeated exposure, Category 1 | Causes damage to organs through prolonged or repeated exposure if inhaled. |

Label elements

Hazard pictograms and Signal Word



Hazard statements

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H350 May cause cancer if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements

| P201 | Obtain special instructions before use. |
|------|---|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P260 | Do not breathe dust. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |

| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
|--------------------|--|
| P301+P330+P33 1 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| P302+P352 | IF ON SKIN: Wash with plenty of water/ |
| P303+P361+P35 3 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P33 8 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P310 | Immediately call a doctor. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P501 | Dispose of contents/container in accordance with applicable regulations. |
| Ingredient(s) w | vith unknown acute toxicity: |
| None | |
| Hazards not oth | nerwise classified identified during the classification process: |

None

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

| Qty | Name | Ident. Numb. | Classification |
|---------|--|--------------------------------|---|
| 50-75 % | free crystalline silica (Ø >10 μ) | CAS:14808-60-7 EC:238-878-4 | STOT RE 1, H372; Carc. 1A, H350 |
| 25-50 % | portland cement, Cr(VI) < 2 ppm | CAS:65997-15-1 EC:266-043-4 | STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314 |

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations Scoop into containers and seal for disposal. Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Community Occupational Exposure Limits (OEL)

| | OEL Type | Country | Occupational Exposure Limit |
|---|-------------|-----------------|---|
| free crystalline silica (Ø >10 µ) CAS: 14808-60-7 | | | Long Term: 0.025 mg/m3 A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis |
| | MAK | AUSTRIA | Long Term: 0.15 mg/m3 |
| | ACGIH | | Long Term: 0.025 mg/m3 (R), A2 - Pulm fibrosis, lung cancer |
| | MAK | SWITZERLAN D | Long Term: 0.15 mg/m3 |
| | EU | | Long Term: 0.1 mg/m3 Behaviour Binding |
| portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1 | OSHA | | Long Term: 15 mg/m3 |
| | OSHA | | Long Term: 5 mg/m3 |
| | ACGIH | | Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma |
| | ACGIH | AUSTRALIA | Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma |
| | MAK | AUSTRIA | Long Term: 5 mg/m3 |
| | MAK | SWITZERLAN D | Long Term: 5 mg/m3 |

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Nitrile gloves are suggested (1,3 mm; 480 min). Not recommended gloves: not waterproof gloves

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Solid Appearance and colour: powder white Odour: cement like Odour threshold: Not Relevant pH: Not Relevant pH (water dispersion, 10%): 12.50 Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant Flash point: Not Relevant Evaporation rate: Not Relevant Upper/lower flammability or explosive limits: Not Relevant Vapour density: No data available Vapour pressure: Not Relevant Relative density: 1.50 g/cm3 Solubility in water: dispersible Solubility in oil: Not Relevant Partition coefficient (n-octanol/water): Not Relevant Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant Viscosity: Not Relevant Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

Toxicological Information of the Preparation

| a) acute toxicity | Not classified |
|--------------------------------------|---|
| | Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation | The product is classified: Skin corrosion, Category 1A(H314) |
| c) serious eye damage/irritation | The product is classified: Serious eye damage, Category 1(H318) |
| d) respiratory or skin sensitisation | The product is classified: Skin Sensitization, Category 1(H317) |
| e) germ cell mutagenicity | Not classified |
| | Based on available data, the classification criteria are not met |
| f) carcinogenicity | The product is classified: Carcinogenicity, Category 1A(H350) |
| g) reproductive toxicity | Not classified |
| | Based on available data, the classification criteria are not met |
| h) STOT-single exposure | The product is classified: Specific target organ toxicity following single exposure, Category 3(H335) |
| i) STOT-repeated exposure | The product is classified: Specific target organ toxicity following repeated exposure, Category 1(H372) |
| j) aspiration hazard | Not classified |
| | Based on available data, the classification criteria are not met |

Toxicological information on main components of the mixture:

free crystalline silica (Ø a) acute toxicity LD50 Oral > 2000 mg/kg >10 µ)

LD50 Skin > 2000 mg/kg

Substance(s) listed on the IARC Monographs:

Substance(s) listed as OSHA Carcinogen(s):

free crystalline silica (Ø >10 μ)

Substance(s) listed as NIOSH Carcinogen(s):

free crystalline silica ($\emptyset > 10 \mu$)

Substance(s) listed on the NTP report on Carcinogens:

free crystalline silica ($\emptyset > 10 \mu$)

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

UN number

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

UN proper shipping name

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

| Transport hazard class(es) | | |
|---|---------|--------|
| DOT-Hazard Class: Not Applicable | | |
| ADR-Class: Not Applicable | | |
| IATA-Class: Not Applicable | | |
| IMDG-Class: Not Applicable | | |
| Packing group | | |
| DOT Packing Group: Not Applicable | | |
| ADR-Packing Group: Not Applicable IATA-Packing group: Not Applicable | | |
| IMDG-Packing group: Not Applicable | | |
| Environmental hazards | | |
| Marine pollutant: No | | |
| Environmental Pollutant: Not Applicable | | |
| DOT-RQ: No | | |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | | |
| Not Applicable | | |
| Special precautions | | |
| Department of Transportation (DOT): | | |
| Not Applicable | | |
| Road and Rail (ADR-RID): | | |
| Not Applicable | | |
| Air (IATA): | | |
| Not Applicable | | |
| Sea (IMDG): | | |
| Not Applicable | | |
| 15. REGULATORY INFORMATION | | |
| USA - Federal regulations | | |
| TSCA - Toxic Substances Control Act | | |
| All the components are listed on the TSCA inventory | | |
| TSCA listed substances: | | |
| free crystalline silica ($\emptyset > 10 \mu$) is listed in TSCA Section 8b | | |
| portland cement, $Cr(VI) < 2 ppm$ is listed in TSCA Section 8b | | |
| SARA - Superfund Amendments and Reauthorization Act | | |
| Section 302 - Extremely Hazardous Substances: | | |
| No substances listed | | |
| Section 304 - Hazardous substances: | | |
| | | |
| No substances listed | | |
| Section 313 - Toxic chemical list: | | |
| No substances listed | | |
| CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act | | |
| Substance(s) listed under CERCLA: | | |
| No substances listed | | |
| CAA - Clean Air Act | | |
| CAA listed substances: | | |
| No substances listed | | |
| CWA - Clean Water Act | | |
| CWA listed substances: | | |
| No substances listed | | |
| USA - State specific regulations | | |
| California Proposition 65 Substance(s) listed under California Proposition 65: | | |
| | | |
| free crystalline silica ($\emptyset > 10 \mu$) Listed as carcinogen | | |
| Massachusetts Right to know | | |
| Substance(s) listed under Massachusetts Right to know: | | |
| free crystalline silica ($\emptyset > 10 \mu$) | | |
| portland cement, Cr(VI) < 2 ppm | | |
| Print date 01/21/2025 Production Name ULTRAFLEX 1 WHITE | Page n. | 7 of 9 |

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

free crystalline silica (Ø >10 $\mu)$ portland cement, Cr(VI) < 2 ppm

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

free crystalline silica ($\emptyset > 10 \mu$)

portland cement, Cr(VI) < 2 ppm

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 11/25/2024 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Description Code H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H350 May cause cancer. H372 Causes damage to organs through prolonged or repeated exposure. Hazard class and hazard category Code Description A.2/1A Skin Corr. 1A Skin corrosion, Category 1A Eye Dam. 1 A.3/1 Serious eye damage, Category 1 A.4.2/1 Skin Sens, 1 Skin Sensitization, Category 1 A.6/1A Carc. 1A Carcinogenicity, Category 1A STOT SE 3 Specific target organ toxicity following single exposure, Category 3 A.8/3

STOT RE 1 Specific target organ toxicity following repeated exposure, Category 1

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

A.9/1

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION