PRODUCT NAME: 400SLT250-30

1-1/2

PROPERTIES:

Slot (in)

A. Web (in)	4	Yield Strength Fy (KSI)	40
B. Flange (in)	2-1/2	Design Thickness (in)	0.0312
Mils	30	Minimum Thickness (in)	0.0296
Available Finish	G40, G60	Gauge	20

SECTION PROPERTIES

GROSS SECTION PROPERTIES

0.2807
0.9553
0.3981
0.8241
1.7134
0.1868
1.7134

TORSIONAL SECTION PROPERTIES

St. Venant Torsional Constant: Jx1000 (in ⁴)	0.0911
Torsional Warping Constant: Cw (in ⁶)	0.5549
Shear Center to Centroid on Principal X-axis: Xo (in)	-1.660
Shear Center to Mid-Plane of the Web: m (in)	0.974
Radius of Gyration on the Centroid Principal axis: Ro (in)	2.521
Torsional Flexural Constant: β [1-(xo/Ro) ²]	0.567

CODES & STANDARDS

- AISI North American Specification 2007
- Framing meets ASTM A 1003, A 653, & C 645
- Galvanized steel sheet meets ASTM A 924

GREEN INFO LEED® v3

Available LEED® points in the following categories:

- •MR Credit 2 Construction Waste Management (1-2 points)
- •MR Credit 4 Recycled Content (1-2 points)
- •MR Credit 5 Regional Materials (1-2 points)
- •Total Recycled Content: 34.9%
- Post Consumer Content: 24.3%
- Pre Consumer (Post Industrial) Content: 9.4%

FIRE RATINGS

•Approved for these UL Head Of Wall Assemblies

```
HW-D-0003, HW-D-0020, HW-D-0021, HW-D-0024, HW-D-0025, HW-D-0029, HW-D-0031, HW-D-0032, HW-D-0033, HW-D-0034, HW-D-0036, HW-D-0042, HW-D-0043, HW-D-0045, HW-D-0045, HW-D-0044, HW-D-0045, HW-D-0054, HW-D-0054, HW-D-0058, HW-D-0059, HW-D-0062, HW-D-0063, HW-D-0071, HW-D-0072, HW-D-0073, HW-D-0076, HW-D-0077, HW-D-0079, HW-D-0083, HW-D-0084, HW-D-0085, HW-D-0086, HW-D-0088, HW-D-0089, HW-D-0101, HW-D-0102, HW-D-0103, HW-D-0105, HW-D-0106, HW-D-0106, HW-D-0107, HW-D-0111, HW-D-0127, HW-D-0129, HW-D-0130, HW-D-0130, HW-D-0134, HW-D-0154, HW-D-0217, HW-D-0218, HW-D-0221, HW-D-0222, HW-D-0223, HW-D-0227, HW-D-0227, HW-D-0228, HW-D-0238, HW-D-0239, HW-D-0241, HW-D-0243, HW-D-0243, HW-D-0244, HW-D-0245, HW-D-0255, HW-D-0256, HW-D-0277, HW-D-0278, HW-D-0288, HW-D-0288, HW-D-0299, HW-D-0310, HW-D-0313, HW-D-0314, HW-D-0315, HW-D-0315, HW-D-0315, HW-D-0315, HW-D-0314, HW-D-0314, HW-D-0315, HW-D-0315, HW-D-0316, HW-D-0315, HW-D-0317, HW-D-0377, HW-D-0377, HW-D-0388, HW-D-0388, HW-D-0389, HW-D-0371, HW-D-0377, HW-D-0377, HW-D-0381, HW-D-0388, HW-D-0388, HW-D-0371, HW-D-0371, HW-D-0377, HW-D-0380, HW-D-0388, HW-D-0388, HW-D-0386, HW-D-0371, HW-D-0377, HW-D-0377, HW-D-0380, HW-D-0388, HW-D-0388, HW-D-0386, HW-D-0371, HW-D-0377, HW-D-0380, HW-D-0381, HW-D-0388, HW-D-0388, HW-D-0386, HW-D-0371, HW-D-0377, HW-D-0364, HW-D-0365, HW-D-0542, HW-D-0542, HW-D-0542, HW-D-0368, HW-D-0366, HW-D-0543, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-0564, HW-D-05672
```



09.22.16 Non Structural Framing

