

202 Harger St. | PO Box 250 | Dover, OH 44662 30.343.6621 | Fax: 330.343.7269 www.marlite.com | info@marlite.com

LEED Information

Product: Modules

SECTION	DESCRIPTION	MATERIALS
MR Credit 4.1	Recycled Content: 10% (post-consumer + 1/2 pre-	Medium Density Fiberboard
	consumer) Use Materials with recycled content such	(MDF): Greater than 90% pre-
	that the sum of post-consumer recycle content plus	consumer
	one-half of the pre-consumer content constitutes at	Aluminum: 10% Post-Consumer
	least 10% (based on cost) of the total value of the	& 60% Pre-Consumer
	materials in the project.	
MR Credit 4.2	Recycled Content: 20% (post-consumer + 1/2 pre-	Medium Density Fiberboard
	consumer) Use Materials with recycled content such	(MDF): Greater than 90% pre-
	that the sum of post-consumer recycle content plus	consumer
	one-half of the pre-consumer content constitutes an	Aluminum: 10% Post-Consumer
	additional 10% beyond MR Credit 4.1 (total of 20%,	& 60% Pre-Consumer
	based on cost) of the total value of the materials in the	
	project.	
MR Credit 5.1	Regional Materials: 10% Extracted, Processed &	MDF Manufactured:
	Manufactured Regionally. Use building materials or	Bennettsville, SC
	products that have been extracted, harvested or	Fabricated: Dover, OH
	recovered, as well as manufactured, within 500 miles	Aluminum Extruded: Columbus,
	of the project site.	OH
MR Credit 5.2	Regional Materials: 20% Extracted, Processed &	MDF Manufactured:
	Manufactured Regionally. Use building materials or	Bennettsville, SC
	products that have been extracted, harvested or	Fabricated: Dover, OH
	recovered, as well as manufactured, within 500 miles	Aluminum Extruded: Columbus,
	of the project site.	OH
MR Credit 6	Rapidly Renewable Materials: Use rapidly renewable	Does not meet criteria
	building materials and products (made from plants that	
	are typically harvested within a ten-year cycle or	
	shorter).	
MR Credit 7	Certified Wood: Use a minimum of 50% of wood-	Marlite is FSC certified.
	based materials and products, which are certified in	
	accordance with the Forest Stewardship Council's	
	(FSC) principles and criteria for wood building	
	components.	
EQ Credit 4.4	Low-Emitting Materials: Composite Wood & Agrifiber	Standard Product does not meet
	Products. Composite wood and agrifiber products used	criteria
	on the interior of the building (defined as inside of the	Low VOC Compliant core
	weather-proofing system) shall contain no added urea-	available upon request
	formaldehyde resins.	