

## **LEED Information**

## Product: Surface System MAP w/ Faux Finish and Azure

SECTION	DESCRIPTION	MATERIALS
MR Credit 4.1	Recycled Content: 10% (post-consumer + ½ pre-	Medium Density Fiberboard
	consumer) Use Materials with recycled content such	(MDF): Greater than 90% Pre-
	that the sum of post-consumer recycle content plus	Consumer
	one-half of the pre-consumer content constitutes at	Aluminum: 10% Post-Consumer
	least 10% (based on cost) of the total value of the	& 60% Pre-Consumer
	materials in the project.	
MR Credit 4.2	Recycled Content: 20% (post-consumer + ½ pre-	Medium Density Fiberboard
	consumer) Use Materials with recycled content such	(MDF): Greater than 90% Pre-
	that the sum of post-consumer recycle content plus	Consumer
	one-half of the pre-consumer content constitutes an	Aluminum: 10% Post-Consumer
	additional 10% beyond MR Credit 4.1 (total of 20%,	& 60% Pre-Consumer
	based on cost) of the total value of the materials in the	
	project.	
MR Credit 5.1	Regional Materials: 10% Extracted, Processed &	Medium Density Fiberboard
	Manufactured Regionally. Use building materials or	(MDF): Bennettsville, SC
	products that have been extracted, harvested or	Fabricated: Dover, OH
	recovered, as well as manufactured, within 500 miles	Aluminum Extruded: Columbus,
	of the project site.	OH
MR Credit 5.2	Regional Materials: 20% Extracted, Processed &	Medium Density Fiberboard
	Manufactured Regionally. Use building materials or	(MDF): Bennettsville, SC
	products that have been extracted, harvested or	Fabricated: Dover, OH
	recovered, as well as manufactured, within 500 miles	Aluminum Extruded: Columbus,
	of the project site.	OH
MR Credit 6	Rapidly Renewable Materials: Use rapidly renewable	Does not meet criteria.
	building materials and products (made from plants that	
	are typically harvested within a ten-year cycle or	
152 6 11 5	shorter).	
MR Credit 7	Certified Wood: Use a minimum of 50% of wood-	Marlite is FSC certified.
	based materials and products, which are certified in	
	accordance with the Forest Stewardship Council's	
	(FSC) principles and criteria for wood building	
FO G. W. L.	components.	G. 1 ID 1 C
EQ Credit 4.4	Low-Emitting Materials: Composite Wood & Agrifiber	Standard Product: Does not meet
	Products. Composite wood and agrifiber products used	criteria.
	on the interior of the building (defined as inside of the	Low VOC MDF Core available
	weather-proofing system) shall contain no added urea-	upon request.
	formaldehyde resins.	