

April 1, 2021

MasterSeal® 581 (Formerly Thoroseal)
Product Information Statement for LEED® v. 4 Credit Documentation

MasterSeal® 581 when mixed with MasterEmaco® A 660 and water is a cementitious waterproofing coating for interior or exterior use.

Master Builders Solutions Construction Systems US, LLC (“Master Builders Solutions”) certifies the following information for MasterSeal® 581:

MR Credit Building Product Disclosure and Optimization—Environmental Product Declarations

An Environmental Product Declaration (EPD) is not available for MasterSeal® 581.

MR Credit Building Product Disclosure and Optimization—Sourcing of Raw Materials

Raw Material Source and Extraction Reporting is not available for MasterSeal® 581.

Recycled and Bio-based materials are not used in the manufacture of MasterSeal® 581.

MR Credit Building Product Disclosure and Optimization—Material Ingredients

Material Ingredient Reporting is not available for MasterSeal® 581.

Health Product Declaration (HPD) and Cradle-to-Cradle Reporting is not available for MasterSeal® 581.

EQ Credit Low-Emitting Materials

MasterSeal® 581 when mixed with MasterEmaco® A 660 and water has a VOC (Volatile Organic Compound) content of 1 g/L which satisfies the VOC content requirements of this credit for interior use.

Emissions Test Reporting is not available for MasterSeal® 581.

Respectfully,
LEED Administrator
Master Builders Solutions
Tel: 800-243-6739



"LEED" is a trademark of the
U.S. Green Building Council