

# **Submittal Data – Drywall Track**

#### **Member Designator**


250PT200-18

Coating

CP40, G40

#### **Physical Properties**

Design Thickness 0.019 in Mil 18mil Gauge 20 Gauge Web Width 2.50 in Flange Width 2.00 in Yield Strength 50 ksi



## **Gross Properties**

| Area  | Weight  | lx                 | Rx    | ly    | Ry    |
|-------|---------|--------------------|-------|-------|-------|
| (in²) | (lb/ft) | (in <sup>4</sup> ) | (in)  | (in⁴) | (in)  |
| 0.123 | 0.42    | 0.149              | 1.099 | 0.054 | 0.661 |

### **Effective Properties**

| Ae                 | lx    | Sx    | Ma       | $Va_{g}$ |
|--------------------|-------|-------|----------|----------|
| (in <sup>2</sup> ) | (in⁴) | (in³) | (in-lbs) | (lb)     |
| 0.029              | 0.088 | 0.034 | 1016     | 248      |

## **Torsional Properties**

| Jx1000             | Cw                 | Хо     | Ro       | β     |
|--------------------|--------------------|--------|----------|-------|
| (in <sup>2</sup> ) | (in <sup>4</sup> ) | (in³)  | (in-lbs) |       |
| 0.01486            | 0.063              | -1.429 | 1.92     | 0.446 |

#### **General Notes**

- Calculated properties are based on AISI S100-12, North American Specification for Design of Cold-Formed Steel Structural Members and AISI S220-15, North American Standard for Cold-Formed Steel Framing - Nonstructural Members.
- 2. Effective properties incorporate the strength increase from the cold work of forming as applicable per AISI A7.2.
- 3. Allowable moment includes cold-work of forming.
- 4. Tabulated gross properties including torsional properties are based on full-unreduced cross section of the studs, away from punchouts.
- 5. For deflection calculations, use the effective moment of inertia.
- 6. Allowable moment is taken as the lowest value based on local or distortional buckling. Distortional buckling strength is based on a k-phi = 0.
- 7. Drywall framing members have a protective coating conforming to ASTM spec A 653/A 653M, G-40 min, or equivalent corrosion resistance.
- 8. Reference ASTM specification A 1003/A 1003 M table 1 for the universe of allowable coatings for light gauge steel framing.
- 9. Drywall framing members are marked with product information per the requirements of ASTM C 645 section 14.
- 10. All delivered material must be kept dry. If it is necessary to store material outside, it must be stacked off the ground, properly supported on a level platform, and fully protected from the weather. Reference ASTM C 754 section 8 and ASTM C 1007 section 4.
- 11. Drywall framing [nonstructural 25 gauge, 22 gauge and 20 gauge] is not permitted in load bearing (i.e. axial load greater than 200 lbs.) or exterior applications (i.e. transverse load greater than 10 PSF). Reference ASTM C 645 section 3.2.2.

#### **LEED Green Building Credits**

**LEED v4 MR Credit** - Building Product Disclosure Optimization: EPD (1 Point), Raw Material Sourcing (1 Point), Material Ingredients (1 Point), Construction and Demolition Waste (up to 2 points), Innovation Credit (up to 2 points)

**LEED 2009 Credit** - MBA steel products are 100% recyclable with a minimum recycle content of 32.7% (25.5% Post-Consumer and 6.8% Pre-Consumer/Post-Industrial). Higher rates can be achieved for MR5 by pre-planning with MBA sales@mbastuds.com or (888) 248-8076.

