# Gold Bond® High Strength Fire-Shield 30® Gypsum Board by Gold Bond Building Products, LLC provided by National Gypsum Company

### created via: HPDC Online Builder

#### HPD UNIQUE IDENTIFIER: 29523

CLASSIFICATION: 09 29 00 Gypsum Board

**PRODUCT DESCRIPTION:** Gold Bond® High Strength Fire-Shield 30® Gypsum Board consists of a fire-resistant, non-Type X gypsum core specially formulated to be 30% lighter than standard Type X gypsum board. High Strength Fire-Shield 30 is approved for single- or multi-layer gypsum board construction for 30-minute fire-rated or non-rated assemblies. National Gypsum Company is the exclusive service provider for products manufactured by Gold Bond Building Products, LLC, PermaBASE Building Products, LLC and ProForm Finishing Products, LLC.

# Section 1: Summary

## CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
   Basic Method
- \_\_\_\_\_
- Threshold Disclosed Per
- C Material

Product

Residuals/Impurities Evaluation Completed in 2 of 2 Materials Explanation(s) provided

for Residuals/Impurities?

# **Nested Method / Product Threshold**

| For all contents above the threshold, the man  | nufacturer has: |  |
|--|-----------------|--|
| Characterized                                  | ⊙ Yes ⊖ No      |  |
| Provided weight and role.                      |                 |  |
| Screened                                       | ⊙ Yes ⊖ No      |  |
| Provided screening results using HPDC-approved |                 |  |
| methods.                                       |                 |  |
| Identified                                     | OYes 🛈 No       |  |
| Provided name and CAS RN or other identifier.  |                 |  |

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Threshold Level

C 100 ppm

O Other

• 1,000 ppm

O Per GHS SDS

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GYPSUM CORE [ GYPSUM BM-3dg | STARCH LT-UNK | MUL GLASS / MINERAL FIBER LT-UNK | DEXTROSE BM-3 | MUL ] PAPER FACING [ RECYCLED PAPER NoGS ]

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None Nanomaterial ... No INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

## CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes

No

PREPARER: Elixir Environmental VERIFIER: VERIFICATION #: SCREENING DATE: 2022-08-10 PUBLISHED DATE: 2022-08-10 EXPIRY DATE: 2025-08-10 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

| GYPSUM CORE   | %: 93.5000 - 95.5000  |                       |   |   |
|---|---|-----------------------|---|---|
| RODUCT THRESHOLD: 10  | 00 RESIDUALS AND IMPURITIES EVA<br>Yes  | LUATION CO            | MPLETED:  | MATERIAL TYPE: Geologically Derived<br>Material   |
| hreshold indicated that hav<br>redicted by process chemis       | Percent by weight of Material and Substan   | S based on ir         | nformation prov                                     | vided in supplier disclosures and as  |
| GYPSUM  |   |                       |   | ID: <b>13397-24</b>   |
| HAZARD DATA SOURCE:   | Pharos Chemical and Materials Library   | HAZARD SC             | REENING DAT   | E: 2022-08-10 9:55:55   |
| %: 97.3000 - 97.5000  | GreenScreen: BM-3dg   | RC: PreC              | NANO: No  | SUBSTANCE ROLE: Structure compone   |
| HAZARD TYPE   | AGENCY AND LIST TITLES  |                       | WARNINGS  |   |
|   | EC - CEPA DSL   |                       | Persistent  |   |
| ADDITIONAL LISTINGS   | AGENCY  |                       | NOTIFICATIC   | N   |
| None found  |   |                       | I   | No listings found on Additional Hazard List   |
| consumer recycled conte<br>required.                            | eenScreen Benchmark® assessment score<br>ent gypsum, or FGD gypsum, varies by mar       | -                     |   | y the HPD Builder Tool. The use of pre-<br>contact manufacturer if more information i<br>ID: 65996-63 |
| STARCH  |   |                       |   |   |
|   | Pharos Chemical and Materials Library   | HAZARD SC             | REENING DAT   |   |
|   | Pharos Chemical and Materials Library<br>GreenScreen: LT-UNK                            | HAZARD SC<br>RC: None | REENING DAT   | E: 2022-08-10 9:55:55   |
| HAZARD DATA SOURCE:   |   |                       |   | E: 2022-08-10 9:55:55   |
| HAZARD DATA SOURCE:<br>%: 0.5000 - 2.0000                       | GreenScreen: LT-UNK   | RC: None              | NANO: <b>N</b><br>WARNINGS                          | E: 2022-08-10 9:55:55   |
| HAZARD DATA SOURCE:<br>%: <b>0.5000 - 2.0000</b><br>HAZARD TYPE | GreenScreen: LT-UNK<br>AGENCY AND LIST TITLES<br>German FEA - Substances Haza           | RC: None              | NANO: <b>N</b><br>WARNINGS                          | TE: 2022-08-10 9:55:55 o SUBSTANCE ROLE: Binder o Hazard to Waters                                    |
| HAZARD DATA SOURCE:<br>%: 0.5000 - 2.0000<br>HAZARD TYPE<br>MUL | GreenScreen: LT-UNK<br>AGENCY AND LIST TITLES<br>German FEA - Substances Haza<br>Waters | RC: None              | NANO: N<br>WARNINGS<br>Class 1 - Low<br>NOTIFICATIC | TE: 2022-08-10 9:55:55 o SUBSTANCE ROLE: Binder o Hazard to Waters                                    |

#### GLASS / MINERAL FIBER

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library    | HAZARD SO | CREENING DATE: 2022-08-10 9:55:56                           |
|---------------------|--|-----------|---|
| %: 0.0500 - 0.3000  | GreenScreen: LT-UNK                      | RC: None  | NANO: No SUBSTANCE ROLE: Structure component                |
| HAZARD TYPE         | AGENCY AND LIST TITLES                   |           | WARNINGS  |
|                     | EC - CEPA DSL                            |           | Persistent  |
| ADDITIONAL LISTINGS | AGENCY                                   |           | NOTIFICATION  |
| EXEMPT              | European Union / European Cor<br>(EU EC) | mmission  | EU - REACH Exemptions                                       |
|                     |  |           | Exempted from REACH Annex V listing due to intrinsic safety |
| POSITIVE LIST       | US Environmental Protection Ag           | gency (US | US EPA - DfE SCIL   |
|                     |  |           | Green Circle - Verified Low Concern                         |
|                     |  |           |   |

SUBSTANCE NOTES:

| DEXTROSE            |  |          |                            | ID: <b>50-99</b>                        |
|---------------------|--|----------|----------------------------|---|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library    | HAZARD S | CREENING DATE:             | 2022-08-10 9:55:56                      |
| %: 0.0500 - 0.3000  | GreenScreen: BM-3                        | RC: None | NANO: No                   | SUBSTANCE ROLE: Humectant               |
| HAZARD TYPE         | AGENCY AND LIST TITLES                   |          | WARNINGS                   |   |
| MUL                 | German FEA - Substances Haza<br>Waters   | rdous to | Class 1 - Low H            | azard to Waters                         |
| ADDITIONAL LISTINGS | AGENCY                                   |          | NOTIFICATION               |   |
| EXEMPT              | European Union / European Cor<br>(EU EC) | nmission | sion EU - REACH Exemptions |   |
|                     | (20 20)                                  |          | Exempted from<br>safety    | REACH Annex IV listing due to intrinsic |
| POSITIVE LIST       | US Environmental Protection Ag           | ency (US | US EPA - DfE SO            | CIL                                     |
|                     | EPA)                                     |          | Green Circle - V           | erified Low Concern                     |
|                     |  |          |                            |   |

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.

## PAPER FACING

%: 4.5000 - 6.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of Material and Substances reported as ranges to account for possible formulation variations between manufacturing facilities.

| RECYCLED PAPER       |                                       |           |             | ID: Not registered                           |
|----------------------|---------------------------------------|-----------|-------------|--|
| HAZARD DATA SOURCE:  | Pharos Chemical and Materials Library | HAZARD SC | REENING DAT | E: 2022-08-10 9:55:54                        |
| %: 99.0000 - 99.5000 | GreenScreen: NoGS                     | RC: PostC | NANO: No    | SUBSTANCE ROLE: Structure component          |
| HAZARD TYPE          | AGENCY AND LIST TITLES                |           | WARNINGS    |  |
| None found           |                                       |           | No w        | varnings found on HPD Priority Hazard Lists  |
| ADDITIONAL LISTINGS  | AGENCY                                |           | NOTIFICATIO | N  |
| None found           |                                       |           | I           | No listings found on Additional Hazard Lists |
|                      |                                       |           |             |  |

SUBSTANCE NOTES: 100% of our gypsum board face and back paper is produced with post-consumer recycled content. The company's three paper mills produce paper from discarded cardboard and magazines.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# VOC EMISSIONSUL/GreenGuard Gold CertifiedCERTIFYING PARTY: Third Party<br/>APPLICABLE FACILITIES: Apollo Beach, FL; Baltimore,<br/>MD; Burlington, NJ; Fort Dodge, IA; Long Beach, CA;<br/>Medicine Lodge, KS; Mt. Holly, NC; National City, MI;<br/>Phoenix, AZ; Portsmouth, NH; Richmond, CA; Rotan, TX;<br/>Savannah, GA; Shippingport, PA; Shoals, IN; Waukegan,<br/>IL; Westwego, LA; Wilmington, NC<br/>CERTIFICATE URL: https://tinyurl.com/3ketsnyvISSUE DATE: 2019-02-13<br/>EXPIRY DATE: 2022-12-28CERTIFIER OR LAB: UL<br/>Environment

CERTIFICATION AND COMPLIANCE NOTES: Certification Number: 135544-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr-1 and a loading of 94.60 m2; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr-1 and a loading of 33.40 m2.

# 🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## PAPER JOINT TAPE

MANUFACTURER (OR GENERIC): Generic

## HPD URL: No HPD available

## ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound, or fiberglass mesh or paper tape and setting compound.

## **READY MIX JOINT COMPOUND**

MANUFACTURER (OR GENERIC): Generic

## HPD URL: No HPD available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound, or fiberglass mesh or paper tape and setting compound.

## SETTING TYPE JOINT COMPOUND

MANUFACTURER (OR GENERIC): Generic

## HPD URL: No HPD available

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound, or fiberglass mesh or paper tape and setting compound.

# Section 5: General Notes

## MANUFACTURER INFORMATION

MANUFACTURER: Gold Bond Building Products, LLC provided by National Gypsum Company ADDRESS: 2001 Rexford Road Charolotte NC 28211, USA WEBSITE: https://www.goldbondbuilding.com

CONTACT NAME: Amy Hockett TITLE: Manager - Architectural Services & Sustainability PHONE: 704-365-7931 EMAIL: AmyH@NationalGypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

GreenScreen (GS)

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

## Gold Bond High Strength Fire-Shield 30 Gypsum Board

HPD and for compliance with the HPD standard noted.