Gold Bond® eXP® Interior Extreme® Gypsum Panels by Gold Bond Building Products, LLC provided by National Gypsum Company

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 27839

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: Gold Bond® eXP® Interior Extreme® Gypsum Panels consist of a moisture- and mold- resistant gypsum core encased in a coated, specially designed fiberglass mat on the face, back and sides. It is available in a Regular, Type X or Type C core. The glass mat is folded around the long edges to reinforce and protect the core. Use it wherever gypsum board is specified in interior applications for the entire project, wood or metal framing, for increased resistance to incidental moisture. This HPD covers 5/8" Gold Bond® eXP® Interior Extreme® Fire-Shield® Type X Gypsum Panels, and 5/8" Gold Bond® eXP® Interior Extreme® AR Gypsum Panels. National Gypsum Company is the exclusive service provider for products manufactured by Gold Bond Building Products, LLC, PermaBASE Building Products, LLC and ProForm Finishing Products, LLC.

•

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- O Material
- Product

Threshold Level

- C 100 ppm
- 1,000 ppmPer GHS SDS
- O Other

Residuals/Impurities

Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC ⊙ Yes ∩ No

% weight and role provided for all substances.

Screened C Yes Ex/SC ⊙ Yes C No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified C Yes Ex/SC C Yes © No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EXP GYPSUM CORE [GYPSUM BM-3dg SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POTASSIUM SULFATE LT-UNK SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT] GLASS MAT FACERS [CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK CALCIUM CARBONATE BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified Other: ICC-ES Evaluation Report (ESR-3234)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

○ Yes○ No

PREPARER: Elixir Environmental

VERIFICATION #:

SCREENING DATE: 2022-03-16 PUBLISHED DATE: 2022-03-16 EXPIRY DATE: 2025-03-16

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

EXP GYPSUM CORE %: 95.7000 - 96.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges to account for formulation variations between manufacturing facilities, and due to the disclosure preference of suppliers.

GYPSUM ID: 13397-24-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-16 19:05:50		
%: 97.3000 - 99.4000	GS: BM-3dg	RC: PreC NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool. May also include CASRN 10101-41-4 (LT-UNK; No warnings found on HPD Priority lists). Gold Bond Building Products, LLC manufactures gypsum board at 18 plants across the country. Plant details can be found at: https://www.nationalgypsum.com/who-we-are.

SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES

ID: 108775-26-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-16 19:05:52		
%: 0.2000 - 0.4000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Silicone.				

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2022-03-16 19:05:53
%: 0.1000 - 0.4000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern)

POTASSIUM SULFATE ID: 7778-80-5

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-16 19:05:53		
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No war	nings found on HPD Priority Hazard Lists

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-16 19:05:54		
%: 0.0000 - 0.2000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		

SUBSTANCE NOTES: Substance not used at all manufacturing facilities. Contact manufacturer if more information is required.

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

GLASS MAT FACERS %: 3.1000 - 3.6000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges to account for formulation variations between manufacturing facilities, and due to the disclosure preference of suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD	: Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2022-03-16 19:05:51
%: 35.0000 - 60.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	earnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Identifie	ed on the US EPA Safer Chemical Ingredient	List (Green (Circle - Verifie	ed Low Concern).

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2022-03-16 19:05:51
%: 20.0000 - 35.0000	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-03-16 19:05:54

%: 0.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance not used in every manufacturing facility. Contact manufacturer if more information is required. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-03-16 19:05:55		
%: 0.0000 - 7.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not used at every manufacturing facility. Contact manufacturer if more information is required.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

30

ISSUE DATE: 2019-09- EXPIRY DATE: 2022-

CERTIFIER OR LAB: UL

09-30 Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=12048&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Certification Number: 12048-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

OTHER

ICC-ES Evaluation Report (ESR-3234)

CERTIFYING PARTY: Third Party ISSUE DATE: 2021-08-FXPIRY DATE: 2022-CERTIFIER OR LAB: ICC Evaluation APPLICABLE FACILITIES: All 01 08-01 Service

CERTIFICATE URL: https://tinyurl.com/5d79s3nv

CERTIFICATION AND COMPLIANCE NOTES: ESR-3234. GOLD BOND® BRAND eXP® 1/2-INCH INTERIOR EXTREME®; GOLD BOND® BRAND eXP® 5/8-INCH INTERIOR EXTREME® TYPE X; GOLD BOND® BRAND eXP® 1/2-INCH TILE BACKER; AND GOLD BOND® BRAND eXP® 5/8-INCH TILE BACKER TYPE X. EVALUATION SCOPE: Compliance with the following codes: 2018, 2015, 2012 and 2009 International Building Code® (IBC); 2018, 2015, 2012 and 2009 International Residential Code® (IRC). Properties evaluated: Physical properties; Fire resistance; Surface burning characteristics



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

PAPER JOINT TAPE

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Perform finishing of eXP Interior Extreme Panels in accordance with GA-214. Joints between eXP Interior Extreme Panels may be finished with either paper tape and ready mix joint compound; or with fiberglass mesh tape and setting compound. In most areas to receive final decoration, skim coating of the entire surface is recommended.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Gold Bond Building Products, LLC provided by

National Gypsum Company ADDRESS: 2001 Rexford Road Charlotte NC 28211, USA

WEBSITE: www.goldbondbuilding.com

CONTACT NAME: Amy Hockett

TITLE: Manager - Architectural Services & Sustainability

PHONE: 704-365-7931

EMAIL: AmyH@NationalGypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.