Revision Date: 09-03-2015 Product Code: 7031-100

1. IDENTIFICATION

Product Name EXTERIOR LATEX SEALER WHITE

 Product Code
 7031-100

 Document ID
 G7031-100

Revision Number 1
Prior Version Date None
Intended Use Sealer

Restrictions On Use For Industrial Use Only

Chemical Family

Chemical Manufacturer / Importer NEOGARD® - a Division of JONES-BLAIR® Company, LLC

2728 Empire Central Dallas, TX 75235 1-214-353-1600

Emergency Telephone Number: ChemTrec Center 1-800-424-9300

International: 703-527-3887

2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

Hazard Pictograms



GHS Classification Skin Sensitisation Category 1

Carcinogenicity Category 2

Signal Word Warning

Hazard Statements May cause an allergic skin reaction. Suspected of causing cancer.

Precautionary Statements

Prevention Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood. Avoid breathing dust, fume, mist, vapours or spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection and face protection.

Use personal protective equipment as required.

Response IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned:

Get medical attention. If skin irritation or rash occurs: Get medical attention.

Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazards Not Otherwise Not applicable

Revision Date: 09-03-2015 **Product Code:** 7031-100

Classified (HNOC)

Additional Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Component	<u>CAS #</u>	<u>%</u>	
Titanium dioxide	13463-67-7	0.1 - 1	
(d)-Limonene	5989-27-5	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation Remove individual to fresh air after an airborne exposure if any symptoms develop as

a precautionary measure.

Eye Contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention immediately.

Skin ContactWash with soap and water. Get medical attention if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately.

Most Important Acute Symptoms

and Effects

Most Important Delayed Symptoms

and Effects

s Not Available

Special treatment needed:No additional first aid information available

Not Available

5. FIRE-FIGHTING MEASURES

involving this material.

Unsuitable Extinguishing Media Special Protective Equipment and Precautions for Fire-Fighters

No data available

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Will not burn, no special instructions available. Use methods appropriate for surrounding

materials.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. See MSDS sections III, XIII and XV for disposal considerations.

Methods and Material for Containment and Cleaning Up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling Overexposure may be harmful. As with all chemicals, good industrial

hygiene practices should be followed when handling this material.

Conditions for Safe Storage Store in a cool dry place. Keep container(s) closed.

Revision Date: 09-03-2015 Product Code: 7031-100

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Limestone	15 mg/m³ (total dust); 5 mg/m³ (respirable fraction)		
Titanium dioxide	15 mg/m³ TWA (total dust)	10 mg/m³ TWA	

Local exhaust ventilation or other engineering controls may be required when handling or **Appropriate**

Engineering Controls using this product to avoid overexposure.

Respiratory Protection General or local exhaust ventilation is the preferred means of protection. In cases where

ventilation is inadequate, respiratory protection may be required to avoid overexposure.

Follow respirator manufacturer's directions for respirator use.

Eve Protection Wear safety glasses with side shields when handling this product.

Skin Protection Where use can result in skin contact, practice good personal hygiene. Wash hands and

other exposed areas with mild soap and water before eating, drinking, and when leaving

work. Clothing suitable to prevent skin contact.

General Hygiene As with all chemicals, good industrial hygiene practices should be followed when

Conditions handling this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Liquid Color White

Odor Ammonia Like **Odor Threshold** No data available

9.00

No data available / No data available Melting Point/Freezing Point (F/℃)

Initial Boiling Point and Boiling Range

Low (F) No data available Flammability (solid, gas) No data available **Upper Flammable/Explosive Limit** No data available No data available

Lower Flammable/Explosive Limit **Vapor Density** No data available

Relative Density 1.000

Solubility in Water Complete; 100% Partition coefficient: n-octanol/water No data available **Auto-ignition Temperature** No data available **Decomposition Temperature:** No data available **Viscosity** 75 - 82 KU

Volatiles, % by volume 75.64 Volatiles, % by weight 66.05

Volatile Organic Chemicals (g/L)

(Regulatory, Calculated) 96.90 (Actual, Calculated) 26.23

Density 9.43 - 9.63 lbs./Gal

10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions No data available **Conditions to Avoid** No data available

Revision Date: 09-03-2015 Product Code: 7031-100

11. TOXICOLOGICAL INFORMATION

Routes of Exposure Inhalation

Skin contact Eye contact

Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation Inhalation of dusts produced during cutting, grinding or sanding of this

product may cause irritation of the respiratory tract.

Long-Term (Chronic) Health Effects

Carcinogenicity Contains Titanium Dioxide which is listed by IARC as possibly carcinogenic

to humans (Group 2B). This listing is based on inadequate evidence with respect to humans and sufficient evidence in experimental animals.

Product Toxicology Data

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Limostono	Oral LD50 Rat 6450 mg/kg	Dermal LD50 Rabbit >	Inhalation LC50 (4h) Rat >
Limestone		2000 mg/kg	5.00 mg/L
Titanium dioxide	Oral LD50 Rat > 25,000	Dermal LD50 Rabbit >	Inhalation LC50 (4h) Rat >
	mg/kg	10,000 mg/kg	6.82 mg/L

Carcinogen Information

Chemical Name IARC Carcinogen OSHA Carcinogen NTP Carcinogen

Titanium dioxide 2B

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and

terrestrial, where available)

No data available

Malailita in a si

Mobility in soil No data available

13. DISPOSAL CONSIDERATIONS

Safe Handling of Waste Refer to other sections of this SDS to determine the toxicity and physical

characteristics of the material to determine the proper waste

identification and disposal in compliance with applicable regulations.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

DOT Basic Description: Paint, Not-Regulated

IATA Air Shipping Name: Paint, Not-Regulated

IMO Shipping Name: Paint, Not-Regulated

Marine Pollutant: N

15. REGULATORY INFORMATION

Revision Date: 09-03-2015 **Product Code:** 7031-100

TSCA Status All components of this product are either listed on the TSCA Inventory; or, are not subject to the

inventory notification requirements.

Regulated Components

SARA EHS ChemicalsCAS #%Propylene oxide75-56-9< 1 ppm</td>

CERCLA

Not applicable

SARA 313

Not applicable

SARA 311/312

Health (Acute): Y
Health (chronic): Y
Fire (Flammable): N
Pressure: N
Reactivity: N

U. S. State Regulations:

California Prop 65 Chemicals

 Cancer
 CAS #
 %

 Titanium dioxide
 13463-67-7
 0.1 - 1

 Crystalline Silica
 14808-60-7
 0.01 - 0.1

 Benzophenone
 119-61-9
 0.01 - 0.1

 Propylene oxide
 75-56-9
 < 1 ppm</td>

Reproductive Not applicable

Canadian Regulations:

CEPA DSL: The components of this product ARE listed on the Canadian Domestic Substances

List.

WHMIS Hazard Class: D2A

16. OTHER INFORMATION

Revision Date

09-03-2015

Disclaimer This SDS has been prepared in accordance with the OSHA Hazard Communication

Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This

information is furnished without warranty, expressed or implied.