

Safety Data Sheet

Revision Date: 06-12-2015
Product Code: 7051

1. IDENTIFICATION

Product Name	NEOCRYLIC LR WHITE
Product Code	7051
Document ID	G7051
Revision Number	1
Prior Version Date	None
Intended Use	Flat Coating-Exterior
Restrictions On Use	For Industrial Use Only
Chemical Family	Acrylic Latex Coating
Chemical Manufacturer / Importer	NEOGARD® - a Division of JONES-BLAIR® Company, LLC 2728 Empire Central Dallas, TX 75235 1-214-353-1600
Emergency Telephone Number:	ChemTrec Center 1-800-424-9300 International: 703-527-3887

2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

Hazard Pictograms



GHS Classification	Carcinogenicity Category 1B Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2
--------------------	---

Signal Word	Danger
-------------	--------

Hazard Statements	May cause cancer. May cause damage to organs through prolonged or repeated exposure.
-------------------	--

Precautionary Statements

Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust, fume, mist, vapours or spray. Use personal protective equipment as required.
------------	---

Response	IF exposed or concerned: Get medical attention. Get medical attention if you feel unwell.
----------	---

Storage	Store locked up.
---------	------------------

Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.
----------	---

Hazards Not Otherwise Classified (HNOC)	Not applicable
---	----------------

Safety Data Sheet

Revision Date: 06-12-2015
Product Code: 7051

Additional Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Component</u>	<u>CAS #</u>	<u>%</u>
Titanium dioxide	13463-67-7	7 - 13
Quartz (Silica-Crystalline)	14808-60-7	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion	If swallowed, do not induce vomiting. Get medical attention immediately.
Most Important Acute Symptoms and Effects	Not Available
Most Important Delayed Symptoms and Effects	Not Available
Special treatment needed:	No additional first aid information available

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
Unsuitable Extinguishing Media	No data available
Special Protective Equipment and Precautions for Fire-Fighters	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Will not burn, no special instructions available. Use methods appropriate for surrounding materials.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures	Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. See MSDS sections III, XIII and XV for disposal considerations.
Methods and Material for Containment and Cleaning Up	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling	Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.
Conditions for Safe Storage	Store in a cool dry place. Keep container(s) closed.
Materials to Avoid/Chemical	Oxidizing agents

Safety Data Sheet

Revision Date: 06-12-2015
Product Code: 7051

Incompatibility

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

<u>Chemical Component</u>	<u>OSHA PEL</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH STEL</u>
Limestone	15 mg/m ³ (total dust); 5 mg/m ³ (respirable fraction)		
Titanium dioxide	15 mg/m ³ TWA (total dust)	10 mg/m ³ TWA	
Quartz (Silica-Crystalline)	see Table Z-3	0.05 mg/m ³ TWA (respirable fraction)	
Zinc oxide	5 mg/m ³ TWA (respirable dust); 15 mg/m ³ TWA (total dust)	2 mg/m ³ TWA (respirable dust)	10 mg/m ³ (respirable dust)

Appropriate Engineering Controls

Local exhaust ventilation or other engineering controls may be required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

Respiratory Protection

General or local exhaust ventilation is the preferred means of protection. In cases where ventilation is inadequate, respiratory protection may be required to avoid overexposure. Follow respirator manufacturer's directions for respirator use.

Eye Protection Skin Protection

Wear safety glasses with side shields when handling this product.

Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Clothing suitable to prevent skin contact.

General Hygiene Conditions

As with all chemicals, good industrial hygiene practices should be followed when handling this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State	Liquid
Color	White
Odor	No data available
Odor Threshold	No data available
pH	9.00
Melting Point/Freezing Point (°F/°C)	No data available / No data available
Initial Boiling Point and Boiling Range	
Low (°F)	No data available
High (°F)	400.0
Flammability (solid, gas)	No data available
Upper Flammable/Explosive Limit	No data available
Lower Flammable/Explosive Limit	No data available
Vapor Density	No data available
Relative Density	1.000
Solubility in Water	Complete; 100%
Partition coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature:	No data available
Viscosity	90 - 100 KU
Volatiles, % by volume	60.21
Volatiles, % by weight	44.06
Volatile Organic Chemicals (g/L)	

Safety Data Sheet

Revision Date: 06-12-2015
Product Code: 7051

(Regulatory, Calculated) 49.79
(Actual, Calculated) 20.93
Density 11.28 - 11.48 lbs./Gal

10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	No data available
Conditions to Avoid	No data available Contamination.
Incompatible Materials	Oxidizing agents

11. TOXICOLOGICAL INFORMATION

Routes of Exposure Inhalation
Skin contact
Eye contact
Ingestion

Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

Skin Contact Can cause minor skin irritation.

Long-Term (Chronic) Health Effects

Carcinogenicity Contains Titanium Dioxide which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence with respect to humans and sufficient evidence in experimental animals.
Cancer hazard: Contains Crystalline Silica, which can cause cancer. Risk of cancer depends on duration and level of exposure to dust generated from sanding surfaces or spray mists.

Inhalation Overexposure may cause lung damage.

Product Toxicology Data

Inhalation Dust/Mist Acute Toxicity Estimate (ATE) 46.70 mg/L

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Limestone	Oral LD50 Rat 6450 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5.00 mg/L
Titanium dioxide	Oral LD50 Rat > 25,000 mg/kg	Dermal LD50 Rabbit > 10,000 mg/kg	Inhalation LC50 (4h) Rat > 6.82 mg/L
Quartz	Oral LD50 Rat > 22,500 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 20.00 mg/L
Zinc oxide	Oral LD50 Mouse 7950 mg/kg		Inhalation LC50 Mouse 2,500.00 mg/m ³

Carcinogen Information

Chemical Name	IARC Carcinogen	OSHA Carcinogen	NTP Carcinogen
Titanium dioxide	2B		
Quartz	1		1

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available) No data available

Mobility in soil No data available

Safety Data Sheet

Revision Date: 06-12-2015
Product Code: 7051

13. DISPOSAL CONSIDERATIONS

Safe Handling of Waste

Refer to other sections of this SDS to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

DOT Basic Description: Paint, Not-Regulated

Marine Pollutant: No

15. REGULATORY INFORMATION

TSCA Status All components of this product are either listed on the TSCA Inventory; or, are not subject to the inventory notification requirements.

Regulated Components

SARA EHS Chemicals

CAS

%

Not applicable

CERCLA

Not applicable

SARA 313

Zinc Oxide

1314-13-2

1 - 5

SARA 311/312

Health (Acute): Y

Health (chronic): Y

Fire (Flammable): N

Pressure: N

Reactivity: N

U. S. State Regulations:

California Prop 65 Chemicals

Cancer

CAS

%

Titanium dioxide

13463-67-7

7 - 13

Crystalline Silica

14808-60-7

1 - 5

Naphthalene

91-20-3

< 10 ppm

Cumene

98-82-8

< 10 ppm

Ethyl Benzene

100-41-4

< 10 ppm

Reproductive

Not applicable

Canadian Regulations:

CEPA DSL:

The components of this product ARE listed on the Canadian Domestic Substances List.

WHMIS Hazard Class:

D2A

16. OTHER INFORMATION

Safety Data Sheet

Revision Date: 06-12-2015

Product Code: 7051

Revision Date
Disclaimer

06-12-2015

This SDS has been prepared in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This information is furnished without warranty, expressed or implied.