

# Safety Data Sheet

Revision Date: 10-15-2015  
Product Code: 70714-19

## 1. IDENTIFICATION

Product Name	EPOXY RESIN SAFETY YELLOW
Product Code	70714-19
Document ID	G70714-19
Revision Number	1
Prior Version Date	None
Intended Use	Industrial Maintenance Floor Coating
Restrictions On Use	For Industrial Use Only
Chemical Family	Epoxy Coating
Chemical Manufacturer / Importer	NEOGARD® - a Division of JONES-BLAIR® Company, LLC 2728 Empire Central Dallas, TX 75235 1-214-353-1600
Emergency Telephone Number:	ChemTrec Center 1-800-424-9300 International: 703-527-3887

## 2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

### Hazard Pictograms



### GHS Classification

Skin Sensitisation Category 1  
Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2  
Carcinogenicity Category 2  
Reproductive Toxicity Category 2

### Signal Word

Warning

### Hazard Statements

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

### Precautionary Statements

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume, mist, vapours or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection and face protection. Use personal protective equipment as required.

#### Response

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash before reuse.

# Safety Data Sheet

Revision Date: 10-15-2015  
Product Code: 70714-19

Storage	Store locked up.
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards Not Otherwise Classified (HNOC)	Not applicable
Additional Information	Not applicable

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Component</u>	<u>CAS #</u>	<u>%</u>
Bisphenol-A-diglycidylether	25068-38-6	50 - 70
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	68609-97-2	10 - 30
Titanium dioxide	13463-67-7	5 - 10
4-Nonylphenol	84852-15-3	0.5 - 1.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST-AID MEASURES

Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin Contact	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Thoroughly wash or discard clothing and shoes before reuse.
Ingestion	If swallowed, do not induce vomiting. Get medical attention immediately.
Most Important Acute Symptoms and Effects	Not Available
Most Important Delayed Symptoms and Effects	Not Available
Special treatment needed:	Pre-existing disorders of the following organs may be aggravated by exposure to this material: skin, lung (for example, asthma-like symptoms)

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
Unsuitable Extinguishing Media	No data available
Fire and/or Explosion Hazards	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Special Protective Equipment and Precautions for Fire-Fighters	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective	Exposure to the spilled material may be irritating or harmful. Follow
----------------------------------	---

# Safety Data Sheet

Revision Date: 10-15-2015

Product Code: 70714-19

**Equipment and Emergency Procedures** personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

**Methods and Material for Containment and Cleaning Up** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling** Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

**Conditions for Safe Storage** Store in a cool dry place. Keep container(s) closed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Limits

<u>Chemical Component</u>	<u>OSHA PEL</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH STEL</u>
Titanium dioxide	15 mg/m <sup>3</sup> TWA (total dust)	10 mg/m <sup>3</sup> TWA	

**Appropriate Engineering Controls** Local exhaust ventilation or other engineering controls may be required when handling or using this product to avoid overexposure.

**Respiratory Protection** General or local exhaust ventilation is the preferred means of protection. In cases where ventilation is inadequate, respiratory protection may be required to avoid overexposure. Follow respirator manufacturer's directions for respirator use.

**Eye Protection** Wear safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash station available.

**Skin Protection** Avoid all skin contact by covering as much of the exposed skin area as possible with appropriate clothing to prevent skin contact. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Clothing suitable to prevent skin contact.

**General Hygiene Conditions** As with all chemicals, good industrial hygiene practices should be followed when handling this material.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

<b>Physical State</b>	Liquid
<b>Color</b>	Yellow
<b>Odor</b>	No data available
<b>Odor Threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting Point/Freezing Point (°F/°C)</b>	No data available / No data available
<b>Initial Boiling Point and Boiling Range</b>	
<b>Low (°F)</b>	392.0
<b>High (°F)</b>	392.0
<b>Flash Point (°F/°C)</b>	201 / 94
<b>Flammability (solid, gas)</b>	No data available
<b>Upper Flammable/Explosive Limit</b>	No data available
<b>Lower Flammable/Explosive Limit</b>	No data available

# Safety Data Sheet

Revision Date: 10-15-2015  
Product Code: 70714-19

Vapor Pressure	< 13.30 PA @ 77°F (25°C)
Vapor Density	No data available
Relative Density	1.000
Solubility in Water	Negligible; 0-1%
Partition coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature:	No data available
Viscosity	1,600 - 3,300 CPS
Volatiles, % by volume	1.48
Volatiles, % by weight	0.99
Volatile Organic Chemicals (g/L)	
(Regulatory, Calculated)	11.87
(Actual, Calculated)	11.87
Density	9.86 - 10.16 lbs./Gal

## 10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	No data available
Conditions to Avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

## 11. TOXICOLOGICAL INFORMATION

Routes of Exposure	Eye contact Skin contact Inhalation
--------------------	---

### Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation	Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
Skin Contact	Causes skin burns. May cause allergic skin reaction.

### Long-Term (Chronic) Health Effects

Carcinogenicity	Contains Titanium Dioxide which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence with respect to humans and sufficient evidence in experimental animals.
Skin Contact	Prolonged contact may cause an allergic skin reaction.

### Product Toxicology Data

Oral Acute Toxicity Estimate (ATE)	46,675.18 mg/kg
------------------------------------	-----------------

### Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol-A-diglycidylether	Oral LD50 Rat > 15,000 mg/kg	Dermal LD50 Rabbit 23,000 mg/kg	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Oral LD50 Rat > 2000 mg/kg	Dermal LD50 > 2000 mg/kg	Inhalation LC50 > 20.00 mg/L
Titanium dioxide	Oral LD50 Rat > 25,000 mg/kg	Dermal LD50 Rabbit > 10,000 mg/kg	Inhalation LC50 (4h) Rat > 6.82 mg/L
4-Nonylphenol	Oral LD50 Rat 580 mg/kg	Dermal LD50 Rabbit 2140 mg/kg	

### Carcinogen Information

Chemical Name	IARC Carcinogen	OSHA Carcinogen	NTP Carcinogen
Titanium dioxide	2B		

# Safety Data Sheet

Revision Date: 10-15-2015  
Product Code: 70714-19

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity (aquatic and terrestrial, where available)** No data available  
**Mobility in soil** No data available

## 13. DISPOSAL CONSIDERATIONS

**Safe Handling of Waste** Refer to other sections of this SDS to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

## 14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

**DOT Basic Description:** Paint, Not-Regulated

**Marine Pollutant:** No

## 15. REGULATORY INFORMATION

**TSCA Status** All components of this product are either listed on the TSCA Inventory; or, are not subject to the inventory notification requirements.

### Regulated Components

#### SARA EHS Chemicals

	<u>CAS #</u>	<u>%</u>
Phenol	108-95-2	0.001 - 0.01
Epichlorohydrin	106-89-8	< 10 ppm

#### CERCLA

Not applicable

#### SARA 313

Not applicable

#### SARA 311/312

Health (Acute):	Y
Health (chronic):	Y
Fire (Flammable):	N
Pressure:	N
Reactivity:	N

### U. S. State Regulations:

#### California Prop 65 Chemicals

##### **Cancer**

	<u>CAS #</u>	<u>%</u>
Titanium dioxide	13463-67-7	5 - 10
Ethyl Benzene	100-41-4	0.01 - 0.1
Phenyl glycidyl ether	122-60-1	< 10 ppm
1-Chloro-2,3-epoxypropane	106-89-8	< 10 ppm

##### **Reproductive**

Not applicable

# Safety Data Sheet

**Revision Date:** 10-15-2015  
**Product Code:** 70714-19

**Canadian Regulations:**

**CEPA DSL:**

The components of this product ARE listed on the Canadian Domestic Substances List.

**WHMIS Hazard Class:**

D2A

**16. OTHER INFORMATION**

---

**Revision Date**

10-15-2015

**Disclaimer**

This SDS has been prepared in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This information is furnished without warranty, expressed or implied.