Revision Date: 01-15-2016 Product Code: FC7530-00

1. IDENTIFICATION

Product Name FC ALIPHATIC URETHANE TOP COAT NEUTRAL BASE

Product Code FC7530-00 Document ID GFC7530-00

Revision Number

Prior Version Date 06-08-2015

Industrial Maintanance Floor TopCoat Urethane

Restrictions On Use For Industrial Use Only Chemical Family Urethane Floor Coating

Chemical Manufacturer / Importer NEOGARD® - a Division of JONES-BLAIR® Company, LLC

2728 Empire Central Dallas, TX 75235 1-214-353-1600

Emergency Telephone Number: ChemTrec Center 1-800-424-9300

International: 703-527-3887

2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

Hazard Pictograms







GHS Classification Respiratory Sensitisation Category 1A

Skin Sensitisation Category 1B Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure

Category 2

Acute Toxicity - Inhalation Dust / Mist Category 3 Acute Toxicity - Inhalation Vapour Category 3

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Signal Word Danger

Hazard Statements Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

irritation. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated

exposure.

Precautionary Statements

Prevention Do not breathe dust, fume, mist, vapours or spray. Wash thoroughly after

handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection and face protection. In case of inadequate

ventilation wear respiratory protection.

Revision Date: 01-15-2016 Product Code: FC7530-00

Response IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim

to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or physician if you feel unwell. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Take off contaminated clothing and

wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazards Not Otherwise Classified (HNOC)

Not applicable

Additional Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Component	CAS#	<u>%</u>	
Homopolymer of Isophorone Diisocyanate	53880-05-0	70 - 90	
ISOPHORONE DIISOCYANATE	4098-71-9	1 - 5	
Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	1 - 5	
Hydroxy, Phenyl Benzotriazole derivative	25973-55-1	0.5 - 1.5	
Butyl carbitol acetate	124-17-4	0.5 - 1.5	
(d)-Limonene	5989-27-5	0.5 - 1.5	
methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	82919-37-7	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation Remove individual to fresh air after an airborne exposure if any symptoms develop as

a precautionary measure. If breathing difficulty persists or occurs later, consult a

physician and have MSDS available.

Eye Contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention immediately.

Skin Contact Wash with soap and water. Remove contaminated clothing and launder. Get medical

attention if irritation develops or persists. Thoroughly wash or discard clothing and

shoes before reuse.

Ingestion Do not induce vomiting and seek medical attention immediately. Drink two glasses of

water or milk to dilute. Provide medical care provider with this MSDS.

Most Important Acute Symptoms Not Available

and Effects

ms Not Available

Most Important Delayed Symptoms and Effects

Special treatment needed:No additional first aid information available

Revision Date: 01-15-2016 Product Code: FC7530-00

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use alcohol foam, carbon dioxide, or water spray when fighting fires

involving this material.

No data available **Unsuitable Extinguishing Media**

Fire and/or Explosion Hazards Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous Combustion Products Carbon dioxide, Carbon monoxide, Nitrogen containing gases,

Isocyanates, Hydrogen cyanide, Isocyanic Acid, Toxic fumes, Toxic

gases, Hydrocarbons

Special Protective Equipment and Precautions for Fire-Fighters

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Do not enter fire area without proper protection including self- contained breathing

apparatus and full protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and Material for Containment and Cleaning Up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling Harmful or irritating material. Avoid contacting and avoid breathing the

> material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling. Do not get in eyes, on skin

and clothing.

Conditions for Safe Storage Materials to Avoid/Chemical Incompatibility

Store in a cool dry place. Keep container(s) closed.

Moisture, Amines, Alcohols, Caustics (bases, alkalis), Oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Isophorone Diisocvanate		0.005 ppm (TWA)	

Appropriate Engineering Controls Use local exhaust ventilation or other engineering controls to minimize exposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

Respiratory Protection

General or local exhaust ventilation is the preferred means of protection. In cases where ventilation is inadequate, respiratory protection may be required to avoid overexposure. Follow respirator manufacturer's directions for respirator use. For poorly ventilated areas or during spray application use NIOSH approved supplied air respirator unless air monitoring demonstrates vapor/mist levels below applicable limits. When monomeric isocyanate concentrations are below 0.05 ppm (10 times the 8 hour TWA exposure limit), an appropriate combination organic vapor and particulate respirator (NIOSH approved) may be appropriate. An end-of-service-life Indicator (ESLI) or a change schedule is mandatory.

Revision Date: 01-15-2016 Product Code: FC7530-00

Wear safety glasses with side shields when handling this product. Wear additional eye **Eye Protection**

protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash

station available.

Skin Protection Avoid all skin contact by covering as much of the exposed skin area as possible with

appropriate clothing to prevent skin contact. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Clothing suitable to

prevent skin contact.

General Hygiene Conditions

As with all chemicals, good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling. Do not get in eyes, on skin and

clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Liquid

Odor No data available **Odor Threshold** No data available рH No data available

Melting Point/Freezing Point (℉/℃)

No data available / No data available

Initial Boiling Point and Boiling Range

Low (F)

No data available

Flash Point (°F/°C) 205 / 96

Flammability (solid, gas) No data available **Upper Flammable/Explosive Limit** No data available

Lower Flammable/Explosive Limit 0.7

Vapor Density No data available

Relative Density 1.021

Solubility in Water Nealiaible: 0-1% Partition coefficient: n-octanol/water No data available **Auto-ignition Temperature** No data available **Decomposition Temperature:** No data available Viscosity 3,300 - 4,300 CPS

Volatiles, % by volume 5.33 Volatiles, % by weight 4.17

Volatile Organic Chemicals (g/L)

(Regulatory, Calculated) 42.14 (Actual, Calculated) 42.14

Density 8.42 - 8.62 lbs./Gal

10. STABILITY AND REACTIVITY

Stable under normal conditions. **Chemical stability**

Possibility of Hazardous Reactions No data available

Conditions to Avoid Temperatures above the high flash point of this combustible

material in combination with sparks, open flames, or other

sources of ignition. Contamination.

Moisture, Amines, Alcohols, Caustics (bases, alkalis), Oxidizing **Incompatible Materials**

agents

Hazardous Decomposition Products Carbon dioxide, Carbon monoxide, Nitrogen containing gases,

Isocyanates, Hydrogen cyanide, Isocyanic Acid, Toxic fumes,

Toxic gases

11. TOXICOLOGICAL INFORMATION

Routes of Exposure Inhalation

Ingestion Skin contact Eve contact

Revision Date: 01-15-2016 Product Code: FC7530-00

Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation Harmful if inhaled. Irritating to the nose, throat, and respiratory tract.

Sensitizer! Avoid exposure. If sensitized, exposure below the published exposure limits (e.g. TLV or PEL) can result in respiratory irritation, shortness of breath and difficulty breathing. These asthma-type symptoms

may develop immediately or be delayed up to several hours.

Inhalation Toxicity Vapor harmful. May affect the brain or nervous system causing dizziness,

headache or nausea.

Skin Contact Causes irritation with symptoms of reddening, itching and swelling.

Sensitizer. Avoid exposure. If sensitized, repeated exposures will result in

irritation, reddening, and rashes even for very low exposures.

May cause allergic skin reaction.

Skin Absorption May be harmful if absorbed through skin.

Eye Contact Can cause severe irritation. Eye contact may result in corneal injury.

Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary

production, with marked redness and swelling of the conjunctiva. Temporar

vision impairment (cloudy or blurred vision) is possible.

Ingestion Irritation Irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

Ingestion Toxicity Harmful if swallowed.

Long-Term (Chronic) Health Effects

Inhalation

Isocyanate vapors or mist at concentrations above the TLV can irritate the mucous membranes in the respiratory tract causing runny nose, sore throat, coughing, chest discomfort, shortness of breath and reduced lung function. Exposure well above the TLV may lead to generally reversible bronchitis, bronchial spasm and pulmonary edema. Repeated overexposure causes sensitization in some individuals resulting in asthma-like symptoms on subsequent exposures below the TLV.

Persons with preexisting bronchial hyperactivity can respond to

concentrations below the TLV with similar symptoms as well as an asthma

attack.

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the

contents may be harmful or fatal.

Skin Contact Prolonged contact may cause an allergic skin reaction.

Product Toxicology Data

Dermal Acute Toxicity Estimate (ATE) 98,311.72 mg/kg

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Homopolymer of Isophorone	Oral LD50 Rat > 14,000	Dermal LD50 Rabbit >	Inhalation LC50 (4h) Rat >
Diisocyanate	mg/kg	2000 mg/kg	20.00 mg/L
Isophorone Diisocyanate	Oral LD50 Rat 5490 mg/kg	Dermal LD50 Rabbit 4780	Inhalation LC50 (4h) Rat
isopriorone Diisocyanate		mg/kg	0.03 mg/L
Putul parhital agotata	Oral LD50 Rat 6500 mg/kg	Dermal LD50 Rabbit	Inhalation LC50 (4h) Rat
Butyl carbitol acetate		14,500 mg/kg	72.50 mg/L
(d) Limonono	Oral LD50 Rat > 5000	Dermal LD50 Rabbit >	
(d)-Limonene	mg/kg	5000 mg/kg	

Carcinogen Information

Chemical Name IARC Carcinogen OSHA Carcinogen NTP Carcinogen

Not applicable

Revision Date: 01-15-2016 Product Code: FC7530-00

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and

terrestrial, where available)

No data available

Mobility in soil No data available

13. DISPOSAL CONSIDERATIONS

Safe Handling of Waste Refer to other sections of this SDS to determine the toxicity and physical

characteristics of the material to determine the proper waste

identification and disposal in compliance with applicable regulations.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

DOT Basic Description: Paint, Not-Regulated

Marine Pollutant: No

15. REGULATORY INFORMATION

TSCA Status All components of this product are either listed on the TSCA Inventory; or, are not subject to the

inventory notification requirements.

Regulated Components

SARA EHS Chemicals	CAS#	<u>%</u>	
Isophorone diisocyanate	4098-71-9	1 - 5	

CERCLA

Not applicable

SARA 313

Isophorone diisocyanate	4098-71-9	1 - 5
2-(2-Butoxyethoxy)ethyl acetate	124-17-4	0.5 - 1.5

SARA 311/312

Health (Acute): Y
Health (chronic): Y
Fire (Flammable): N
Pressure: N
Reactivity: Y

U. S. State Regulations:

California Prop 65 Chemicals

Cancer	<u>CAS #</u>	<u>%</u>
Ethyl Benzene	100-41-4	0.01 - 0.1
Benzene	71-43-2	< 1 ppm
Reproductive		
Toluene	108-88-3	0.001- 0.01
Benzene	71-43-2	< 1 ppm

Canadian Regulations:

CEPA DSL: The components of this product ARE listed on the Canadian Domestic Substances

Revision Date: 01-15-2016 Product Code: FC7530-00

List.

WHMIS Hazard Class: D2A

16. OTHER INFORMATION

Revision Date Disclaimer

01-15-2016

This SDS has been prepared in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This information is furnished without warranty, expressed or implied.