



Exterior Wall Coatings

Seamless protection for exterior walls

Weatherproof exposed wall surfaces with NEOGARD®'s seamless high performance coating systems that combine beauty with function.

When you compare the total cost of ownership, from application to longevity, it is easy to see why NEOGARD® is the obvious high performance coating solution.



Wall coatings

Use our high-performance seamless exterior wall coatings over:

- Concrete
- EIFS
- Masonry
- Stucco

Exposed walls last longer with protection

Performance properties & benefits

Seamless & fully adhered

- Monolithic surface
- Protects concrete and rebar from moisture and chloride intrusion

Surface applied

- Easy to identify maintenance issues for damage repair

Waterproof

- Provides a moisture barrier
- Leak protection
- Reduces structure's lifecycle cost

Elastomeric

- Accommodates thermal expansion and contraction
- Bridges cracks
- Leak protection

Sustainable

- Systems can be renewed rather than replaced
- Reduces structure's lifecycle cost

Embedded aggregate

- Slip resistant surface

Environmentally friendly

- Low odor
- Fast cure

Aesthetically pleasing

- Available in a variety of colors
- Multiple attractive textures & finishes available



Neocrylic

Is a 100% acrylic decorative coating used to protect properly prepared masonry, Exterior Insulated and Finish Systems (EIFS), wood and incidental metal surfaces. It offers outstanding color retention, low lustre and exceptional ease of application. Neocrylic resists flaking, peeling and blistering and has excellent durability.

Neocrylic HB

Is a water-based, high-build, anti-carbonation, 100% acrylic coating for above-grade concrete, masonry, stucco and EIFS. It provides excellent durability, fade resistance and resists cracking, peeling and chipping while bridging hair line cracks.



Neocrylic LR

Neocrylic™ LR is a water-based, acrylic, decorative, high build coating used to protect, brighten and add light reflectivity to the interior spaces of a garage. Neocrylic LR is only available in white and is intended for use on interior walls, ceilings and columns in parking garages.

Neoflex

Coating system utilizing coarse flint aggregate needed for high traction applications. Ideal for steep vehicular ramps and spiral ramps.





NEOGARD®, a Division of Hempel (USA), Inc., is a fully integrated research and manufacturing organization in Dallas, Texas. NEOGARD® products have been specified and used on prestigious projects around the world by leading architects, engineers and consultants for over 50 years. Our line of coating systems protects the building envelope through vehicular and pedestrian traffic coatings, protective roof coatings, seamless flooring and elastomeric wall coatings.

NEOGARD Headquarters
2728 Empire Central, Dallas, TX 75235
Tel: +1 (214) 353-1600
Fax: 214-353-1766

www.neogard.com

NEOGARD®, A Division of Hempel (USA), Inc.

US_V1_MAR_18