




# Pedestrian Traffic Coatings

# Seamless protection for pedestrian traffic surfaces



Maintain the structural integrity and appearance of your investments with traffic coatings and prolong the life of your structure while reducing cost over time with proper maintenance.

NEOGARD®'s surface applied seamless pedestrian traffic coating systems provide waterproofing and slip resistance for concrete structures making them ideal for terraces, balconies, stadiums, and pedestrian walkways.

Peda-Gard® systems are durable, monolithic membranes that incorporate aggregate for slip and abrasion resistance. They are intended for pedestrian traffic use and designed for years of trouble free waterproofing.



## Performance properties & benefits

### Seamless & fully adhered

- Monolithic surface
- Protects concrete from moisture and chloride intrusion

### Surface applied

- Easy to identify maintenance issues for damage repair

### Waterproof

- Provides a moisture barrier
- Leak protection
- Reduces structure's lifecycle cost

### Elastomeric

- Accommodates thermal expansion and contraction
- Bridges cracks
- Leak protection

### Sustainable

- Systems can be renewed rather than replaced
- Reduces structure's lifecycle cost

### Embedded aggregate

- Slip resistant surface

### Environmentally friendly

- Low odor
- Fast cure

### Aesthetically pleasing

- Available in a variety of colors
- Multiple attractive textures & finishes available

## LEED credits

LEED promotes a whole-building approach to sustainability by recognizing performance in seven key areas of human and environmental health.

Credits Available for Peda-Gard® Systems:



Heat Island Reduction – Non-roof and Roof (SSc7.1)  
Sourcing of Raw Materials (MRc6.1) & (MRc6.2)  
Low-Emitting Materials (EQc5.2)





## Peda-Gard & Peda-Gard FC

Coating system for typical pedestrian traffic areas. Available in several standard colors. Ideal for walkways, plaza decks, stadiums. FC is the low odor and fast curing version of Peda-Gard®. Allows quick installation of full coating system and is compatible with the most stringent VOC regulations. Ideal for work in or near occupied buildings where odor may be an issue.

## Peda-Gard T & Peda-Gard FCT

Pedestrian T Systems have premixed aggregate for an easier application process. Ideal for applications that require durability and aggregate retention. The FCT formula is the fast cure version with premixed aggregate for faster turnaround.



## Peda-Gard® TS & Peda-Gard® FC TS

Waterproofing membrane ideal for use under thin set mortar tile applications. Mortar is required to install various types of traffic bearing tile.

## Decorative Peda-Gard & Decorative Peda-Gard FC

Decorative versions of pedestrian systems. FC offers no odor, near zero VOC system for work located near occupied spaces. FC also offers quick turnaround of coated surfaces.



## Peda-Gard M

Ideal coating system for mechanical room floors where quick turnaround and waterproofing and resistance to chemicals is necessary. Flammability is often an issue with these applications and ours offers a solvent free, no odor system.



NEOGARD®, a Division of Hempel (USA), Inc., is a fully integrated research and manufacturing organization in Dallas, Texas. NEOGARD® products have been specified and used on prestigious projects around the world by leading architects, engineers and consultants for over 50 years. Our line of coating systems protects the building envelope through vehicular and pedestrian traffic coatings, protective roof coatings, seamless flooring and elastomeric wall coatings.

NEOGARD Headquarters  
2728 Empire Central, Dallas, TX 75235  
Tel: +1 (214) 353-1600  
Fax: 214-353-1766

[www.neogard.com](http://www.neogard.com)

NEOGARD®, A Division of Hempel (USA), Inc.

US\_V1\_MAR\_18