



Multiple Looks.

One Source.





More time imagining, less time managing.

Why settle for one look when you can achieve multiple looks from the same source? Many times a single project design requires a mix of cladding styles. With Nichiha Architectural Wall Panels, achieving the variety you are searching for is easier than ever. Our panels provide the look of metal, stone, wood, concrete, brick and much more. Best of all, every panel style offers the same clip installation system ensuring projects are installed quickly, saving time and money. Only one type of installer is required to complete the work, eliminating the need for specialized masons or other trade labor. Using multiple looks from one source helps projects move from conception to completion with ease.

LET YOUR VISION GO WHERE IT WILL... YOU HAVE THE POWER OF POSSIBILITIES ON YOUR SIDE.





Nichiha's Illumination panels deliver sleek sophistication with ease

Sleek, bold, vibrant. These are the words industry professionals are using to describe Nichiha's **Illumination** fiber cement panel. Its smooth satin finish, easy installation and virtually limitless color pallet give you a degree of design freedom that most cladding products simply can't match. Delivering sleek sophistication comes naturally for Illumination. But don't let the pretty face fool you; there's more than meets the eye. When compared to traditional aluminum composite and phenolic panels, Illumination delivers significantly more bang for far fewer bucks. Illumination panels add a splash of color and style to a wide array of projects:



Adding color and style to your projects has never been easier. Nichiha's Color Xpressions System is a simple 3-step process for Illumination panels that opens up a nearly limitless world of possibilities. Color Xpressions is backed by a 15-year limited factory-applied finish warranty.

 ${}^\star \text{See}$ Nichiha warranties for detailed information on terms, conditions and limitations.

ILLUMINATION	AWP 1818	AWP 3030
PROFILE	Large without score Small with midpoint vertical score	
DIMENSIONS (ACTUAL MM)	17-7/8" [н] x 71-9/16" [ь] (455мм [н] x 1,818мм [ь])	17-7/8" [н] x 119-5/16" [L] (455мм [н] x 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)	5/8 (16мм)
Weight (LBS. PER PANEL)	35.2	57.2
Weight (lbs. per sq. ft.)	3.9	3.8
Exposed Coverage (sq. ft. per panel)	8.88 sq. ft.	14.81 sq. ft.
Packaging (pieces per pack)	2 [17.76 sq. ft.]	2 [29.62 sq. ft.]
		NOTE: CAN BE INSTALLED HORIZONTALLY OR VERTICALLY. HAS A WIDER SOFT, U-SHAPED JOINT PROFILE IN COMPARISON TO THE AWP 1818

PROFILE.

Unleash your inner rock star with the METALLIC SERIES



Heavy metal is not just for the stage... it is also notorious for bringing walls to life

With its premium metallic looking finish and unique texture, our Ribbed Panel is the perfect complement to any project. The Ribbed Panel provides a great solution to break up a space and adds sophistication to the overall design aesthetic. It is perfect as an exterior or interior accent and its sleek look pairs well with modern materials such as block panels, glass and metal. The panel features a deluxe finish that reflects light and creates the appearance of brushed, precious metals. The ribbed texture allows the panel to add interest and variation. The Ribbed Panel is easily installed with our time-saving clip installation system and hidden fasteners help maintain a clean design.

Are you ready to make a big, bold visual impact by utilizing the 3D qualities of the Ribbed Panel? It is sure to take center stage and stand out from the crowd. Turn up the volume and drama on your next project.



RIBBED™



Mother of Pearl

Gunsmoke

REV IT UP! ADD THE RIBBED PANEL TO YOUR NEXT FOCAL WALL,

Ribbed	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" [н] x 119-5/16" [L] (455мм [н] x 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)
Weight (lbs. per panel)	57.3
Weight (lbs. per sq. ft.)	3.8
Exposed Coverage (sq. ft. per panel)	14.81 sq. ft.
Packaging (pieces per pack)	2 [29.62 sq. ft.]

NOTE: CAN BE INSTALLED HORIZONTALLY OR VERTICALLY

NOTE: THERE ARE 9 RIBS PER PANEL



Making modern possible with the power of fiber cement

The clean, modular look of Nichiha ArchitecturalBlock is a versatile choice for commercial and residential projects alike. Its cool modern tones and subtle seams are the perfect partner for gleaming glass, stainless steel or even paired with the warmth of wood. ArchitecturalBlock is a handsome, durable and cost-effective solution. The ease of installation and wide variety of corner options make it as popular with contractors as it is with clients.

TuffBlock offers many of the same features as ArchitecturalBlock, but takes modern to the next level with its tough, textured finish. TuffBlock remains true to its name with a strong construction that is backed by the power of fiber cement. This product means business and is built to last. TuffBlock is the perfect Architectural Wall Panel for high-traffic areas as it stands up against everyday wear and tear.



ARCHITECTURALBLOCK™




AWP 1818
17-7/8" [н] x 71-9/16" [L] (455мм [н] x 1,818мм [L])
5/8 (16мм)
35.2
3.9
8.88 sq. ft.
2 [17.76 sq. ft.]

TuffBlock™



AWP 1818
17-7/8" [н] x 71-9/16" [ь] (455мм [н] x 1,818мм [ь])
5/8 (16мм)
35.2
3.9
8.88 sq. ft.
2 [17.76 sq. ft.]





Nichiha provides the look of wood without the drawbacks of natural wood cladding. Built to last, our VintageWood and RoughSawn offer the rich textures of wood while providing color stability and withstanding extreme weather elements. VintageWood exudes modern refinement and works well in both modern and vintage designs. With its earthy appeal, RoughSawn adds rustic sophistication to all types of projects. Both products pair perfectly with glass, metal and block panels, adding a touch of warmth to the coolness of these materials.

VintageWood and RoughSawn are as versatile as they are durable. Our **Wood Series** panels can install both vertically and horizontally and can be used in interior and exterior settings. Hidden fasteners provide a clean and beautiful look.

Creating the perfect match, Nichiha gives you the beauty of wood backed by the brawn of fiber cement.





VINTAGEWOOD***	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" [н] х 119-5/16" [L] (455мм [н] х 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)
WEIGHT (LBS. PER PANEL)	57.3
WEIGHT (LBS. PER SQ. FT.)	3.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 sq. ft.
PACKAGING (PIECES PER PACK)	2 [29.62 sq. ft.]
NOTE: CAN BE INSTALLED HORIZONTALLY OR V	ERTICALLY

RoughSawn™



ROUGHSAWN'''	AVVP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" [н] х 119-5/16" [L] (455мм [н] х 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)
WEIGHT (LBS. PER PANEL)	57.3
WEIGHT (LBS. PER SQ. FT.)	3.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 sq. ft.
Packaging (pieces per pack)	2 [29.62 sq. ft.]
NOTE: CAN BE INSTALLED HORIZONTALLY OR V	ERTICALLY

The Concrete Series... Perfectly imperfect in every way EYE SURGERY CENTER OF NORTH DALLAS

IndustrialBlock and EmpireBlock put a fresh face on industrial chic.

Backed by the power of fiber cement, IndustrialBlock offers a distressed concrete design with all the irregularities and characteristics of natural concrete. IndustrialBlock can pair with a wide range of products and its fresh approach works in both modern and vintage settings. The lightweight panels install vertically and horizontally, covering 15 square feet per panel.

EmpireBlock delivers the look and feel of precast concrete block in a more versatile and easier to use format. Perfect for indoor environments as well as exterior cladding, you will never have to worry about curing times, cracking or color inconsistency.



EmpireBlock[™]

IndustrialBlock[™]

WANT THE CONCRETE LOOK
WITHOUT THE DIMPLES?
CHECK OUT OUR
INDUSTRIALBLOCK PANEL.

EmpireBlock***	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" [н] х 119-5/16" [L] (455мм [н] х 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)
WEIGHT (LBS. PER PANEL)	57.3
WEIGHT (LBS. PER SQ. FT.)	3.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 sq. ft.
PACKAGING (PIECES PER PACK)	2 [29.62 sq. ft.]
NOTE: CAN BE INSTALLED HORIZONTALLY OR V	ERTICALLY

IndustrialBlock***	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" [н] х 119-5/16" [L] (455мм [н] х 3,030мм [L])
THICKNESS (ACTUAL MM)	5/8 (16мм)
WEIGHT (LBS. PER PANEL)	57.3
WEIGHT (LBS. PER SQ. FT.)	3.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 sq. ft.
PACKAGING (PIECES PER PACK)	2 [29.62 sq. ft.]
NOTE: CAN BE INSTALLED HORIZONTALLY OR V	ERTICALLY



Achieving the look of stacked stone is now easier than ever

Nichiha KuraStone™ reduces material cost and simplifies installation for a double dose of budget help. Its rugged texture and color variation add interest and charm as an accent or as the main attraction. With a variety of panel sizes per pack, the KuraStone™ family of products is a popular, adaptable solution for both interior and exterior projects.

DESIGN TIP:

USE NICHIHA SILL WITH ANY PANEL TO COMPLEMENT YOUR DESIGN.











FLAGSTONE



FLAGSTONE BORDER



STACKEDSTONE CORNER



LEDGESTONE CORNER



SILL-CHISELED



www.nichiha.com

STACKEDSTONE AND LEDGESTONE

3 IACKED 3 TOTAL AND LEDGE	STONE
DIMENSIONS (NOM. IN. ~ ACTUAL MM)	6"[H] x (РАСКАGED): 25-5/8"[L], 15-3/8"[L], 10-1/4"[L] (150мм [H] x 650мм [L], 390мм [L], 260мм [L])
THICKNESS (NOM. IN. ~ ACTUAL MM)	1-3/8 (35мм)
WEIGHT (LBS. PER SQ. FT.) - STACKEDSTONE	8.9
Weight (LBS. PER SQ. FT.) - LEDGESTONE	9.2
Coverage (sq. ft. per panel)	1.1 (large), .63 (medium), .43 (small)
Packaging (sq. ft. per pack)	5.3
PACKAGING (PIECES PER PACK)	3 large, 2 medium, 2 small

FLAGSTONE

DIMENSIONS (NOM. IN. ~ ACTUAL MM)	11"[н] х (раскадед): 18"[L], х 1-3/8" [т] (280мм [н] х 455мм [L], х 35мм [т])
THICKNESS (NOM. IN. ~ ACTUAL MM)	1-3/8 (35мм)
WEIGHT (LBS. PER SQ. FT.)	9.9
COVERAGE (SQ. FT. PER PANEL)	1.4
PACKAGING (SQ. FT. PER PACK)	6.9
PACKAGING (PIECES PER PACK)	5

FLAGSTONE BORDERS

DIMENSIONS (NOM. IN. ~ ACTUAL MM)	LARGE - 11"[H] × 18"[L] × 1-3/8"[T] (280MM [H] × 455MM [L] × 35MM [T]) SMALL - 11"[H] × 9"[L] × 1-3/8"[T] (280MM [H] × 227MM [L] × 35MM [T])
WEIGHT (LBS. PER PIECE) -	13.6 (large), 6.8 (small)
EXPOSED COVERAGE (SQ. FT. PER PIECE)	1.4 (LARGE), .68 (SMALL)
PACKAGING (SQ. FT. PER PACK)	6.9 (large), 3.5 (small)
PACKAGING (PIECES PER PACK)	5 (large), 5 (small)

STACKEDSTONE AND LEDGESTONE CORNERS

DIMENSIONS (NOM. IN. ~ ACTUAL MM) (150MM [H] × 125MM [W] × 295MM [L] [FAC	
THICKNESS (NOM. IN. ~ ACTUAL MM)	1-3/8" (35мм)
WEIGHT (LBS. PER PIECE) - STACKEDSTONE	6.7
WEIGHT (LBS. PER PIECE) - LEDGESTONE	8.5
COVERAGE (SQ. FT. PER PIECE)	.75
PACKAGING (SQ. FT. PER PACK)	3
PACKAGING (PIECES PER PACK)	4

SILL-CHISELED*


OILL OINSELLD	
DIMENSIONS (NOM. IN. ~ ACTUAL MM)	1-1/2"[н] [front]/1-3/4"[н] [back] x 23-5/8"[l] (38мм [н] [front]/47мм [н] [back] x 600мм [l])
THICKNESS (NOM. IN. ~ ACTUAL MM)	2-3/8" (60мм)
WEIGHT (LBS. PER LN. FT.)	3.5
Coverage (LN. FT. PER PIECE)	2
PACKAGING (LN. FT. PER PACK)	12
PACKAGING (PIECES PER PACK)	6

^{*}Sills are packaged with 14 installation clips.

Our Sills are as functional as they are an attractive accent that can complement any of our products.

All the things you love about brick

The look you want...without the cost, without the hassle



Nichiha's Brick Series offers the look and timeless appeal of traditional brickwork.

The slight variations in color, the stately good looks, even the grout lines; it's all there. Thanks to a proprietary multi-layered coating process, the beauty of Nichiha is built to last. We did leave out two things: the tons of weight and the extra time required to see your project to completion... but we figured they wouldn't be missed.







	DIMENSIONS (ACT
Markey	THICKNESS (ACTUA
沙图 坐	WEIGHT (LBS. PER
179	WEIGHT (LBS. PER
	Exposed Coverage
	DACKACING (DIEGE

'INTAGEBRICK™	AWP 1818
IMENSIONS (ACTUAL MM)	17-7/8" [н] x 71-9/16" [ь] (455 мм [н] x 1,818 мм [ь])
HICKNESS (ACTUAL MM)	3/4" (18 мм)
/EIGHT (LBS. PER PANEL)	39.6
/EIGHT (LBS. PER SQ. FT.)	4.4
XPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 sq. ft.
ACKAGING (PIECES PER PACK)	2 [17.76 sq. ft.]





AWP 1818
17-7/8" [н] x 71-9/16" [ь] (455 мм [н] x 1,818 мм [ь])
5/8" (16 мм)
35.2
3.9
8.88 sq. ft.
2 [17.76 sq. ft.]



CanyonBrick™	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" [н] x 71-9/16" [L] (455 мм [н] x 1,818 мм [L])
THICKNESS (ACTUAL MM)	5/8" (16 мм)
VEIGHT (LBS. PER PANEL)	35.2
VEIGHT (LBS. PER SQ. FT.)	3.9
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 sq. ft.
PACKAGING (PIECES PER PACK)	2 [17.76 sq. ft.]







SANDSTONE™ AUTUMN BROWN DESERT BEIGE GENTLE GRAY

SandStone [™]	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" [н] x 71-9/16" [L] (455мм [н] x 1,818мм [L])
THICKNESS (ACTUAL MM)	3/4 (18мм)
WEIGHT (LBS. PER PANEL)	39.68
WEIGHT (LBS. PER SQ. FT.)	4.41
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 sq. ft.
PACKAGING (PIECES PER PACK)	2 [17.76 sq. ft.]

The grandeur of stone is more attainable than you might think

Nichiha's SandStone is as thrifty as it is elegant. With its subtle color and deep texture, our SandStone begs to be touched and examined more closely. Even after seeing it with their eyes and touching it with their hands, your clients will wonder how you ever managed to stay on budget. We call that a trade secret.

CinderBlock captures the look of concrete block and adds a traditional design aesthetic to any commercial building. Covering approximately 9 square feet per panel, CinderBlock goes up in a fraction of the time required by a crew of masonry contractors. CinderBlock offers two finish options, giving you more possibilities.

AWP 1818
17-7/8" [н] x 71-9/16" [L] (455мм [н] x 1,818мм [L])
7/8 (21мм)
48.2
5.4
8.88 sq. ft.
2 [17.76 sq. ft.]

The details make the design...

ensure your project stands out by using our Essential Flashing System.








Note: Each component of the Essential Flashing System is sold separately.

The Essential Flashing System includes Nichiha accessories needed to complete the system and ensure a clean, polished look. In order to achieve your design intent, it is important to consider the smallest of details. Our Essential Flashing System allows you to easily complete your project with the highest level of precision.



Don't sweat the small stuff...we already have

Nichiha's unique installation hardware and accessories ensure that taking your vision from the drawing board to reality is a cinch.



ULTIMATE CLIP W/ JOINT TAB ATTACHMENT

JEL 777 Compatible with 16mm (5/8") panels

Compatible with 18 & 21mm (3/4" & 7/8") panels



SINGLE FLANGE SEALANT BACKER (6.5')

10мм ғнк 1015 r



ULTIMATE HORIZONTAL STARTER TRACK (10')

fa 700 10мм



ULTIMATE VERTICAL STARTER TRACK (10')

10мм **FA** 710 т



Double Flange Sealant Backer (10')

10мм FH 1015 R



CORRUGATED SHIM (4')

5мм FS 1005 10мм FS 1010



CORNERS

17 7/8"[H] x 3-1/2"[FACE] RETURNS



KURASTONE TM CLIP JE 720CA



FINISH CLIP

5мм JE 310

Completing the system just got easier...







Thanks to our Color Xpressions system, Nichiha can customize our trim to match any color you use on our Illumination Panels.





Nichiha's customized Tamlyn trim adds the finishing touches to any project. It's not only simple and sleek, but also a cost-effective and time-efficient solution to finishing corners, windows and door trims. Choose from 6 trim profiles specifically designed for Nichiha's Architectural Wall Panels. Tamlyn trim provides weather-resistant coatings so you can expect low maintenance and long-lasting beauty.



CORNER KEY

3" x 10' **DIMENSIONS** $(76.2 \text{MM} \times 3.030 \text{MM})$ (NOM. FT. ~ ACTUAL MM) 3.89 WEIGHT (LBS. PER PIECE)

PACKAGING (LN. FT. PER PACK) 50



OPEN OUTSIDE CORNER

2.96" x 10' DIMENSIONS $(75 \text{мм} \times 3,030 \text{мм})$ (NOM, FT. ~ ACTUAL MM) 2.98 WEIGHT (LBS. PER PIECE)

PACKAGING (LN. FT. PER PACK) 50



H-Mold

2" x 10' **DIMENSIONS** (NOM. FT. ~ ACTUAL MM) $(50.8 \text{MM} \times 3,030 \text{MM})$ WEIGHT (LBS. PER PIECE) 2.42

PACKAGING (LN. FT. PER PACK) 50



J-Mold

.375" x 10' DIMENSIONS $(9.5 \text{MM} \times 3,030 \text{MM})$ (NOM. FT. ~ ACTUAL MM) WEIGHT (LBS. PER PIECE) 1.4 PACKAGING (LN. FT. PER PACK) 50

OUR TRIM GIVES YOU OPTIONS - CUSTOMIZE WITH COLOR OR GO WITH OUR STANDARD ANODIZED FINISH.

The look you're after,

the performance we insist on.

Behind our Architectural Wall Panels is some SERIOUS TECHNOLOGY...



EASY INSTALLATION

Timesaving Clip Installation System that reduces construction time and minimizes mistakes.



PROTECTION

Backed by some of the best warranties in the industry.



NO MORTAR, NO MESS

Prefinished panels that eliminate the need for messy mortar or costly masonry-skilled labor.

LOW MAINTENANCE

No-fuss products. Little ongoing

cleaning or regular maintenance

needed. You get to bring your vision

to life and ensure it looks great for




ANY WEATHER PRODUCT

Products that can be installed year round in any climate across the country. No geographical restrictions means more possibilities.



ENGINEERED FOR PERFORMANCE

Go beyond our durable panels and discover a meticulously engineered moisture management system that provides a vertical drainage point for air & moisture to exit.



Nichiha's Joint Tab Attachment is designed to support panel lateral stability, helping vertical joints stay tightly closed. The tab fits in place easily and is fastened to the Ultimate Clip with orovided screw

Drained and Back Ventilated Rainscreen design allows water to escape and air to circulate, reducing the risk of mold and water damage inside the building.

The Ultimate Starter Track pulls double-duty. It ensures a fast, level installation and its patented drainage channel directs water out and away from the base of the wall.

Nichiha installation resources ensure

optimal performance...

Never Underestimate the Power of REALLY GOOD TOOLS.

Whether you are an architect, a builder or a contractor, Nichiha wants to ensure that you have all the information you need to make your project go as smoothly as possible. The way we see it, we are partners. Our website offers a comprehensive collection of technical information, installation videos, Architectural details, in-depth specifications and everything you'll ever need to know about installing Nichiha products.





WATCH OUR INSTALLATION INSTRUCTIONS COME TO LIFE -CHECK OUT OUR INSTALLATION VIDEOS TODAY! NICHIHA.COM/COMMERCIAL/INSTALL

OUR IN-HOUSE TECHNICAL TEAM IS HERE TO ASSIST. IF YOU HAVE QUESTIONS, COMMENTS OR CONCERNS, CALL US AT 1-866-424-4421 OR EMAIL US AT TECHNICALSERVICES@NICHIHA.COM.





TAKE AN EVEN DEEPER DIVE AND DOWNLOAD OUR IN-DEPTH INSTALLATION GUIDES. NICHIHA.COM/RESOURCES/INSTALLATION













RESISTANT FLATHEAD SCREWS

SAW WITH FIBER CEMENT

www.nichiha.com

The Power of Possibilities and Partnerships

Your vision is unique, and Nichiha wants to offer you the power of possibilities and partnerships to help your project move from conception to completion. Our ever-expanding offering of textures and finishes lift buildings to new and unexpected places. Nichiha also values our partnerships and is proud to work with our dedicated partners across the country. Discover the power of possibilities and partnerships with Nichiha.



NICHIHA WARRANTIES

- Architectural Wall Panels 15-year limited warranty* on panels, 15-year limited warranty* on finish.
- KuraStone[™] Panels 15-year limited warranty* on panels, 10-year limited warranty* on finish.
- Metal Trim: TAMLYN warrants defective-free products for a period of 10 years for the original purchaser. Please visit tamlyn.com for detailed information on terms, conditions and limitations.

* See Nichiha warranties for detailed information on terms, conditions and limitations. Visit nichiha.com for easy downloadable warranties or call toll-free 1.866.424.4421 for a copy.

Nichiha MSDS is available at nichiha.com, at your local NICHIHA dealer or call NICHIHA direct, toll-free 1.866.424.4421.

Certification & testing:



Report



Report No. FL12875



Report No. 13083-R



PER-14088



Silica Dust Warning: NICHIHA products may contain some amounts of crystalline silica [a.k.a. sand, silicon dioxide], which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping or abrading the product, users observe Safety Instructions. For further information or questions, please consult the MSDS, your employer, or visit www.osha.gov/SLTC/silicacrystalline/index.html and www.cdc.gov/niosh/topics/silica. The MSDS for Nichiha products are available at www.nichiha.com, at your local Nichiha dealer or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS, MSDS, AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.

ARCHITECTURALBLOCK, CANYONBRICK, EMPIREBLOCK, FIELDSTONE, ILLUMINATION, INDUSTRIALBLOCK, KURASTONE, PLYMOUTHBRICK, QUARRYSTONE, ROUGHSAWN, SANDSTONE, TUFFBLOCK, THE POWER OF POSSIBILITIES, VINTAGEBRICK and VINTAGEWOOD are trademarks of Nichiha USA, Inc.

