

ACRYLIC PATCH

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form Trade Name Product Code** Use

Mixture ACRYLIC PATCH AP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet Manufacturer

Supplier

NOX-CRETE, INC 1444 SOUTH 20TH STREET OMAHA. NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. **Hazards identification**

2.1 Classification of th	e substance or mixture
Classification according	to Regulations 29CFR 1910.1200 , (EC) No. 1272/2008(CLP)(GHS)
Acute Tox. 4	H302
Skin Corr. 1B	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
STOT SE 3 Resp Irrit.	H335
Carc. 1	H350
STOT RE 1	H372

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements Hazard pictograms



Signal word Hazard statements

Danger H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction



ACRYLIC PATCH

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

	H318 - Causes serious eye damage H335 - May cause respiratory irritation H350 - May cause cancer H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary statements Prevention:	 P201- Obtain special instructions before use P202- Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash exposed areas thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response:	 P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse
Storage: Disposal:	P405 - Store locked up. P501: Dispose of contents/container in accordance with
Supplemental Information:	local/regional/national/international regulations. Additional information on the selection and use of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respirator Protection (DHHS [NIOSH] Publication No. 87-116) available at http://www.cdc.gov/niosh/docs/87-116/.
2.3 Other hazards	This product contains greater than 0.1 % crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure.
	Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturated with wet product can result in delayed, serious alkali skin burns.

Full text of R, H and EUH phrases: see section 16



ACRYLIC PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Composition / information on ingredients Section 3.

3.1 Substances Not applicable

3.2 Mixture

Name	Product identifier CAS #	%
Quartz	14808-60-7	20-85
Cement, Portland, chemicals	65997-15-1	10-60
Gypsum	13397-24-5	1-6
Magnesium oxide	1309-48-4	0.1-8
Limestone	1317-65-3	0.1-7
Calcium oxide	1305-78-8	0.1-2.5
Flue dust, portland cement	68475-76-3	0.1-2
Acetaldehyde	75-07-0	< 0.1
Methyl alcohol	67-56-1	< 0.1

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are nonhazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
4.2 Most important symptoms and effects, acute and delayed	
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.



ACRYLIC PATCH

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion May cause skin irritation or burning sensation May cause eye irritation or injury May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	Treat for surrounding material
Unsuitable extinguishing media	None known
5.2 Special hazards arising from the substa	ance or mixture
Reactivity	Product does not burn; however its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.
5.3 Advice for firefighters	
Firefighting instructions	Keep upwind of fire.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures General measures Take proper precautions to ensure your own health and safety before attempting spill control or cleanup 6.11 Protective Equipment Equip cleanup crew with proper protective equipment. 6.2 Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3 Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal container. Collect into containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

Hygiene measures

Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. When not in use keep containers tightly closed. Wash contaminated clothing before reuse. Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions	Store in accordance with local regulations. Store in original container in
	a cool well ventilated place. Keep containers dry and dry and tightly
	closed until ready for use.
Incompatible materials	Strong acids
Storage temperature	· ·

Section 8. Exposure controls/personal protection



ACRYLIC PATCH

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

8.1 Control parameters

Ingredient name	Occupational exposure limits ACGIH TLV (United States, 2/2010)
Acetaldehyde	25 ppm
Quartz	0.025 mg/m3 (respirable fraction)
Cement, Portland, chemicals	1 mg/m3 (respirable fraction)
Gypsum	10 mg/m3
Magnesium oxide	10 mg/m3
Limestone	10 mg/m3
Calcium oxide	2 mg/m3
Flue dust, portland cement	3 mg/m3 (respirable fraction)
Methyl alcohol	200 ppm

8.2 Exposure controls

Appropriate engineering controls	Use with adequate ventilation to keep product concentrations
	below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Sanded powder
Odor	None
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	Not applicable
Flash point	Not applicable
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Vapor pressure Vapor density Relative density (Specific gravity) Solubility Partition coefficient n-octanol/water Auto-ignition temperature Viscosity VOC content No data available No data available 2.8-3.0 No data available No data available No data available No data available No data available

Section 10. Stability and reactivity

10.1 Reactivity

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition products

Section 11. Toxicology information

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Moisture - product must be kept dry until ready to use Strong acids No data available

11.1 Information on toxicological effects

Acute toxicity	
Irritation/Corrosion	Skin
	Eyes
Respiration or skin s	ensitization
Germ cell mutagenic	ity
Carcinogenicity	IARC

Quartz 1

IARC

1 - Carcinogenic to humans Reproductive toxicity Specific target organ toxicity Single exposure Repeated exposure Harmful if swallowed Causes severe skin burns. Causes serious eye irritation and damage. May cause respiratory irritation and allergic skin reaction No data available

No data available

May cause respiratory irritation

Causes damage to lungs through prolonged or repeated exposure. (Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.)

Aspiration hazard

No data available

Section 12. Ecological information

12.1 Ecotoxicity

No data available



ACRYLIC PATCH

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

12.2 Persistence and degradability12.3 Bioaccumulative potential12.4 Mobility in soil12.5 Other adverse effects	No data available No data available No data available Avoid release to the environment
SECTION 13. Disposal Considerat	tions
13.1 Waste treatment methods	The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
SECTION 14. Transport information	
In accordance with US DOT	Not dangerous goods in sense of transport regulations.
In accordance with ADR / RID / ADNR / IMDG <u>14.1 UN number</u> <u>14.2 UN proper shipping name</u> <u>14.3 Transport hazard class(es)</u>	A / ICAO / IATA / DOT Not applicable Not applicable
<u>14.4 Packing group</u> <u>14.5 Environmental hazards</u> <u>14.6 Special precautions for user</u>	No additional information available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.8 Transport in bulk according to CFR 49 173.15	No additional information available
SECTION 15. Regulatory information	
15.1.2 USA Regulations Section 313	ations/legislation specific for the substance or mixture Contains no ingredients at or above the De Minimus reporting level
TSCA	All ingredients are listed or exempted
PROPOSITION 65	WARNING : This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer. For more information, go to <u>www.P65Warnings.ca.gov</u> ."
	WARNING : This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to <u>www.P65Warnings.ca.gov</u> ."
15.1.3 Canada Regulations DSL	This SDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. All ingredients are listed or exempted
WHMIS <u>15.2 Chemical safety assessment</u>	A Chemical Safety Assessment has not been carried out.
Section 16. Other information	



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Date of issue	7-13-2023
Version	3.0
Number	202
Date of previous issue	9-11-2018
Preparer	Nox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

H302
H314
H317
H318
H335
H350
H372

- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H350 May cause cancer
- H372 Causes damage to organs through prolonged or repeated exposure
- P201- Obtain special instructions before use
- P202- Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash exposed areas thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P312 - IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P310 - IF IN EYES: Immediately call a POISON CENTER or doctor/physician P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P403+P233 - Store in a well ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

IARC

1 - Carcinogenic to humans