

ALUMINOX R 450

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier **Product Form** Mixture Trade Name ALUMINOX R 450 **Product Code** ALR450 1.2 Relevant identified uses of the substance or mixture and uses advised against Use Industrial. For professional use only. 1.2.2 Uses Advised Against No additional information available 1.3 Details of the supplier of the safety data sheet Manufacturer

NOX-CRETE, INC. 1444 SOUTH 20TH STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887


Hazards identification Section 2.

Classification of the substance or mixture 2.1

H304 - May be fatal if swallowed and enters airways Asp. Tox. 1

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects

No additional information available 2.2 Label elements Hazard pictograms





ALUMINOX R 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

2.3 Other hazards

None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances Not applicable

3.2 Mixture

Name	Product identifier	%
Petroleum Distillates, Hydrotreated	Trade Secret	Trade Secret
Highly refined base oil	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures 4.1 Description of first aid measures First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person. First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician. First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water. When contact lenses are worn, remove if possible. In case of contact First-aid measure after eye contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestionRinse mouth. DO NOT induce vomiting. Get medical attention
immediately.4.2 Most important symptoms and effects, acute and delayedMay cause irritation to the respiratory tract. Overexposure to vapors may
result in headache, nausea, drowsiness or dizziness.Symptoms/injuries after skin contact
Symptoms/injuries after eye contact
Symptoms/injuries after ingestionMay cause skin irritation or burning sensation
May cause severe irritation or burns to the mucous membrane of the
mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.



ALUMINOX R 450

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

	Dry chemical, foam, carbon dioxide	
Unsuitable extinguishing media	Do not use heavy water stream	
5.2 Special hazards arising from the subst		
Reactivity 5.3 Advice for firefighters	Thermal decomposition products may cause a health hazard.	
Firefighting instructions	Combustible Liquid! This material releases vapors when heated above	
	ambient temperatures. Vapors can cause a flash fire. Use water spray	
	or fog to cool exposed containers.	
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and	
	full protective gear when fighting any chemical fire.	
Other information	On heating or burning harmful gasses/vapors may be released.	
	This product may cause the floor to become slippery.	
Section 6. Accidental release measu	Ires	
6.1 Personal precautions, protective equip	ment and emergency procedures	
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take	
	proper precautions to ensure your own health and safety before	
	attempting spill control or cleanup.	
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.	
6.2 Environmental precautions	Prevent entry to sewers and public waters.	
6.3 Methods and materials for containmen	Notify authorities if liquid enters sewers or public waters.	
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.	
	Collect into vapor tight containers and dispose of properly.	
Continue 7 Hendling and stars		
Section 7. Handling and storage		
7.1 Precautions for safe handling		
Protective measures	Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good	
	ventilation in work areas to prevent formation of vapor. When not in use	
	keep containers tightly closed. Avoid breathing vapor or mist.	
Hygiene measures	Wash contaminated clothing before reuse.	
7.2 Conditions for safe storage, including		
Storage conditions	Store in accordance with local regulations. Store in original container in	
	a cool well-ventilated place. Keep containers tightly closed until ready	
Incompatible materials	for use. Acids, prolonged contact with aluminum, brass, bronze, copper, lead,	
	tin, zinc or other alkali sensitive metals or alloys	
Storage temperature	Store in a cool dry environment away from sources of ignition.	
Section 8. Exposure controls/persor	nal protection	

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist
Highly Refined Base Oil	TWA: 5 mg/m3 8 hours as mist

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations



ALUMINOX R 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Eye and	face	protection
---------	------	------------

Skin protection

Respiratory protection

below specified TLV Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury. Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse. General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Clear to pale straw liquid
Odor	Mild
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	150 C (300 F)
Flash point	> 93 C (200 F)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	0.858 Kg per Liter 7.16 L
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	Less than 450 g/l

Section 10. Stability and reactivity

10.1	Reactivity
10.2	Chemical stability
10.3	Possibility of hazardous reactions
10.4	Conditions to avoid
10.5	Incompatible materials

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalies and oxidizers Carbon Monoxide, Carbon Dioxide

7.16 Lbs per Gallon

Section 11. Toxicology information

Hazardous decomposition products

11.1 Information on toxicologica	al effects
Acute toxicity	No adverse effects expected under intended use.
Irritation/Corrosion Skin	May cause skin irritation
Eyes	May causes serious eye irritation and damage.
Respiration or skin sensitization	May cause respiratory irritation
Germ cell mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)

10.6



ALUMINOX R 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Reproductive toxicity

Specific target organ toxicity Single exposure Repeated exposure Aspiration hazard No data available

No data available No data available May be fatal if swallowed and enters airways

Section 12. Ecological information

12.1 Ecotoxicity 12.2 Persistence and degradability 12.3 Bioaccumulative potential

12.5 Other adverse effects

12.4 Mobility in soil

Not established Not established No additional information available Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with DOT	
14.1 UN number	
Under 119 US gallons, single container	Not dangerous goods in sense of transport regulations.
Over 119 US gallons, single container	UN1268
14.2 UN proper shipping name	Petroleum Distillates, N.O.S.
14.3 Transport hazard class(es)	
Under 119 US gallons, single container	Not applicable
	Not applicable
Over 119 US gallons, single container	3
14.4 Packing group	
Under 119 US gallons, single container	Not applicable
Over 119 US gallons, single container	PG III
In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA	
14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	No additional information available
14.6 Special precautions for user	
14.7 Transport in bulk according to	
•	No odditional information qualleble
Annex II of MARPOL 73/78 and the IBC Code	ino additional information available

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture15.1.2 USA RegulationsSection 313TSCAPROPOSITION 65Not for sale in the State of California



ALUMINOX R 450

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

15.1.3 Canada Regulations

This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR All ingredients are listed or exempted A Chemical Safety Assessment has not been carried out.

DSL 15.2 Chemical safety assessment

Section 16. Other information

Date of issue	5-23-2023
Version	3.0
Number	613
Date of previous issue	7-12-2021
Preparer	Nox-Crete, Inc.
Reference Documentation	,

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

H304 - May be fatal if swallowed and enters airways Asp. Tox. 1

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.