

chemical solutions to concrete problems

CHEMBETON 100 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Identification of the substance/mixture and of the company/undertaking Section 1.

1.1 Product identifier **Product Form** Mixture Trade Name **CHEMBETON 100 Product Code** CH100 1.2 Relevant identified uses of the substance or mixture and uses advised against Use Industrial. For professional use only. 1.2.2 Uses Advised Against No additional information available 1.3 Details of the supplier of the safety data sheet Manufacturer NOX-CRETE, INC. 1444 SOUTH 20TH STREET **OMAHA, NE 68108** Tel: 402-341-2080

Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number **Emergency Number**

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Hazards identification Section 2.

Classification of the substance or mixture 2.1

Asp. Tox. 1 H304

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements Hazard pictograms



Signal word

Hazard statements

Precautionary statements Prevention: Response:

Storage: **Disposal:**

Other hazards 2.3

EN (English)

Danger

H304 – May be fatal if swallowed and enters airway

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 - Do NOT induce vomiting

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations. None known.



chemical solutions

to concrete problems

CHEMBETON 100 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Name	Product identifier	%
Petroleum Distillates, Hydrotreated	Trade Secret	1050
Highly Refined Base Oil	Trade Secret	50100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. Remove to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water.
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
4.2 Most important symptoms and effects, a	acute and delayed
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.
Symptoms/injuries after skin contact	May cause skin irritation or burning sensation
Symptoms/injuries after eye contact	May cause eye irritation or injury
Symptoms/injuries after ingestion	Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs may cause chemical pneumonia and lung damage.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the substance or mixture	
Reactivity	Thermal decomposition products may cause a health hazard.



chemical solutions to concrete problems

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

5.3 Advice for firefighters Firefight

Firefighting instructions	Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equip	oment and emergency procedures
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take
	proper precautions to ensure your own health and safety before
	attempting spill control or cleanup.
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.
6.2 Environmental precautions	Prevent entry to sewers and public waters.
	Notify authorities if liquid enters sewers or public waters.
6.3 Methods and materials for containment	
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.
	Collect into vapor tight containers and dispose of properly.
Section 7. Handling and storage	
7.1 Precautions for safe handling	
7.1 Precautions for safe handling Protective measures	Wash hands and other exposed areas with soap and water before
	eating, drinking or smoking and when leaving work. Provide good
	eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use
Protective measures	eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.
Protective measures Hygiene measures	eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse.
Protective measures Hygiene measures 7.2 Conditions for safe storage, including	eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. any incompatibilities
Protective measures Hygiene measures	eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. any incompatibilities Store in accordance with local regulations. Store in original container in
Protective measures Hygiene measures 7.2 Conditions for safe storage, including	 eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. any incompatibilities Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready
Protective measures Hygiene measures <u>7.2 Conditions for safe storage, including</u> Storage conditions	 eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. any incompatibilities Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use. Keep from freezing.
Protective measures Hygiene measures 7.2 Conditions for safe storage, including	 eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. <u>any incompatibilities</u> Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use. Keep from freezing. Acids, prolonged contact with aluminum, brass, bronze, copper, lead,
Protective measures Hygiene measures <u>7.2 Conditions for safe storage, including</u> Storage conditions	 eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse. any incompatibilities Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use. Keep from freezing.

Section 8. Exposure controls/personal protection

8.1 Control parameters Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist
Highly Refined Base Oil	TWA: 5 mg/m3 8 hours as mist
8.2 Exposure controls Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent
	potential eye contact, irritation or injury.



chemical solutions to concrete problems

CHEMBETON 100 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and cher	mical properties
Appearance	Clear to pale straw liquid
Odor	Mild
Odor Threshold	No data available
PH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	260 C (500 F)
Flash point	> 94 C > 200 F
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	0.813 Kg per Liter 6.8 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	No data available
Viscosity	No data available
VOC content	< 100 G/L

Section 10. Stability and reactivity

10.1	Reactivity
10.2	Chemical stability
10.3	Possibility of hazardous reactions
10.4	Conditions to avoid
10.5	Incompatible materials
10.6	Hazardous decomposition products

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalis and oxidizers Carbon Monoxide, Carbon Dioxide

Section 11. Toxicology information

11.1 Information on toxicological effects	
Acute toxicity	No adverse effects expected under intended use.
Irritation/Corrosion Skin	May cause skin irritation
Eyes	May causes serious eye irritation and damage.
Respiration or skin sensitization	May cause respiratory irritation
Germ cell mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)
Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	May be fatal if swallowed and enters airways

Section 12. Ecological information

EN (English)



chemical solutions to concrete problems

CHEMBETON 100 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

12.1 Ecotoxicity

- 12.2 Persistence and degradability
- 12.3 Bio accumulative potential
- 12.4 Mobility in soil

12.5 Other adverse effects

Not established Not established No additional information available Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG	/ ICAO / IATA
14.1 UN number	Not dangerous goods in sense of transport regulations.
14.2 UN proper shipping name	Compounds, Mold Release. N.O.I.
	NMFC# 50244
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	No additional information available
14.6 Special precautions for user	
14.7 Transport in bulk according to	
Annex II of MARPOL 73/78 and the IBC Code	No additional information available
14.8 Transport in bulk according to	
CFR 49 173.15	Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regula 15.1.2 USA Regulations Section 313 TSCA Proposition 65	tions/legislation specific for the substance or mixture Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted None of the ingredients is listed
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR.
DSL	All ingredients are listed or exempted
15.2 Chemical safety assessment	A Chemical Safety Assessment has not been carried out.
Section 16. Other information	
Date of issue	1-2-2020
Version	2.4
Number	837
Date of previous issue	10-28-2019
Preparer	Nox-Crete, Inc.

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for

Reference Documentation



chemical solutions

to concrete problems

CHEMBETON 100 Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

Asp. Tox. 1 - Aspiration hazard, hazard category 1

Asp. Tox. 1 H304

H304 – May be fatal if swallowed and enters airway.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.