

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

## Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form Mixture

Trade Name DAUERCAST BINDER COMPONENT B

Product Code DCBB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer Supplier

NOX-CRETE MANUFACTURING INC

1444 SOUTH 20<sup>TH</sup> STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: <a href="mailto:corporate@nox-crete.com">corporate@nox-crete.com</a>
Web Site: <a href="mailto:www.nox-crete.com">www.nox-crete.com</a>

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

#### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Skin Corr. 1B H314
Skin Sens. 1 H317
Eye Dam. 1 H318
Acute Tox. 3 (inhalation) H331
Repr. 2 H361

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms







Signal word

Danger

Hazard statements H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H361 - Suspected of damaging fertility or the unborn child

EN (English) Page 1 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Precautionary statements Prevention:

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and

understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash exposed area's thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 – Wear eye protection, protective clothing, protective gloves.

Response:

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off

immediately all contaminated clothing. Rinse skin with water / shower. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

in a position comfortable for breathing.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or

doctor/physician

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 - If skin irritation or rash occurs: Get medical

advice/attention.

P363 - Wash contaminated clothing before reuse.

Storage: P403+P405+P235+P233 - Store locked up in a cool well-ventilated

place. Keep container tightly closed.

**Disposal:** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Other hazards

None known

Full text of H and P phrases: see section 16

# Section 3. Composition / information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixture

Name	Product identifier	%
Diethylenetriamine	Trade Secret	Trade Secret
Tetraethylenepentamine	Trade Secret	Trade Secret
Bisphenol A	Trade Secret	Trade Secret
Tall Oil Fatty Acids	Trade Secret	Trade Secret

EN (English) Page 2 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

### Section 4. First aid measures

4.1 Description of first aid measures

First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by

mouth to an unconscious person.

First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in

breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a Poison Center or doctor/physician.

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact

with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation May cause eye irritation or injury

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

**iptoms/injuries after ingestion** May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide

Unsuitable extinguishing media Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

**Reactivity** Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

**Firefighting instructions**Use water spray or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should wear self-contained breathing apparatus (SCBA) and

full protective gear when fighting any chemical fire.

Other information On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures Dike or impound spilled material. Take proper precautions to ensure

your own health and safety before attempting spill control or cleanup

**6.11 Protective Equipment** Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

EN (English) Page 3 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

# Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures Wash hands and other exposed areas with soap and water before

eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use

keep containers tightly closed. Avoid breathing vapor or mist.

**Hygiene measures** Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in

a cool well ventilated place. Keep containers tightly closed until ready

for use.

**Incompatible materials** Strong acids, Oxidizing agents,

Storage temperature Store in a dry, cool well-ventilated area.

## Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits

Name	Occupational exposure limits ACGIH TLV (United States)
Diethylenetriamine	TWA: 1 ppm 8 hours
Tetraethylenepentamine	TWA: 1 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations

below specified TLV

**Eye and face protection**Chemical goggles and/or face shields are required to prevent potential

eye contact, irritation or injury.

Skin protection Wear chemical resistant gloves and appropriate protective clothing and

boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered

before reuse.

**Respiratory protection**General room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Viscous gray liquid Appearance Slight organic Odor **Odor Threshold** No data available PH No data available No data available **Melting point** Freezing point No data available **Boiling point** No data available Flash point Not applicable Relative evaporation rate (butyl acetate=1) No data available

EN (English) Page 4 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Water: slightly soluble

Flammability (solid, gas)
Upper/lower explosive limits
Vapor pressure
Vapor density
No data available
No data available
No data available

Relative density (Specific gravity) .98 Kg per Liter 8.2 Lbs per Gallon

Solubility

Partition coefficient n-octanol/water
Auto-ignition temperature
Viscosity
No data available
No data available
No data available
No data available

## Section 10. Stability and reactivity

10.1ReactivityNo additional information available10.2Chemical stabilityStable under normal conditions

**10.3 Possibility of hazardous reactions** Hazardous polymerization will not occur.

**10.4 Conditions to avoid** Extreme high or low temperatures.

**10.5** Incompatible materials Strong acids, Mineral acids, Sodium hypochlorite, Oxidizing agents,

Peroxides and reactive metals (e.g. sodium, calcium, zinc etc.).

10.6 Hazardous decomposition products Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides, ammonia and

aldehydes

## Section 11. Toxicology information

11.1 Information on toxicological effects

Acute toxicity No adverse effects expected under intended use.

Irritation/Corrosion Skin May cause skin irritation

**Eyes** May causes serious eye irritation and damage.

Respiration or skin sensitization May cause respiratory irritation

Germ cell mutagenicity Not classified

Carcinogenicity No component of this product present at levels greater than 0.1 % is

Not classified

identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on

Research on Cancer (IARC)

Reproductive toxicity

Specific target organ toxicity

Single exposure Not classified Repeated exposure Not classified Aspiration hazard Not classified

# Section 12. Ecological information

12.1 EcotoxicityNot established12.2 Persistence and degradabilityNot established12.3 Bioaccumulative potentialNot established

12.4 Mobility in soilNo additional information available12.5 Other adverse effectsAvoid release to the environment

### SECTION 13. Disposal Considerations

# 13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

EN (English) Page 5 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

## SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

<u>14.1 UN number</u> UN2735

**14.2 UN proper shipping name** Amines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)

14.4 Packing group 8

**14.5 Environmental hazards**No additional information available

14.6 Special precautions for user
14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15 Not applicable

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

Section 313 Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted

**PROPOSITION 65** 



**WARNING**: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov."

#### 15.1.3 Canada Regulations

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR

**DSL** All ingredients are listed or exempted

<u>15.2 Chemical safety assessment</u> A Chemical Safety Assessment has not been carried out.

### Section 16. Other information

Date of issue 1-7-2019 Version 2.0 Number 907

Date of previous issue

Preparer Nox-Crete Manufacturing Inc.

### Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete Manufacturing's knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete Manufacturing to insure that this document is the most current available from Nox-Crete Manufacturing. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely

EN (English) Page 6 of 7



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete Manufacturing urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

#### Full text of H and P phrases

Skin Corr. 1B	H314
Skin Sens. 1	H317
Eye Dam. 1	H318
Acute Tox. 3 (inhalation)	H331
Repr. 2	H361

- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H331 Toxic if inhaled
- H361 Suspected of damaging fertility or the unborn child
- P201- Obtain special instructions before use
- P202- Do not handle until all safety precautions have been read and understood
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash exposed area's thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear eye protection, protective clothing, protective gloves.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303+P361+P353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician
- P312 Call a POISON CENTER or doctor/physician if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P403+P405+P235+P233 Store locked up in a cool well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations

EN (English) Page 7 of 7