

Section 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

| | |
|--------------|---------------------------|
| Product Form | Mixture |
| Trade Name | DEACTIVATOR E CONCENTRATE |
| Product Code | DEC |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet**Manufacturer**

NOX-CRETE MANUFACTURING INC
1444 SOUTH 20TH STREET
OMAHA, NE 68108
Tel: 402-341-2080
Fax: 402-341-9752
E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300
Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification**2.1 Classification of the substance or mixture**

Asp. Tox. 1 H304

Full text of H phrases see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H304 – May be fatal if swallowed and enters airway

Precautionary statements

Prevention:

P264: Wash... thoroughly after handling

Response:

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

Storage:

P405 - Store locked up.

Disposal:

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Full text of R, H and EUH phrases: see section 16

Section 3. Composition / information on ingredients**3.1 Substances**

Not applicable

3.2 Mixture

| Name | Product identifier | % |
|-------------------------------------|--------------------|---------|
| Petroleum Distillates, Hydrotreated | Trade Secret | 60--100 |
| Surfactant | 9036-19-5 | 5--10 |

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures**4.1 Description of first aid measures****First-aid measures general**

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. Remove to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact

In all cases of doubt, or when symptoms persist, seek medical advice. If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water.

First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. If irritation persists, get medical attention immediately.

First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, acute and delayed**Symptoms/injuries after inhalation**

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact

May cause eye irritation or injury

Symptoms/injuries after ingestion

Swallowing this material may be harmful. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Aspiration into lungs may cause chemical pneumonia and lung damage.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials.

Dry chemical, foam, carbon dioxide

Unsuitable extinguishing media

Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture**Reactivity** Thermal decomposition products may cause a health hazard.**5.3 Advice for firefighters****Firefighting instructions**

Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.

Protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****General measures**

Eliminate any ignition sources. Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup.

6.11 Protective Equipment

Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up**Methods for cleaning up**

Soak up spills with inert solids, such as clay or diatomaceous earth. Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage**7.1 Precautions for safe handling****Protective measures**

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

Hygiene measures

Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities**Storage conditions**

Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use.

Incompatible materials

Strong oxidizing agents

Storage temperature

Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limits**

| Ingredient name | Occupational exposure limits ACGIH TLV (United States) |
|-------------------------------------|---|
| Petroleum Distillates, Hydrotreated | TWA: 5 mg/m ³ 8 hours as mist |
| Surfactant | TWA: 10 mg/m ³ |

8.2 Exposure controls**Appropriate engineering controls**

Use with adequate ventilation to keep product vapor concentrations below specified TLV

Eye and face protection

Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.

Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin

Respiratory protection

frequently with soap and water. Soiled clothing should be laundered before reuse.

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | |
|---|--------------------------------------|
| Appearance | Clear to pale straw liquid |
| Odor | Mild |
| Odor Threshold | No data available |
| PH | No data available |
| Melting point | No data available |
| Freezing point | No data available |
| Boiling point | 175 C (350 F) |
| Flash point | > 94 C > 200 F |
| Relative evaporation rate (butyl acetate=1) | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower explosive limits | No data available |
| Vapor pressure | No data available |
| Vapor density | No data available |
| Relative density (Specific gravity) | 0.93 Kg per Liter 7.7 Lbs per Gallon |
| Solubility | Water: Negligible |
| Partition coefficient n-octanol/water | No data available |
| Auto-ignition temperature | No data available |
| Viscosity | No data available |
| VOC content | Less than 100 grams per liter |

Section 10. Stability and reactivity

| | |
|--|--|
| 10.1 Reactivity | No additional information available |
| 10.2 Chemical stability | Stable under normal conditions |
| 10.3 Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| 10.4 Conditions to avoid | Extreme high or low temperatures. |
| 10.5 Incompatible materials | Strong oxidizing agents |
| 10.6 Hazardous decomposition products | Carbon Monoxide, Carbon Dioxide and various hydrocarbons |

Section 11. Toxicology information**11.1 Information on toxicological effects**

| | |
|--|--|
| Acute toxicity | No adverse effects expected under intended use. |
| Irritation/Corrosion | May cause skin irritation |
| Skin | |
| Eyes | May cause serious eye irritation and damage. |
| Respiration or skin sensitization | May cause respiratory irritation |
| Germ cell mutagenicity | No data available |
| Carcinogenicity | No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC) |
| Reproductive toxicity | No data available |
| Specific target organ toxicity | |
| Single exposure | No data available |
| Repeated exposure | No data available |
| Aspiration hazard | May be fatal if swallowed and enters airways |

Section 12. Ecological information

| | |
|---|-------------------------------------|
| 12.1 Ecotoxicity | Not established |
| 12.2 Persistence and degradability | Not established |
| 12.3 Bioaccumulative potential | Not established |
| 12.4 Mobility in soil | No additional information available |
| 12.5 Other adverse effects | Avoid release to the environment |

SECTION 13. Disposal Considerations

| | |
|-------------------------------------|--|
| 13.1 Waste treatment methods | The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. |
|-------------------------------------|--|

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

| | |
|--|--|
| 14.1 UN number | Not dangerous goods in sense of transport regulations. |
| 14.2 UN proper shipping name | Compounds, Mold Release. N.O.I. NMFC# 50244 |
| 14.3 Transport hazard class(es) | Not applicable |
| 14.4 Packing group | Not applicable |
| 14.5 Environmental hazards | No additional information available |
| 14.6 Special precautions for user | |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | No additional information available |
| 14.8 Transport in bulk according to CFR 49 173.15 | Not applicable |

SECTION 15. Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2 USA Regulations****Section 313
TSCA**Contains no ingredients at or above the De Minimus reporting level
All ingredients are listed or exempted**PROPOSITION 65****WARNING:** This product can expose you to chemicals including 1,4-Dioxane, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.**15.1.3 Canada Regulations**

This SDS has been prepared according to the hazard criteria of the Controlled Products Regulations (HPR)(WHMIS 2015) and the SDS contains all of the information required by the CPR

DSL**15.2 Chemical safety assessment**All ingredients are listed or exempted
A Chemical Safety Assessment has not been carried out.**Section 16. Other information**Date of issue 10-2-2018
Version 2.1



chemical solutions
to concrete problems

DEACTIVATOR E CONCENTRATE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

Number 10
Date of previous issue 6-22-2015
Preparer Nox-Crete Manufacturing Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete Manufacturing's knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete Manufacturing to insure that this document is the most current available from Nox-Crete Manufacturing. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete Manufacturing urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of R, H and EUH phrases

Asp. Tox. 1 - Aspiration hazard, hazard category 1 H304

H304 - May be fatal if swallowed and enters airway

P264: Wash... thoroughly after handling

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.