

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

### Section 1. Identification of the substance/mixture and of the company/undertaking

 1.1
 Product identifier

 Product Form
 Mixture

 Trade Name
 PRECAST RELEASE 80 450 B

 Product Code
 PR80B

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Use
 Industrial. For professional use only.

 1.2.2 Uses Advised Against
 No additional information available

1.3 Details of the supplier of the safety data sheet Manufacturer

NOX-CRETE MANUFACTURING INC 1444 SOUTH 20<sup>TH</sup> STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <u>corporate@nox-crete.com</u> Web Site: <u>www.nox-crete.com</u>

1.4 Emergency telephone number

**Emergency Number** 

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

### Section 2. Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulations 29CFR 1910.1200 , (EC) No. 1272/2008(CLP)(GHS)

H304 Asp. Tox. 1

Full text of H phrases see section 16Adverse physiochemical, human health and environmental effectsNo additional information available2.2 Label elementsHazard pictograms



Signal word

Hazard statements

Precautionary statements Prevention: Response: Danger

H304 - May be fatal if swallowed and enters airway

P264 - Wash exposed skin thoroughly after handling P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.



PRECAST RELEASE 80 450 B

**Safety Data Sheet** 

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage: Disposal: P331 - Do NOT induce vomiting P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

#### 2.3 Other hazards

None known

Full text of R, H and EUH phrases: see section 16

### Section 3. Composition / information on ingredients

## 3.1 Substances

# Not applicable

### 3.2 Mixture

Name	Product identifier	%
Petroleum Distillates, Hydrotreated	Trade Secret	60100

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

#### Section 4. First aid measures 4.1 Description of first aid measures First-aid measures general Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person. First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician. First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water. When contact lenses are worn, remove if possible. In case of contact with First-aid measure after eye contact eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately. Rinse mouth. DO NOT induce vomiting. Get medical attention First-aid measures after ingestion immediately. Most important symptoms and effects, acute and delayed 4.2 Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness. Symptoms/injuries after skin contact May cause skin irritation or burning sensation Symptoms/injuries after eye contact May cause eye irritation or injury May cause severe irritation or burns to the mucous membrane of the Symptoms/injuries after ingestion mouth, throat, esophagus and stomach Indication of any immediate medical attention and special treatment needed 4.3

No additional information available

### Section 5. Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.



to concrete problems

**PRECAST RELEASE 80 450 B** 

**Safety Data Sheet** 

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

	Dry chemical, foam, carbon dioxide
Unsuitable extinguishing media	Do not use heavy water stream
5.2 Special hazards arising from the sul	
Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	This material may release vapors when heated above
	ambient temperatures. Vapors can cause a flash fire. Use water spray
	or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should wear self-contained breathing apparatus (SCBA) and
	full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released.
	This product may cause the floor to become slippery.

#### Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
Gene	General measures Eliminate any ignition sources. Dike or impound spilled material. Take	
		proper precautions to ensure your own health and safety before
		attempting spill control or cleanup.
<u>6.11</u>	Protective Equipment	Equip cleanup crew with proper protective equipment.
<u>6.2</u>	Environmental precautions	Prevent entry to sewers and public waters.
		Notify authorities if liquid enters sewers or public waters.
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth.		Soak up spills with inert solids, such as clay or diatomaceous earth.
		Collect into vapor tight containers and dispose of properly.

## Section 7. Handling and storage

#### 7.1 Precautions for safe handling **Protective measures** Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. **Hygiene measures** Wash contaminated clothing before reuse. 7.2 Conditions for safe storage, including any incompatibilities Storage conditions Store in accordance with local regulations. Store in original container in a cool well ventilated place. Keep containers tightly closed until ready for use. Acids, prolonged contact with aluminum, brass, bronze, copper, lead, Incompatible materials tin, zinc or other alkali sensitive metals or alloys Store in a cool dry environment away from sources of ignition. Storage temperature

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limits		
Ingredient name	Occupational exposure limits	
	ACGIH TLV (United States)	
Petroleum Distillates, Hydrotreated	TWA: 5 mg/m3 8 hours as mist	
8.2 Exposure controls		
Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV	
Eye and face protection	Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.	
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and	



**Respiratory protection** 

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse. General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<u>5.1 Information on basic physical and chemical properties</u>		
Appearance	Clear to pale straw liquid	
Odor	Mild	
Odor Threshold	No data available	
PH	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	> 205 C (400 F)	
Flash point	> 93 C (200 F)	
Relative evaporation rate (butyl acetate=1)	No data available	
Flammability (solid, gas)	No data available	
Upper/lower explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density (Specific gravity)	0.87 Kg per Liter 7.2 Lbs per Gallon	
Solubility	Water: Negligible	
Partition coefficient n-octanol/water	No data available	
Auto-ignition temperature	Not applicable	
Viscosity	No data available	
VOC content	Less than 450 g/l	

#### Section 10. Stability and reactivity

10.1	Reactivity
10.2	Chemical stability
10.3	Possibility of hazardous reactions
10.4	Conditions to avoid
10.5	Incompatible materials
10.6	Hazardous decomposition products

### Section 11. Toxicology information

11.1 Information on toxicological effects Acute toxicity No adverse effects expected under intended use. Irritation/Corrosion May cause skin irritation Skin May causes serious eye irritation and damage. Eves Respiration or skin sensitization May cause respiratory irritation Germ cell mutagenicity Not classified Carcinogenicity No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC) Not classified **Reproductive toxicity** Specific target organ toxicity Single exposure Not classified

No additional information available Stable under normal conditions

Hazardous polymerization will not occur. Extreme high or low temperatures. Strong acids, alkalies and oxidizers Carbon Monoxide, Carbon Dioxide



# **PRECAST RELEASE 80 450 B**

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Repeated exposure Aspiration hazard	Not classified May be fatal if swallowed and enters airways
Section 12. Ecological information	
Not established <u>12.2 Persistence and degradability</u> <u>12.3 Bioaccumulative potential</u> <u>12.4 Mobility in soil</u> <u>12.5 Other adverse effects</u>	Not established Not established No additional information available Avoid release to the environment
SECTION 13. Disposal Considerat	ions
13.1 Waste treatment methods	The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
SECTION 14. Transport information	
In accordance with ADR / RID / ADNR / IMDG <u>14.1 UN number</u> <u>14.2 UN proper shipping name</u>	Not dangerous goods in sense of transport regulations. Not applicable
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards	Not applicable Not applicable No additional information available
14.6         Special precautions for user           14.7         Transport in bulk according to           Annex II of MARPOL 73/78 and the IBC Code           14.8         Transport in bulk according to	
CFR 49 173.15	Not applicable
SECTION 15. Regulatory information	on
	ations/legislation specific for the substance or mixture
15.1.2 USA Regulations Section 313 TSCA Proposition 65	Contains no ingredients at or above the De Minimus reporting level All ingredients are listed or exempted None of the ingredients is listed
15.1.3 Canada Regulations	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS
DSL 15.2 Chemical safety assessment	contains all of the information required by the HPR. All ingredients are listed or exempted A Chemical Safety Assessment has not been carried out.
Section 16. Other information	



**PRECAST RELEASE 80 450 B** 

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Number Date of previous issue Preparer Reference Documentation 818 9-10-15 Nox-Crete Manufacturing Inc.

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and Buyer may rely thereon only at Buyers risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

Disclaimer

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of this use thereof. (NOX-CRETE MANUFACTURING INC)

#### Full text of R, H and EUH phrases

H304 - May be fatal if swallowed and enters airways Asp. Tox. 1

P264 - Wash exposed skin thoroughly after handling

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.