

SILCOSEAL 2000 F

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

 1.1
 Product identifier

 Product Form
 Mixture

 Trade Name
 SILCOSEAL 2000 F

 Product Code
 SS2F

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Use
 Industrial. For professional use only.

 1.2.2 Uses Advised Against
 No additional information available

 1.3
 Details of the supplier of the safety data sheet

 Manufacturer
 Manufacturer

NOX-CRETE, INC. 1444 SOUTH 20TH STREET OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: <u>corporate@nox-crete.com</u> Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Flam Liq. 3	H226
Asp. Tox. 1	H304
Acute Tox. 4 (dermal)	H312
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Acute Tox. 4 (inhalation)	H332
resp. irrit. STOT SE 3	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351
STOT RE 2	H373

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available

<u>2.2</u> Label elements Hazard pictograms





SILCOSEAL 2000 F

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Signal word	Warning
	-
Hazard statements	 H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H312 - Harmful in contact with skin H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H351 - Suspected of causing cancer (inhalation) H373 - May cause damage to organs through prolonged or
Precautionary statements	repeated exposure.
Prevention:	P201 - Obtain special instructions before use
	 P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/light/equipment P242 - Use only non-sparking tools
	 P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash exposed area's thoroughly after handling. P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response:	 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P302+P352 - IF ON SKIN: Wash with plenty of soap and water P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P331 - Do NOT induce vomiting
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before rouse
Storage:	P362 - Take off contaminated clothing and wash before reuse. P337+P313 - If eye irritation persists: Get medical advice/attention P403+P235 - Store in a well-ventilated place. Keep cool.
Disposal:	P405 - Store locked up. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards	None known



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients

3.1 Substances

- Not applicable
- 3.2 Mixture

Name	Product identifier	%
Xylene	1330-20-7	< 6.0
Organic Solvent #1	Trade Secret	Trade Secret
Organic Solvent #2	Trade Secret	Trade Secret
Butanol	71-36-3	< 3.0
Ethylbenzene	100-41-4	< 1.7
Cumene	98-82-8	< 0.2
1,2,4-Trimethylbenzene	95-63-6	<1.2

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1 Description of first aid measures	
First-aid measures general	Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
First-aid measures after skin contact	If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.
First-aid measure after eye contact	When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.
First-aid measures after ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.
4.2 Most important symptoms and effects,	acute and delayed
Symptoms/injuries after inhalation	May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.
Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion	May cause skin irritation or burning sensation May cause eye irritation or injury May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach.



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

E 1 Extinguishing modio		
5.1 Extinguishing media Suitable extinguishing media	Dry chemical, foam, carbon dioxide	
Unsuitable extinguishing media	Do not use heavy water stream	
5.2 Special hazards arising from the subst		
Reactivity	Thermal decomposition products may cause a health hazard.	
5.3 Advice for firefighters		
Firefighting instructions	This material releases vapors when heated above	
i nonghung mondonono	ambient temperatures. Vapors can cause a flash fire. Use water spray	
	or fog to cool exposed containers.	
Protective equipment for firefighters	Firefighters should always wear self-contained breathing apparatus	
	(SCBA) and full protective gear when fighting any chemical fire.	
Other information	On heating or burning harmful gasses/vapors may be released.	
	This product may cause the floor to become slippery.	
	···································	
Section 6. Accidental release measu	ires	
6.1 Personal precautions, protective equip	ment and emergency procedures	
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take	
	proper precautions to ensure your own health and safety before	
	attempting spill control or cleanup.	
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.	
6.2 Environmental precautions	Prevent entry to sewers and public waters.	
	Notify authorities if liquid enters sewers or public waters.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.	
	Collect into vapor tight containers and dispose of properly.	
Section 7. Handling and storage		
7.1 Precautions for safe handling		
Protective measures	Wash hands and other exposed areas with soap and water before	
	eating, drinking or smoking and when leaving work. Provide good	
	ventilation in work areas to prevent formation of vapor. When not in use	

Hygiene measuresKeep containers tightly closed. Avoid breathing vapor or mist.T.2Conditions for safe storage, including any incompatibilitiesStorage conditionsStore in accordance with local regulations. Store in original container in
a cool well-ventilated place away from heat, sparks and open flame.
Keep containers tightly closed until ready for use. Keep from freezing.

Incompatible materials Storage temperature

Store in a cool dry environment away from sources of ignition.

Strong oxidizing agents. Strong acids or bases

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure infins	
Ingredient name	Occupational exposure limits
	ACGIH TLV (United States)



SILCOSEAL 2000 F

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Xylene	TWA: 100 ppm 8 hours
Organic Solvent #1	TWA: 800 ppm 8 hours
1,2,4-trimethylbenzene	TWA: 25 ppm 8 hours
Butanol	TWA: 20 ppm 8 hours
Ethylbenzene	TWA: 20 ppm 8 hours
Cumene	TWA: 50 ppm 8 hours
8.2 Exposure controls	
Appropriate engineering controls	Use with adequate ventilation to keep product vapor concentrations below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties		
Appearance	Milky liquid	
Odor	Mild Odor	
Odor Threshold	No data available	
PH	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	94 C (200 F)	
Flash point	35 C 95 F PMCC	
Relative evaporation rate (butyl acetate=1)	No data available	
Flammability (solid, gas)	49 CFR Appendix H test confirms product is a non-sustained	
	burning material.	
Upper/lower explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density (Specific gravity)	0.97 Kg per Liter 8.1 Lbs per Gallon	
Solubility	Water: Miscible	
Partition coefficient n-octanol/water	No data available	
Auto-ignition temperature	Not applicable	
Viscosity	No data available	
VOC content	Less than 600 g/l	

Section 10. Stability and reactivity

10.1 Reactivity

1	Reactivity	

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition products

No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Avoid freezing. Strong acids, bases and oxidizers carbon monoxide, carbon dioxide, various hydrocarbon derivatives



Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 11. Toxicology information

11.1 Information on toxicological effects Acute toxicity

Irritation/Corrosion Skin Eyes Respiration or skin sensitization Germ cell mutagenicity No adverse effects expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation No data available

Carcinogenicity IARC

Xylene	3
Ethylbenzene	2B
Cumene	2B

2B - Limited evidence in humans and less than sufficient evidence in animals.

3 - Inadequate in humans and inadequate or limited in animals

Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	No data available

Section 12. Ecological information

12.1 Ecotoxicity	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	No data available
12.5 Other adverse effects	Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

49 CFR Appendix H test confirms product is a non-sustained burning material.

Not applicable
Not applicable
Not applicable
Not applicable
No additional information available



SILCOSEAL 2000 F

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

14.6 Special precautions for userNo additional information available14.7 Transport in bulk according toNo additional information availableAnnex II of MARPOL 73/78 and the IBC CodeNo additional information available14.8 Transport in bulk according toNo additional information availableCFR 49 173.15Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations Section 313 Contains the following ingredients at or above the reportir

CAS #

1330-20-7

100-41-4

95-63-6

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

MAX WEIGHT %

5.8

1.7

1.2

2.8

CHEMICAL
Xylene
Ethylbenzene
1,2,4-Trimethylbenzene
Butanol

71-36-3 All ingredients are listed or exempted

TSCA

PROPOSITION 65



WARNING: NOT FOR SALE IN CALIFORNIA

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR All ingredients are listed or exempted. A Chemical Safety Assessment has not been carried out.

DSL 15.2 Chemical safety assessment

Section 16. Other information

Date of issue
Version
Number
Date of previous issue
Preparer

5-11-2023 3.0 38 11-20-2020 Nox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its



SILCOSEAL 2000 F

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

	H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H312 - Harmful in contact with skin H315 - Causes skin irritation	Flam Liq. 3 Asp. Tox. 1 Acute Tox. 4 (dermal) Skin Irrit. 2		
	H319 - Causes serious eye irritation	Eye Irrit. 2		
	H332 - Harmful if inhaled	Acute Tox. 4 (inhalation)		
	H335 - May cause respiratory irritation	STOT SE 3 resp. irrit.		
	H336 - May cause drowsiness or dizziness	STOT SE 3 drowsiness		
	H351 - Suspected of causing cancer (inhalation)	Carc. 2 STOT RE 2		
	H373 - May cause damage to organs through prolonged or repeated exposure	STOT RE 2		
	P201- Obtain special instructions before use			
	P202 - Do not handle until all safety precautions have been read and understood			
P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking				
P233 - Keep container tightly closed				
	P240 - Ground/bond container and receiving equipment			
	P241 - Use explosion-proof electrical/ventilating/light/equipment			
	P242 - Use only non-sparking tools			
	P243 - Take precautionary measures against static discharge			
	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray			
	P264 - Wash exposed area's thoroughly after handling.			
	P270 - Do not eat, drink or smoke when using this product			
	P271 - Use only outdoors or in a well-ventilated area.			
P280 - Wear protective gloves/protective clothing/eye protection/face protection				
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physi	cian		
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water			
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and			
	easy to do so - continue rinsing			
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth.			
P330 - Kinse moun. P331 - Do NOT induce vomiting				
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention				
	P362 - Take off contaminated clothing and wash before reuse.			
	P337+P313 - If eye irritation persists: Get medical advice/attention			
	P403+P235 - Store in a well-ventilated place. Keep cool.			
	P405 - Store locked up.			
	PE01 Dispass of contents/container in accordance with local/regional/actional/intern	ational regulations		

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.