

SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Identification of the substance/mixture and of the company/undertaking Section 1.

1.1 Product identifier **Product Form** Trade Name **Product Code** 1.2 Relevant identified uses of the substance or mixture and uses advised against Use 1.2.2 Uses Advised Against No additional information available 1.3 Details of the supplier of the safety data sheet Manufacturer

Mixture SILCOSEAL ADVANTAGE SSA

Industrial. For professional use only.

NOX-CRETE, INC. 1444 SOUTH 20TH STREET **OMAHA, NE 68108** Tel: 402-341-2080 Fax: 402-341-9752 E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300 Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

Classification of the substance or mixture 2.1

Flam. Liq. 3	H226
Asp. Tox. 1	H304
Acute Tox. 4 (dermal)	H312
Skin Irrit. 2	H315
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
STOT SE 3	H335
STOT SE 3	H336
Carc. 2	H351
STOT RE 2	H373

Full text of H phrases see section 16 Adverse physiochemical, human health and environmental effects No additional information available 2.2 Label elements Hazard pictograms



Signal Word

Warning



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Hazard statements	H226 - Flammable liquid and vapor
	H304 - May be fatal if swallowed and enters airways
	H312 - Harmful in contact with skin
	H315 - Causes skin irritation
	H318 - Causes serious eye damage
	H332 - Harmful if inhaled
	H335 - May cause respiratory irritation
	H336 - May cause drowsiness or dizziness
	H351 - Suspected of causing cancer (inhalation)
	H373 - May cause damage to organs (CNS)
Precautionary statements	
Prevention:	P201- Obtain special instructions before use
	P202- Do not handle until all safety precautions have been read and
	understood
	P210 - Keep away from heat/sparks/open flames/hot surfaces-No
	smoking
	P233- Keep container tightly closed
	P240 - Ground/bond container and receiving equipment
	P241 - Use explosion-proof electrical/ventilating/light//equipment
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge
	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
	P264 - Wash exposed area's thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face
	protection
Response:	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or
Kespolise.	doctor/physician
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest
	in a position comfortable for breathing.
	P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do so - continue
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P330 - Rinse mouth.
	P331 - Do NOT induce vomiting
	P333+P313 - If skin irritation or rash occurs: Get medical
	advice/attention
	P362 - Take off contaminated clothing and wash before reuse.
	P337+P313 - If eye irritation persists: Get medical advice/attention
Storage:	P403+P235 - Store in a well ventilated place. Keep cool.
	P405 - Store locked up.
Disposal:	P501 - Dispose of contents/container in accordance with
	local/regional/national/international regulations.
2.3 Other hazards	None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

3.1 Substances

Not applicable

3.2 Mixture

Name	Product identifier	%
Xylene	1330-20-7	< 3.0
Organic Solvent #1	Trade Secret	Trade Secret
Organic Solvent #2	Trade Secret	Trade Secret
Butanol	71-36-3	< 4.0
Ethylbenzene	100-41-4	< 0.4

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures 4.1 **Description of first aid measures** Get medical advice/attention if you feel unwell. Never give anything by First-aid measures general mouth to an unconscious person. First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician. If skin irritation persists, seek medical attention. Remove or take off First-aid measures after skin contact immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water. When contact lenses are worn, remove if possible. In case of contact First-aid measure after eye contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately. Rinse mouth. DO NOT induce vomiting. Get medical attention First-aid measures after ingestion immediately. Most important symptoms and effects, acute and delayed 4.2 May cause irritation to the respiratory tract. Overexposure to vapors may Symptoms/injuries after inhalation result in headache, nausea, drowsiness or dizziness. May cause skin irritation or burning sensation Symptoms/injuries after skin contact Symptoms/injuries after eye contact May cause eye irritation or injury Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

<u>5.1</u>	Extinguishing media
Suita	able extinguishing media
Unsi	uitable extinguishing media

Dry chemical, foam, carbon dioxide Do not use heavy water stream



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

5.2 Special hazards arising from the su Reactivity	Thermal decomposition products may cause a health hazard.
5.3 Advice for firefighters	
Firefighting instructions	This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.
Protective equipment for firefighters	Firefighters should always wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.
Other information	On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.
Section 6. Accidental release me	asures
6.1 Personal precautions, protective ec	uipment and emergency procedures
General measures	Eliminate any ignition sources. Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup.
6.11 Protective Equipment	Equip cleanup crew with proper protective equipment.
6.2 Environmental precautions	Prevent entry to sewers and public waters.
6.3 Methods and materials for containn	Notify authorities if liquid enters sewers or public waters.
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth.
	Collect into vapor tight containers and dispose of properly.
Section 7. Handling and storage	
7.1 Precautions for safe handling	
Protective measures Hygiene measures	Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist. Wash contaminated clothing before reuse.
7.2 Conditions for safe storage, includi	ing any incompatibilities
Storage conditions	Store in accordance with local regulations. Store in original container in a cool well ventilated place away from heat, sparks and open flame. Keep containers tightly closed until ready for use. Keep from freezing .
Incompatible materials	Strong oxidizing agents
Storage temperature	Store in a cool dry environment away from sources of ignition.
Section 8. Exposure controls/per	sonal protection
8.1 Control parameters Occupational exposure limits	
Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Xylene	TWA: 100 ppm 8 hours
Organic Solvent #1	TWA: 100 ppm 8 hours
Organic Solvent #2	TWA: 100 ppm 8 hours
•	
Butanol	TWA: 100 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controlsUse with adequate ventilation to keep product vapor concentrations

TWA: 100 ppm 8 hours

Ethylbenzene



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

	below specified TLV
Eye and face protection	Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.
Skin protection	Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.
Respiratory protection	General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties		
Appearance	Milky liquid	
Odor	Mild Odor	
Odor Threshold	No data available	
PH	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	94 C (200 F)	
Flash point	39 C 102 F PMCC ASTM D-93	
	71 C 160 F COC ASTM D-92	
Relative evaporation rate (butyl acetate=1)) No data available	
Flammability (solid, gas)	49 CFR Appendix H test confirms product is a non-sustained	
	burning material.	
Upper/lower explosive limits	No data available	

Vapor pressure Vapor density Relative density (Specific gravity) Solubility Partition coefficient n-octanol/water Auto-ignition temperature Viscosity **VOC content**

No data available No data available 0.97 Kg per Liter 8.1 Lbs per Gallon Water: Miscible No data available Not applicable No data available Regulatory VOC : Less than 700 g/l Actual VOC : Less than 120 g/l

Section 10. Stability and reactivity

10.1Reactivity10.2Chemical stability10.3Possibility of hazardous reactions10.4Conditions to avoid10.5Incompatible materials10.6Hazardous decomposition products	No additional information available Stable under normal conditions Hazardous polymerization will not occur. Extreme high or low temperatures. Avoid freezing. Strong acids and oxidizers carbon monoxide, carbon dioxide, various hydrocarbon derivatives
Section 11. Toxicology information	
11.1 Information on toxicological effects Acute toxicity	No adverse effects expected under intended use.

Irritation/Corrosion Skin Eyes Respiration or skin sensitization

expected under intended use. May cause skin irritation May causes serious eye irritation and damage. May cause respiratory irritation



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

No data available

Germ cell mutagenicity Carcinogenicity IARC

Xylene3Ethylbenzene2B

2B - Limited evidence in humans and less than sufficient evidence in animals.

3 - Inadequate in humans and inadequate or limited in animals.

Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	No data available

Section 12. Ecological information

12.1 Ecotoxicity	No data available
12.2 Persistence and degradability	No data available
12.3 Bio accumulative potential	No data available
12.4 Mobility in soil	No data available
12.5 Other adverse effects	Avoid release to the environment

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

49 CFR Appendix H test confirms product is a non-sustained burning material.

<u>14.1 UN number</u>	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	No additional information available
14.6 Special precautions for user	No additional information available
14.7 Transport in bulk according to	
Annex II of MARPOL 73/78 and the IBC Code	No additional information available
14.8 Transport in bulk according to	
<u>CFR 49 173.15</u>	Not applicable
SECTION 15. Regulatory informatio	n

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Section 313	Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.	
CHEMICAL Xylene Ethylbenzene 1,2,4-Trimethylbenzene Butanol	CAS # 1330-20-7 100-41-4 95-63-6 71-36-3	MAX WEIGHT % 3.0 0.4 2.0 4.0
TSCA	All ingredients are listed or exempted	
Proposition 65	WARNING : This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov."	
15.1.3 Canada Regulations DSL	This SDS has been prepared according to the hazard criteria of the <i>Hazardous Products Regulation</i> (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR All ingredients are listed or exempted	
15.2 Chemical safety assessment	A Chemical Safety Assessment has not been carried out.	
Section 16. Other information		
Date of issue Version Number Date of previous issue Preparer <u>Reference Documentation</u>	4-26-2023 3.0 650 3-9-2021 Nox-Crete, Inc.	

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete. Inc. The information and recommendations are offered for the buver's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases



SILCOSEAL ADVANTAGE Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Flam. Liq. 3	H226
Asp. Tox. 1	H304
Acute Tox. 4 (dermal)	H312
Skin Irrit. 2	H315
Eye Dam. 1	H318
Acute Tox. 4 (inhalation)	H332
STOT SE 3	H335
STOT SE 3	H336
Carc. 2	H351
STOT RE 2	H373

H226 - Flammable liquid and vapor

- H304 May be fatal if swallowed and enters airways
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351 Suspected of causing cancer (inhalation)
- H373 May cause damage to organs (CNS)
- P201- Obtain special instructions before use
- P202- Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat/sparks/open flames/hot surfaces-No smoking
- P233- Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/light/.../equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash exposed area's thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so continue rinsing
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P330 Rinse mouth.
- P331 Do NOT induce vomiting
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse.
- P337+P313 If eye irritation persists: Get medical advice/attention
- P403+P235 Store in a well ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.