

Section 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Product Form	Mixture
Trade Name	STIFEL 40 (400)
Product Code	ST40LVOC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet**Manufacturer**

NOX-CRETE, INC.
1444 SOUTH 20TH STREET
OMAHA, NE 68108
Tel: 402-341-2080
Fax: 402-341-9752
E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300
Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulations 29CFR 1910.1200 , (EC) No. 1272/2008(CLP)(GHS)

Flam Liq. 2	H225
Acute Tox. 5 (oral)	H303
Skin Irrit. 2	H315
Acute Tox. 4 (inhalation)	H332
STOT SE 3 drowsiness	H336

Full text of H phrases see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word

Hazard statements

Danger

H225 - Highly flammable liquid and vapor
H303 - May be harmful if swallowed
H315 - Causes skin irritation

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

H332 - Harmful if inhaled
 H336 - May cause drowsiness or dizziness

Precautionary statements

Prevention:

P210: Keep away from heat/sparks/open flames/hot surfaces-No smoking.
 P233- Keep container tightly closed
 P240 - Ground/bond container and receiving equipment
 P241 - Use explosion-proof electrical/ventilating/light/.../equipment
 P242 - Use only non-sparking tools
 P243 - Take precautionary measures against static discharge
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P264 - Wash exposed area's thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response:

P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse.
 P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

Storage:

P405+P403+P235 - Store locked up in a well ventilated place. Keep cool.

Disposal:

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

Full text of R, H and EUH phrases: see section 16

2.3 Other hazards

None known

Section 3. Composition / information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Name	Product identifier	%
Butyl Acetate	Trade Secret	Trade Secret
Silane	Trade Secret	Trade Secret

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures

4.1 Description of first aid measures

First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty In breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

First-aid measures after skin contact

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact

May cause eye irritation or injury

Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, foam, carbon dioxide

Unsuitable extinguishing media

Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity

Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Firefighting instructions

above

Highly Flammable Liquid! This material releases vapors when heated ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.

Protective equipment for firefighters

Firefighters should always wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures

Extremely Flammable. Eliminate any ignition sources. Dike or impound spilled material. Use Non-sparking tools. All equipment must be

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

6.11 Protective Equipment

6.2 Environmental precautions

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

grounded. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup.

Equip cleanup crew with proper protective equipment.

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

Soak up spills with inert solids, such as clay or diatomaceous earth. Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

Wash contaminated clothing before reuse.

Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in accordance with local regulations. Store in original container in a cool well ventilated place away from heat, sparks and open flame..

Keep containers tightly closed until ready for use.

Incompatible materials

Strong oxidizing agents and acids

Storage temperature

Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Butyl Acetate	TWA: 200 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations below specified TLV

Eye and face protection

Chemical goggles and/or face shields are required to prevent potential eye contact, irritation or injury.

Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Sweet
Odor Threshold	No data available
PH	No data available

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Melting point	No data available
Freezing point	No data available
Boiling point	> 98 C (>200 F)
Flash point	> 4 C > 40 F PMCC
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density (Specific gravity)	0.874 Kg per Liter 7.3 Lbs per Gallon
Solubility	Water: Negligible
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	Not applicable
Viscosity	No data available
VOC content	< 400 grams per liter

Section 10. Stability and reactivity

<u>10.1 Reactivity</u>	No additional information available
<u>10.2 Chemical stability</u>	Stable under normal conditions
<u>10.3 Possibility of hazardous reactions</u>	Hazardous polymerization will not occur.
<u>10.4 Conditions to avoid</u>	Extreme high or low temperatures.
<u>10.5 Incompatible materials</u>	Strong acids and oxidizers
<u>10.6 Hazardous decomposition products</u>	carbon monoxide, carbon dioxide, various hydrocarbon derivatives

Section 11. Toxicology information

<u>11.1 Information on toxicological effects</u>	
Acute toxicity	No adverse effects expected under intended use.
Irritation/Corrosion	
Skin	May cause skin irritation
Eyes	May cause serious eye irritation and damage.
Respiration or skin sensitization	May cause respiratory irritation
Germ cell mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC)
Reproductive toxicity	No data available
Specific target organ toxicity	
Single exposure	No data available
Repeated exposure	No data available
Aspiration hazard	No data available

Section 12. Ecological information

<u>12.1 Ecotoxicity</u>	Not established
<u>12.2 Persistence and degradability</u>	Not established
<u>12.3 Bioaccumulative potential</u>	Not established
<u>12.4 Mobility in soil</u>	No additional information available
<u>12.5 Other adverse effects</u>	Avoid release to the environment

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

SECTION 13. Disposal Considerations

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

<u>14.1 UN number</u>	UN1123
<u>14.2 UN proper shipping name</u>	Butyl Acetates, 3, UN1123
<u>14.3 Transport hazard class(es)</u>	Flammable Liquid
<u>14.4 Packing group</u>	II
<u>14.5 Environmental hazards</u>	No additional information available
<u>14.6 Special precautions for user</u>	
<u>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</u>	No additional information available
<u>14.8 Transport in bulk according to CFR 49 173.15</u>	Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.2 USA Regulations

Section 313 Contains no ingredients at or above the reporting level requirements of Section 313.

TSCA Proposition 65 All ingredients are listed or exempted
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other re-productive harm.

15.1.3 Canada Regulations

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation (HPR)* (WHMIS 2015) and the SDS contains all of the information required by the HPR.

DSL All ingredients are listed or exempted
15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue/Revision	6-30-2022
Version	2.2
Number	870
Date of previous issue/Revision	7-17-2018
Preparer	Nox-Crete Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

Flam Liq. 2	H225
Acute Tox. 5 (oral)	H303
Skin Irrit. 2	H315
Acute Tox. 4 (inhalation)	H332
STOT SE 3 drowsiness	H336

H225 - Highly flammable liquid and vapor
H303 - May be harmful if swallowed
H315 - Causes skin irritation
H332 - Harmful if inhaled
H336 - May cause drowsiness or dizziness

P210: Keep away from heat/sparks/open flames/hot surfaces-No smoking.
P233- Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/light/.../equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash exposed area's thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P332+P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse.
P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction.
P405+P403+P235 - Store locked up in a well-ventilated place. Keep cool.
P501: Dispose of contents/container in accordance with local/regional/national/international regulations.



chemical solutions to concrete problems

STIFEL 40 (400)

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)
