




PIPEGUARD



Superior productivity.
Superior performance.



1 EASY STEP!

ATTACH & POSITION PIPEGUARD

PipeGuard saves time!

TRAVEL TO
LUMBER
YARD

BUY WOOD,
CLAMPS &
SCREWS

UNLOAD,
CUT & STACK
WOOD

TRANSPORT
BLOCKS TO
JOB SITE

POSITION
UNDER PIPES

INSTALL
THE
CLAMPS

NO MORE WOOD BLOCKS.

Some think that wood blocks are just as good, but after a few years in the sun and weather, they deteriorate and threaten the roofing system.

Consider the time and effort that goes into a wood block support. The diagram at left shows all the steps involved.

That's a lot of work! And you might need a slip sheet as well.

Once you consider all the time and labor it takes to make wood block supports, the real cost is much more than you thought. And you probably have better things for your crew to do than run around making supports that don't work well and won't last as long.

Wouldn't it be easier to purchase OMG PipeGuards and have them delivered directly to the jobsite where they can be installed in one simple step?

Call 800-633-3800 to place an order.

PipeGuard Pipe Supports

When it comes to supporting small rooftop pipes and conduit, nothing is faster or easier than OMG PipeGuard®. With nine models ranging in size and configuration, there's a PipeGuard for virtually every application. No wonder PipeGuard is the industry's preferred pipe support. Nothing is as fast, easy or economical.

Universal features:

- Accommodates pipes and conduit from ½- to 6-inches (13 to 152 mm) in diameter, and heights from 1½- to 10-inches (38 to 254 mm) above the roof.
- Compatible with steel and PVC pipes, copper tubing, as well as electrical, solar and HVAC conduit.
- Made of recycled materials and rubber, PipeGuard products will not rot or deteriorate on the roof like wood blocks.
- Triangle shape sheds water, provides superior stability and helps prevent damage to roof covers.
- Your choice of supports for single pipes or strut-models for multiple pipes.

SINGLE PIPEGUARD UNITS

Made of heavy duty EPDM, single PipeGuard units are available in four sizes to accommodate pipes from ½- to 5-inches (13 to 127 mm) in diameter, and at heights from 1½- to 6-inches (38 to 152 mm) above the roof. PipeGuard units are sold in boxes of 10 or 20 depending on the size. To install, simply squeeze the "legs" together to open the clamp, and place it around the pipe. Rotate the PipeGuard into position and you're finished! No fuss and no tools required. Typical installation takes less than 10 seconds!





"I decided to try PipeGuards instead of encapsulating wood blocks. Looking back, when I compare the labor cost vs. the savings in material cost, it does not even compare. Sometimes in our business we fail to look at the savings in labor when trying to save a buck on material. When I look at what it would have cost me to cut the blocks, physically fasten the tie straps, and then encapsulate each one with membrane, I would have spent 15–20 times the amount of labor. Making the decision to spend a bit more in material cost saved me quite a bit on the back-end in labor."

Josh Haggard Sales Manager/Estimator, E. Cornell Malone Corp., Pensacola, Florida



STRUT MODELS

Strut model PipeGuard units are designed to support multiple pipes up to 6-inches (152 mm) in diameter at heights from 4- to 10-inches (100 to 255 mm) above the roof. Each strut model features a low profile, 1 5/8-inch (40 mm) wide galvanized strut channel designed to accommodate single or multiple strut clamps (sold separately).

Six-inch long (150 mm) black strut models are made of heavy duty EPDM. The 10-inch (255 mm) long Safety Yellow strut models are made of 100% recycled HDPE. All PipeGuard units are weather resistant, compatible with most roof covers, and provides strength and stability for superior load capacity.

Standard strut models are 3.5-inches tall, and are also available in height-adjustable models to 10-inches (254 mm)

FEATURES

- Low profile, 1 5/8-inch (40 mm) wide galvanized strut channel can be used for single or multiple pipes
- Standard and height-adjustable models available
- Unmatched strength and stability for superior load capacity
- Accommodates standard strut clamps (sold separately)
- Custom options available to address non-standard heights and widths!



Yellow PipeGuards are made with 100% recycled material!



CUSTOM APPLICATIONS

If your project calls for a custom designed application, contact OMG Roofing Products at 800.633.3800. We can design and fabricate a pipe support system to accommodate your specifications and requirements.



Visit OMGRoofing.com to download the latest CSI 3-Part Specification and our CAD details available in DXF, DWG and PDF form.

NATIONWIDE CUSTOMER SUPPORT

When it comes to service, OMG Roofing Products has a nationwide network of field sales representatives available to help. We're there when you need us for product demonstrations, training, job starts and more.









OMG is the leading U.S. supplier of roofing fasteners, roof insulation adhesives, retrofit roof drains, pipe supports and installation productivity enhancing tools.

Let our local sales representative help with your next project.







For more information or an on-site PipeGuard demonstration, please call 800-633-3800.

Sizing Chart

EPDM RUBBER MODELS

MINI	SMALL	TALL SMALL
		
1½" (38 mm)	3½" (89 mm)	6" (152 mm)
PGM-BK Supports ½- to 1½-in. (13 to 38 mm) pipe diameters; replaces 2-in. x 4-in. (51 x 102 mm) wood block	PGS-BK Supports ¾- to 2-in. (19 to 51 mm) pipe diameters; replaces 4-in. x 4-in. (102 x 102 mm) wood block	PGTS-BK Supports ¾- to 2-in. (19 to 51 mm) pipe diameters; replaces 6-in. x 6-in. (152 x 152 mm) wood block
LARGE	6" STRUT*	HEIGHT ADJUSTABLE STRUT*
		
3½" (89 mm)	6" (152 mm) 4" (102 mm)	10" (254 mm) 4"-10" (102-254 mm)
PGL-BK Supports 2½- to 5-in. (64 to 127 mm) pipe diameters; replaces 4-in. x 4-in. (102 x 102 mm) wood block	PGSTRUT6-BK Supports multiple pipes, various sizes up to 5-in. (127 mm) diameter; replaces 4-in. x 4-in. (102 x 102 mm) wood block	PGSTRUT10X10HA-BK Supports multiple pipes, various sizes up to 6-in. (152 mm) diameter

HDPE HIGH DENSITY POLYETHYLENE MODELS

4" BLACK STRUT*	6" BLACK STRUT*	10" BLACK STRUT*
		
4" (102 mm) 3¾" (95 mm)	6" (152 mm) 3¾" (95 mm)	10" (254 mm) 3¾" (95 mm)
PGSTPE4-BK Supports pipes up to 3-in (75mm) diameter	PGSTPE6-BK Supports multiple pipes, various sizes up to 5-in (125mm) diameter	PGSTPE10-BK Supports multiple pipes, various sizes up to 6-in (150mm) diameter
SAFETY YELLOW STRUT*	YELLOW HEIGHT ADJ. STRUT*	YELLOW HEIGHT ADJ. ROLLER
		
10" (254 mm) 3¾" (95 mm)	10" (254 mm) 3¾"-10" (95-254 mm)	10" (254 mm) 11" (279 mm) 3" (76 mm) 5.5" (140 mm)
PGSTPE10-YW Supports multiple pipes, various sizes up to 6-in. (152 mm) diameter	PGSTPE10X10HA-YW Supports multiple pipes, various sizes up to 6-in. (152 mm) diameter	PGSTPE10X10HAR-YW Roller will accommodate 4-in. (102 mm) and smaller pipes.

*Clamps sold separately.



ROOFING PRODUCTS

153 BOWLES ROAD, AGAWAM, MA 01001
800.633.3800 WWW.OMGROOFING.COM

OMG PipeGuard® is a registered trademark of OMG Building Products. Copyright © 2025 OMG Building Products. All rights reserved. As with all building materials it is the responsibility of the installer to review its usage with a design professional to confirm safety, compatibility and acceptance with the roof cover manufacturer as well as local building codes.

Superior productivity.
Superior performance.

