

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OlyBond500 Part 1 (Bag-in-Box, SpotShot Cartridges, Drums)

Supplier:	OMG Building Products LLC	24-hour Emergency Response Number:
	153 Bowles Road	Chemtrec: 800-424-9300
	Agawam, MA 01001 USA	
	Phone: (01) 413-789-0252	
	Fax: (01) 413-786-1453	
	www.OMGRoofing.com	

Product Use(s): One component of a two-component polyurethane system

2. HAZARDS IDENTIFICATION

Classifications: Acute Toxicity, Inhalation: Hazard Category 4
 Respiratory Sensitization: Hazard Category 1
 Skin Sensitization: Hazard Category 1
 Skin Irritation: Hazard Category 2
 Eye Irritation: Hazard Category 2B
 Specific Target Organ Toxicity, Single Exposure: Hazard Category 3
 Specific Target Organ Toxicity, Repeated Exposure: Hazard Category 2

Symbols: Health Hazard

Exclamation Point



Signal Word: Danger

Hazard Statements:

May be harmful if inhaled.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 May cause an allergic skin reaction.
 Causes eye and skin irritation.
 May cause damage to the respiratory system and/or skin through prolonged or repeated exposure.
 Do not breathe mist, spray, or vapors.
 Use only outdoors or in a well-ventilated area.
 In case of inadequate ventilation wear proper respiratory protection.
 Wear protective gloves and eye protection.
 Wash hands and forearms thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.

Precautionary Statements:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms or if you feel unwell, call a doctor or Poison Control Center.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs, get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Get medical advice/attention if you feel unwell.

Store locked up in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with applicable regulations.

Other Hazards None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	<u>CAS Number</u>	<u>Percentage</u>	<u>Classification</u>
Diphenylmethane Diisocyanate Isomers and homologues	9016-87-9	100	Acute Tox 4 (Inh) Skin Irrit 2 Eye Irrit 2 Resp Sens 1 Skin Sens 1 STOT SE 3 (resp irrit) STOT RE 2
4,4'-Methylene Bisphenyl Isocyanate	101-68-8	30 - 50 (part of 9016-87-9)	Acute Tox 4 (Inh) Skin Irrit 2 Eye Irrit 2 Resp Sens 1 Skin Sens 1 STOT SE 3 (resp irrit) STOT RE 2

4. FIRST AID MEASURES

Eyes:	Hold eyes open and flush with lukewarm water for several minutes. Seek medical assistance if irritation persists.
Skin:	Remove contaminated clothing. Wash affected areas with soap and water for at least five minutes. If irritation persists or a rash occurs, seek medical attention. Launder or dry-clean clothing before reuse.
Ingestion:	DO NOT induce vomiting. If the subject is conscious, wash mouth with water. Seek immediate medical assistance. Do not attempt to give anything by mouth to an unconscious or convulsive person.
Inhalation:	If signs and symptoms of respiratory toxicity are observed, remove subject from area and seek immediate medical attention. Keep the subject warm and at rest. If necessary, administer oxygen or perform artificial respiration if necessary and qualified personnel are available to do so.

Most important symptoms and effects, both acute and delayed: Inhalation exposure can irritate the respiratory tract and induce respiratory sensitization. Eye contact can cause moderate to severe irritation. Skin contact can cause moderate irritation and may elicit an allergic response among susceptible individuals.

Indication of immediate medical attention and special treatment, if necessary: Indication of immediate medical attention and special treatment, if necessary: Immediate medical attention is required if difficulty breathing occurs. Extended medical treatment may be necessary for individuals exhibiting respiratory sensitization and/or skin disorders.

5. FIREFIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Water spray, carbon dioxide, dry chemical or chemical foam. DO NOT use water jet.

Specific Hazards arising from the Chemical: The container may burst if exposed to elevated temperatures, spilling the contents. Material reacts slowly with water, releasing carbon dioxide which can cause pressure buildup and rupture of closed containers. If present in a fire or explosion, potential decomposition byproducts include carbon monoxide, oxides of nitrogen, isocyanates, hydrogen cyanide, hydrogen fluoride, and carbonyl halides.

Special Protective Equipment and Precautions for Fire-fighters: If fighting a fire in which this product is present, wear a self-contained breathing apparatus with full-facepiece operated in pressure-demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Avoid contact with skin, eyes, and mucous membranes. Wear appropriate personal protective equipment (see Section 8) during cleanup and decontamination. Restrict unauthorized personnel during cleanup and disposal operations.

Environmental Precautions: Prevent spills from entering sewers or contaminating soil.

Methods and Materials for Containment and Cleaning up: Absorb spilled material with a sorbent such as sawdust or calcium silicate hydrate. When absorbed, transfer to an impervious container. Neutralize with solution of 8-10% sodium carbonate and 2% liquid detergent in water (10:1 ratio of solution to product). Do not seal container, as CO₂ will be released. Neutralize in a well-ventilated area for at least 48 hours before sealing containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Containers should be kept tightly closed to prevent contact with moisture and other chemicals. Do not reuse empty containers for any purpose. When handling the product, avoid contact with eyes,

skin, and clothing, using protective equipment as needed. Do not use this product around children and secure it away from children.

To prevent ingestion or contact following use of the product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing and protective equipment before entering eating/drinking areas.

Keep containers tightly sealed during storage. Store in a dry, well-ventilated area away from sources of ignition and incompatible materials (see Section #10). Recommended temperature range for storage is 55-85°F. (12.8-29.4°C.).

Conditions for Safe Storage, including any incompatibilities:

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

Ingredient	OSHA PEL	ACGIH TLV	Other
4,4'-Methylene Bisphenyl Isocyanate	0.02 ppm Ceiling	0.005 ppm	
Diphenylmethane Diisocyanate, Isomers and Homologues	None	None	

	<u>Ingredient</u>	<u>Biological Limit(s)</u>
Ingredients Biological Limits:	Diphenylmethane Diisocyanate, Isomers and Homologues	No ACGIH BEIs or other biological limits
	4,4'-Methylene Bisphenyl Isocyanate	No ACGIH BEIs or other biological limits

Appropriate Engineering Controls: Use appropriate ventilation (dilution or local exhaust) whenever natural ventilation is restricted or inadequate to maintain concentrations of all components within their applicable standards.

Personal Protective Equipment:

Eye/Face Protection: Wear eye protection adequate to prevent eye contact with the product. Plastic-frame spectacles with side shields, chemical goggles, or a face shield are recommended.

Skin Protection: Wear protective gloves and clothing to prevent skin irritation or injury from contact with the product. Glove materials known to be effective against permeation by isocyanates include butyl rubber, nitrile rubber, and polychloroprene.

Respiratory Protection: If an exposure level to a component exceeds an applicable standard, use a NIOSH-approved respirator of a class and configuration effective for protection from the component(s) generated. Where exposures exceed the OSHA *Permissible Exposure Limit (PEL)*, an airline respirator or self-contained breathing apparatus (SCBA) is recommended. Consult

OSHA regulations (29CFR1910.134) and/or American National Standard Z88.2 (ANSI, New York, NY 10036, USA) for guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid	Lower Explosive Limit: Not determined
Color: Dark brown	Upper Explosive Limit: Not determined
Odor: Aromatic	Vapor pressure: 4271 hPa@20°C (propellant)
Odor threshold: Not determined	Relative Vapor density: Not determined
pH: Not applicable	Evaporation Rate: Not determined
Melting point: Not determined	VOCs: 11.00 grams/liter (when combined)
Freezing point: Not determined	Relative density (H ₂ O): Approximately 1.22
Boiling point: Not determined	Solubility: Reactive with water
Boiling range: ≥ 200°F / 93°C	Oil-water partition coefficient: Not determined
Flash Point: Approximately 484°F/220°C	Decomposition temperature: Not determined
Autoignition Point: Not determined	Kinematic Viscosity: 150-350 cps
Flammability Class: IIIB	Pour Point: Not determined
Flammability: Not flammable	Particle Characteristics: Not applicable

10. STABILITY AND REACTIVITY

Reactivity:	May react with water and incompatible materials.
Chemical Stability:	Stable.
Possibility of Hazardous Reactions:	Polymerization may occur at temperatures >392°F./200°C.
Conditions to Avoid:	High temperatures, sources of heat, open flames.
Incompatible Materials:	Water, alcohols, acids, alkalis, and amines.
Potential Decomposition Byproducts:	Carbon monoxide, carbon dioxide, nitrogen oxides, isocyanates, hydrogen cyanide, hydrogen fluoride, and carbonyl halides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates:	LD ₅₀ (oral): >10,000 mg/kg
	LD ₅₀ (dermal): >9,400 mg/kg
	LC ₅₀ : 2.24 mg/L/1 hr as aerosol

<u>Ingredients Toxicology Data</u>	<u>LD₅₀ Oral</u>	<u>LD₅₀ Dermal</u>	<u>LC₅₀</u>
Diphenylmethane Diisocyanate, Isomers and Homologues	>10,000 mg/kg (rat)	>9400 mg/kg (rabbit)	0.49 mg/L/4h (rat)
4,4'-Methylene Bisphenyl Isocyanate	>10,000 mg/kg (rat)	>9400 mg/kg (rabbit)	2.24 mg/l. for 1 hour (rat)

Eye Hazards: This product may cause eye irritation.

Skin Hazards: This product may cause mild to moderate skin irritation and has the potential to cause skin sensitization among susceptible individuals.

Ingestion Hazards:	The product is nontoxic by ingestion, but ingestion may cause nausea, vomiting, and/or gastrointestinal irritation.
Inhalation Hazards:	Inhalation of toxicologically significant quantities of ingredients is unlikely when the product is used in a well-ventilated area and in accordance with instructions. Inhalation overexposure to isocyanates may cause respiratory irritation, breathing difficulties, and asthma-like symptoms.
Chronic effects:	Long-term inhalation overexposure to this product may result in respiratory sensitization, which may be irreversible.
Carcinogenicity:	A single inhalation study exposing rats to aerosolized polymeric 4,4'-Methylene Bisphenyl Isocyanate identified a single malignant pulmonary tumor among 60 animals exposed at the highest exposure level. Observations of pulmonary fibrosis and other pathological anomalies in the test animals precluded definitive determination as to the cause(s) of the tumor. Epidemiological studies of humans occupationally exposed to the isocyanates in this product have found no strong association or consistent pattern with respect to carcinogenicity.
Germ Cell Mutagenicity:	No ingredients have been determined to be germ cell mutagens.
Reproductive Toxicity:	No ingredients have been determined to be damaging to fertility or to the unborn child.
Specific Target Organ Toxicity:	May cause damage to the respiratory tract through prolonged or repeated inhalation.
Aspiration Toxicity:	Not classified as an aspiration hazard based on ingredients.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

4,4'-Methylene-diphenyl Diisocyanate	<p>Aquatic Toxicity to Fish: LC₅₀ >1,000 mg/l. for 96 h. (zebra fish)</p> <p>Aquatic Toxicity to Invertebrates: EC₅₀ >1,000 mg/l. for 24 h. (daphnia)</p> <p>Aquatic Toxicity to Plants: EC₅₀ >1,640 mg/l. for 72 h. (algae)</p> <p>Aquatic Toxicity to Microorganisms: EC₅₀ >100 mg/l. for 3 h. (bacteria)</p> <p>Toxicity to Terrestrial Organisms: EC₀ = 1,000 mg/kg for 14 d. (worms)</p> <p>No data available for Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.</p>
Diphenylmethane Diisocyanate, Isomers and homologues	No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, or Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.
Other adverse effects:	No data available

13. DISPOSAL CONSIDERATIONS

Do not discharge waste products into sanitary or storm sewers or allow it to contaminate soil. Consult applicable Federal, State/Provincial, and local regulations.

14. TRANSPORTATION INFORMATION

Transport of the product is not regulated by USDOT, TDG (Canada), IATA, or IMO.

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA Information: All ingredients of this product are listed in the TSCA Registry.

SARA Hazard Classes: Refer to Section 2 for the OSHA Hazard Classification

EPCRA Section 313 Notification: This product contains these ingredients in concentrations $\geq 1\%$ (for carcinogens $\geq 0.1\%$) regulated under Section 313 of the *Emergency Planning and Community Right-To-Know Act* of 1986 or 40 CFR 372:

1. 4,4'-Methylene Bisphenyl Isocyanate (CASRN 101-68-8)
2. Polymeric Isocyanates (CASRN 9016-87-9)

CERCLA Information: Under requirements of the *Comprehensive Environmental Response, Compensation, and Liability Act* (CERCLA), 4,4'-Methylene Bisphenyl Isocyanate (CASRN 101-68-8) has a *Reportable Quantity* of 5,000 lbs. Any spill or release above this *RQ* must be reported to the National Response Center (800-424-8802).

California Proposition 65: This product does not contain chemicals listed under California Proposition 65. No warning is required.

Canadian Regulatory Information

All ingredients in this product are listed in the Domestic Substances List (DSL).

This product has been classified in accordance with Canada's *Hazardous Products Regulations*.

16. OTHER INFORMATION

Hazardous Materials Information System (HMIS III) Ratings (Legend):	<u>Health</u> 2* (moderate hazard, "**" indicating potential for chronic effects)	<u>Flammability</u> 1 (slight hazard)	<u>Physical Hazard</u> 1 (slight hazard)	<u>PPE</u> See Note
---	---	---	--	------------------------

Note regarding PPE: OMG Building Products, LLC. recommends use of protective eyewear and skin protection (Personal Protection Index "B") as standard PPE for the anticipated conditions of use of this product. However, HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes should be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's

responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

National Fire Protection Association (NFPA) Ratings:	<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>
	2	2	1

Abbreviations:

- Acute Tox 4 = Acute Toxicity Category 4
- Eye Irrit 2 = Eye Irritation Category 2
- Skin Irrit 2 = Skin Irritation Category 2
- Skin Sens 1 = Skin Sensitization Category 1
- Resp Sens 1 = Respiratory Sensitization Category 1
- STOT SE 3 = Specific Target Organ Toxicity – Single Exposure Category 3
- STOT RE 2 = Specific Target Organ Toxicity – Repeated Exposure Category 2

Revision Information: Publication Date: 5 Mar 2026
 Section(s) All sections. Updated SDS to align with HazCom 2024.
 Date of Prior SDS: 19 Feb 2021

DISCLAIMER

Our products and the information contained herein are supplied on the condition that the persons receiving same will make their own determination as to suitability for their purposes prior to use. In no event will OMG Building Products, LLC be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information from this sheet or the products to which the information refers. OMG does not warrant the accuracy or timeliness of the information in this sheet and has no liability for any errors or omissions in these materials. **The information contained in this SDS was provided by a third party to OMG Building Products, LLC.**

THIS SHEET IS PROVIDED ON AN "AS IS" BASIS. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION PROVIDED OR THE PRODUCTS TO WHICH THE INFORMATION REFERS.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OlyBond500 Part 2 (Bag-in-Box, SpotShot Cartridges, Drums)

Supplier: OMG Building Products LLC 24-hour Emergency Response
153 Bowles Road Number: Chemtrec: 800-424-9300
Agawam, MA 01001 USA
Phone: (01) 413-789-0252
Fax: (01) 413-786-1453
www.OMGRoofing.com

Product Use: One component of a two-component polyurethane system

2. HAZARDS IDENTIFICATION

Classifications: Not classified as hazardous according to HCS 2024 and the GHS.
Physical Hazards Not Otherwise Classified: None
Health Hazards Not Otherwise Classified: None

Symbols: None

Signal Word: None

Hazard Statements: None

Precautionary Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no ingredients required to be disclosed in accordance with 29CFR 1910.1200.

4. FIRST AID MEASURES

Eyes: Hold eyes open and flush with lukewarm water for several minutes. Seek medical assistance if irritation develops.

Skin: Remove contaminated clothing. Wash affected areas with soap and water for at least five minutes. If irritation occurs or persists, seek medical attention. Launder or dry-clean clothing before reuse.

Ingestion: DO NOT induce vomiting. If the subject is conscious, wash mouth and give 2 or more cups of milk or water. Seek medical assistance. Do not attempt to give anything by mouth to an unconscious or convulsive person.

Inhalation: If signs and symptoms of respiratory toxicity are observed, remove subject from area and seek immediate medical attention. Keep the subject warm and at rest. If necessary, administer oxygen or perform artificial respiration if necessary and qualified personnel are available to do so.

Most important symptoms and effects, both acute and delayed: This product is not acutely toxic by ingestion or inhalation. Eye contact can cause mild irritation. Skin contact can cause mild irritation. Ingestion is unlikely to occur in industrial use, but if ingestion occurs it may cause nausea, vomiting, and gastrointestinal irritation.

Indication of immediate medical attention and special treatment, if necessary: Immediate medical attention should not be required.

5. FIREFIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Water spray, carbon dioxide, dry chemical or chemical foam. DO NOT use water jet.

Specific Hazards arising from the Chemical: This product may ignite if exposed to sources of ignition at temperatures above its flash point. If present in a fire or explosion, potential thermal decomposition byproducts include carbon monoxide, smoke, and irritant decomposition byproducts.

Special Protective Equipment and Precautions for Fire-fighters: If fighting a fire in which this product is present, wear a self-contained breathing apparatus with full-facepiece operated in pressure-demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures: Avoid contact with skin, eyes, and mucous membranes. Wear appropriate personal protective equipment (see Section 8) during cleanup and decontamination.

Environmental Precautions: Prevent spills from entering sewers or contaminating soil.

Methods and Materials for Containment and Cleaning up: Absorb spilled material with an inert sorbent such as vermiculite, or calcium silicate hydrate. When absorbed, transfer to an impervious container.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Containers should be kept tightly closed to prevent contact with moisture and other chemicals. Do not reuse empty containers for any purpose. When handling this product, avoid contact with eyes, skin, clothing, using protective equipment as needed. Do not use this product around children and secure it away from children.

To prevent ingestion or contact following use of this product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing and protective equipment before entering eating/drinking areas.

Conditions for Safe Storage, including any incompatibilities:

Store containers tightly sealed in a dry, well-ventilated area away from incompatible materials (see Section #10). Recommended temperature range for storage is 55-85°F. (12.8-29.4°C.).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Appropriate Engineering Controls:

Use appropriate ventilation (dilution or local exhaust) whenever this product is used in conjunction with OlyBond500 Part 1 in conditions where natural ventilation is restricted.

Personal Protective Equipment:

Eye/Face Protection:

Wear eye protection adequate to prevent eye contact with the product. Plastic-frame spectacles with side shields, chemical goggles, or a face shield are recommended.

Skin Protection:

Wear protective gloves and clothing to prevent skin irritation or injury from contact with the product. Glove materials known to be effective against permeation by this product include butyl rubber, nitrile rubber, and polyvinyl alcohol.

Respiratory Protection:

If an exposure level to a component exceeds an applicable standard, use a NIOSH-approved respirator of a class and configuration effective for protection from the component(s) generated. Consult OSHA regulations (29CFR1910.134) and/or American National Standard Z88.2 (ANSI, New York, NY 10036, USA) for guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid (Viscous)
Color: Red
Odor: Mildly sweet
Odor threshold: Not determined
pH: Not determined
Melting point: Not determined
Freezing point: Not determined
Boiling point: Not determined
Boiling range: Not determined
Flash Point: Approximately 375°F / 191°C
Autoignition Point: Not determined
Flammability Class: IIIB
Flammability: Not flammable

Lower Explosive Limit: Not determined
Upper Explosive Limit: Not determined
Vapor pressure: Not determined
Relative vapor density: Not determined
Evaporation rate: Not determined
VOCs: 11.00 grams/liter (when combined)
Relative density (H₂O): Approximately 1.02
Solubility (H₂O): Partial
Oil-water partition coefficient: Not determined
Decomposition temperature: Not determined
Kinematic Viscosity: 390-530 cps
Pour Point: Not determined
Particle Characteristics: Not applicable

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.
Chemical Stability: Stable.

Possibility of Hazardous Reactions:	Polymerizes with isocyanate-containing substances.
Conditions to Avoid:	None reasonably foreseeable.
Incompatible Materials:	Oxidizing agents.
Potential Decomposition Byproducts:	Carbon monoxide, carbon dioxide, smoke, and irritant decomposition byproducts.

11. TOXICOLOGICAL INFORMATION

Eye Hazards:	This product may cause mild eye irritation.
Skin Hazards:	This product may cause mild skin irritation. Irritation may be more pronounced on abraded skin.
Ingestion Hazards:	The product is not classified as toxic by ingestion, but ingestion may cause nausea, vomiting, and/or gastrointestinal irritation.
Inhalation Hazards:	Inhalation of toxicologically-significant quantities of ingredients is unlikely when the product is used in a well-ventilated area and in accordance with instructions. Inhalation overexposure may cause respiratory irritation.
Chronic effects:	Long-term chronic ingestion may damage the kidneys and the gastrointestinal system.
Carcinogenicity:	No ingredients are classified as potential or confirmed human carcinogens by OSHA, NTP, or IARC.
Germ Cell Mutagenicity:	No ingredients have been determined to be germ cell mutagens.
Reproductive Toxicity:	No ingredients have been determined to be damaging to fertility or to the unborn child.
Specific Target Organ Toxicity:	Not classified based on ingredients.
Aspiration Toxicity:	Not classified as an aspiration hazard based on ingredients.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, or Microorganisms, Toxicity to Terrestrial Animals, Toxicity to Terrestrial Plants, Persistence and Biodegradability, Bioaccumulation Potential, or Mobility in Soil. This product contains no ingredients known to deplete the ozone layer.

13. DISPOSAL CONSIDERATIONS

Do not discharge waste products into sanitary or storm sewers or allow it to contaminate soil. Consult applicable Federal, State/Provincial, and local regulations.

14. TRANSPORTATION INFORMATION

Transport of the product is not regulated by USDOT, TDG (Canada), IATA, or IMO.

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA Information: All ingredients of this product are listed in the TSCA Registry.

SARA Hazard Classes: Refer to Section 2 for the OSHA Hazard Classification

EPCRA Section 313 Notification: This product contains no ingredients in concentrations $\geq 1\%$ ($\geq 0.1\%$ for carcinogens) regulated under Section 313 of the *Emergency Planning and Community Right-To-Know Act* of 1986 or 40 CFR 372.

California Proposition 65: This product contains acetaldehyde which is known to the State of California to cause cancer and ethylene glycol which is known to the State of California to cause birth defects or other reproductive harm.

Canadian Regulatory Information

All ingredients in this product are listed in the Domestic Substances List (DSL)
This product has been classified in accordance with Canada's *Hazardous Products Regulations*.

16. OTHER INFORMATION

Hazardous Materials Information System (HMIS III) Ratings (Legend):	<u>Health</u> 1 (slight hazard)	<u>Flammability</u> 1 (slight hazard)	<u>Physical Hazard</u> 0 (minimal hazard)	<u>PPE</u> See Note
---	---------------------------------------	---	---	------------------------

Note regarding PPE: OMG Building Products LLC recommends use of protective eyewear and skin protection (Personal Protection Index "B") as standard PPE for the anticipated conditions of use of this product. However, HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes should be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

National Fire Protection Association (NFPA) Ratings:	<u>Health</u> 1	<u>Flammability</u> 1	<u>Reactivity</u> 0
--	--------------------	--------------------------	------------------------

Abbreviations: None

Revision Information: Publication Date: 5 Mar 2026

Section(s) Revised: All sections. Updated SDS to align with HazCom 2024.

Date of Prior SDS: 19 Feb 2021

DISCLAIMER

Our products and the information contained herein are supplied on the condition that the persons receiving same will make their own determination as to suitability for their purposes prior to use. In no event will OMG Building Products LLC be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information from this sheet or the products to which the information refers. OMG Building Products LLC does not warrant the accuracy or timeliness of the information in this sheet and has no liability for any errors or omissions in these materials. **The information contained in this SDS was provided by a third party to OMG Building Products LLC.**

THIS SHEET IS PROVIDED ON AN "AS IS" BASIS. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION PROVIDED OR THE PRODUCTS TO WHICH THE INFORMATION REFERS.