



# SAFE USE INSTRUCTION SHEET

Creation Date 01-Jun-2015

Revision Date 19-Mar-2021

Version 4

## 0. General Information

This Safe Use Instruction Sheet is the document provided by Owens Corning to communicate recommended safe handling and use instructions for manufactured articles neither regulated by OSHA Hazard Communication Standard, 29 CFR 1910.1200 nor by the Canada Hazardous Products Regulation SOR/2015-17 (WHMIS 2015)

## 1. IDENTIFICATION

<b>Product Name</b>	Fiberglass Insulation Made with PureFiber® Technology Faced Products
<b>Synonyms</b>	Acoustical Backing Board, Attic Door Insulator, Attic Hatch Insulator, Basement Blanket, R-13 Basement Finishing System™, Batts in Bags, Cathedral Batt Insulation, Cavity Wall, Certified R, EcoTouch®, Extended Flange 25, Flame Spread 25 Hi-Perm Residential/Commercial Insulation, Insulation Batts & Rolls, Insulation for Flexible Duct, Manufactured Housing Insulation, MBI Plus, Metal Building Insulation, Metal Building Utility Blanket, Metal Framing Batts, Metal Framing Insulation, NOISE Stop Blanket, PINK® Insulation, PROPINK® Fast Batt®, QuietZone® Acoustic Batt, Sonobatts®, Aislhogar, Aislacoustic™, Deco SKY™, RA Series Insulation, UtiliCore® HP5, PINK Next Gen™ Fiberglas™ Insulation
<b>Product code</b>	OCIS00021
<b>Recommended Use</b>	Insulation
<b>Manufacturer Address</b>	Owens Corning Insulating Systems, LLC One Owens Corning Parkway Toledo, Ohio 43659
<b>Company Phone Number</b>	1-800-GET-PINK or 1-800-438-7465
<b>E-mail address</b>	safetydatasheet@owenscorning.com
<b>Company Website</b>	<a href="http://owenscorning.com/">http://owenscorning.com/</a>

## 2. HAZARDS IDENTIFICATION

**Regulatory Status** This product is considered an article. 29 CFR 1910.1200(c) definition of an article is as follows: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees

Manufactured articles which meet the definition of the Canadian Hazardous Products Act (any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product) are not regulated by the Canadian Hazardous Products Regulation SOR/2015-17

**Other Information** May cause temporary skin and mucous membranes itching due to the mechanical abrasion

effect of fibers

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is considered as an article. No hazardous components are included in this product.

### 4. FIRST AID MEASURES

#### Description of First Aid Measures

- |                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | <ul style="list-style-type: none"><li>• Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes</li><li>• DO NOT rub or scratch eyes</li><li>• If eye irritation persists: Get medical advice/attention</li><li>• Rinse thoroughly with plenty of water, also under the eyelids</li><li>• If symptoms persist, call a physician</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Skin contact</b> | <ul style="list-style-type: none"><li>• Wash off immediately with soap and plenty of cold water</li><li>• DO NOT use warm water because this will open up the pores of the skin, which will cause further penetration of fibers and dust</li><li>• Use a wash cloth to help remove fibers and dust</li><li>• DO NOT rub or scratch affected area</li><li>• Remove contaminated clothing and shoes</li><li>• If skin irritation persists, call a physician</li><li>• If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin</li><li>• Never use compressed air to remove fibers from skin</li><li>• Wash off immediately with plenty of water</li></ul> |
| <b>Inhalation</b>   | <ul style="list-style-type: none"><li>• Remove to fresh air</li><li>• If symptoms persist, call a physician</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Ingestion</b>    | <ul style="list-style-type: none"><li>• Accidental ingestion of this product is unlikely</li><li>• Rinse mouth with water and drink water to remove fibers from the throat</li><li>• If this does occur watch person for several days to make sure intestinal blockage does not occur</li><li>• If symptoms persist, call a physician</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                     |

### 5. FIRE-FIGHTING MEASURES

- |                                                              |                                                                                                                                                                                             |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>                          | <ul style="list-style-type: none"><li>• Use extinguishing measures that are appropriate to local circumstances and the surrounding environment</li></ul>                                    |
| <b>Protective equipment and precautions for firefighters</b> | <ul style="list-style-type: none"><li>• As in any fire, wear self-contained breathing apparatus (positive-pressure), MSHA/NIOSH (approved or equivalent) and full protective gear</li></ul> |

### 6. ACCIDENTAL RELEASE MEASURES

- |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions</b>    | <ul style="list-style-type: none"><li>• Avoid contact with eyes and skin</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Methods for cleaning up</b> | <ul style="list-style-type: none"><li>• Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination</li><li>• Avoid dry sweeping</li><li>• Pick up and transfer to properly labeled containers</li><li>• Use personal protective equipment as required</li><li>• Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry</li><li>• Take up mechanically, placing in appropriate containers for disposal</li></ul> |

- Avoid creating dust
- Clean contaminated surface thoroughly

## 7. HANDLING AND STORAGE

- Precautions for safe handling**
- Prevent and/or minimize dust formation
  - Do not breathe dust
  - Wear appropriate personal protective equipment in case of direct contact with the product
- Storage Conditions**
- Keep product in packaging until use to minimize potential dust generation
  - Product should be kept dry and undercover
- Incompatible materials**
- None known based on information supplied

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH REL
Fiberglass wool 65997-17-3	TWA: 1 fiber/cm <sup>3</sup> respirable fibers: length >5 µm, aspect ratio ≥3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m <sup>3</sup> inhalable particulate matter	-	-
Asphalt, non-oxidized 8052-42-4	TWA: 0.5 mg/m <sup>3</sup> benzene-soluble aerosol fume, inhalable particulate matter	-	Ceiling: 5 mg/m <sup>3</sup> fume 15 min

NOTE: Asphalt is only used on Kraft faced material.

- Engineering Controls**
- Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits  
 Dust collection system must be used in transferring operations, cutting or other dust generating processes, such as using power tools  
 Vacuum or wet clean-up methods should be used

### Individual protection measures, such as personal protective equipment

- Eye/face protection**
- Wear safety glasses with side shields (or goggles)
- Skin and body protection**
- Wear protective gloves
  - Wear long-sleeved shirt and long pants
- Respiratory protection**
- When workers are facing airborne particulates/dust concentrations above the exposure limits, they must use an appropriate certified respirator
  - A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended

- General Hygiene Considerations**
- Wash hands before breaks and immediately after handling products
  - Remove and wash contaminated clothing before re-use

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Solid
<b>Appearance</b>	Fibrous
<b>Odor</b>	Sweet Organic
<b>Color</b>	Pink
<b>Water solubility</b>	Insoluble in water

**10. STABILITY AND REACTIVITY**

**Possibility of Hazardous Reactions** • None under normal processing conditions

**Hazardous Decomposition Products** • None known based on information supplied

**11. TOXICOLOGICAL INFORMATION**

**Product Information** Fiberglass wool may cause temporary skin and mucous membranes itching due to mechanical abrasion effect of fibers

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen

**IARC (International Agency for Research on Cancer)** In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3, "not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development of respiratory disease

**NTP (National Toxicology Program)** In June 2011, The National Toxicology Program (NTP) removed biosoluble glass wool fibers from its list of possible carcinogens used for home and building insulation

**12. ECOLOGICAL INFORMATION**

This product is not expected to be hazardous for the environment

**13. DISPOSAL CONSIDERATIONS**

Disposal should be in accordance with applicable regional, national and local laws and regulations

**14. TRANSPORT INFORMATION**

These products are not classified as dangerous goods according to international transport regulations

**15. REGULATORY INFORMATION**

**International Inventories** This product is classified as an article. Articles are exempted from registration or listing under chemicals inventories like TSCA (USA), DSL/NDL (CAN), REACH (EU), ENCS (JP), IECSC (CN), KECL (KR), PICCS (PH), AICS (AUS)



**Warning**  
**California Proposition 65**

This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
NOTE: This warning only applies to Kraft faced material with an asphalt adhesive.

Chemical name	California Proposition 65
Bitumen, extracts of steam-refined and air refined NA	Yes

---

**16. OTHER INFORMATION**

**Creation Date** 01-Jun-2015  
**Revision Date** 19-Mar-2021  
**Revision Note** Sections updated 1, 3, 8,

**Disclaimer**

The information provided in this Safe User Instruction Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safe Use Instruction Sheet**