









Supreme[®] Shingles

Our three-tab shingles offer everything you need in a great roof—curb appeal, weather resistance, solid value and durability. In addition to a 60-MPH Wind Resistance Limited Warranty^{*} and Class A UL Fire Rating—the industry's highest—Supreme^{*} shingles have a 25-Year Limited Warranty^{*}

Visit owenscorning.com/roofing to learn more.

- 25-Year Limited Warranty*
- 60-MPH Wind Resistance Limited Warranty*

0

Class A UL Fire Rating



Supreme® Shingle Colors



Autumn Brown⁺



Desert Tan[†]



Onyx Black⁺



Aspen Gray⁺



Brownwood⁺



Estate Gray[†]



Amber[†]



Shasta White[†]

COOL ROOF COLLECTION						
Owens Corning' COOL Roof Shingles	Meets ENERGY STAR' Requirements	CRRC Product ID	Warranty Length	Solar Reflectance	Thermal Emittance	Solar Reflectance Index (SRI)
Supreme® Amber		0890-0014	25 Years	0.22◊	0.9200	22††
Supreme® Aspen Gray		0890-0010	25 Years	0.20	0.92	20
Supreme® Shasta White	- 40 mm (1-1) (5000 1-500	0890-0001	25 Years	0.29	0.92	31

ENERGY STAR[®] IS FOR ROOFS TOO




Similar to the energy-efficient appliances in your home, roofing products can help provide energy-saving qualities. Owens Corning[®] ENERGY STAR[®] qualified shingles can help reduce your heating and cooling bills when installed properly. These shingles reflect solar energy, helping to decrease the amount of heat transferred to a home's interior — and the amount of air conditioning needed to keep it comfortable. Actual savings will vary based on geographic location and individual building characteristics.

Call 1-800-GET-PINK® or 1-888-STAR-YES for more information.

Owens Corning[®] COOL Roof Collection



In a premium offering of Supreme[®] Shingles, there are COOL Roof Collection colors that are specially designed to reflect the sun's rays, helping to make your home more comfortable and energy efficient.



Source: Cool Roof Rating Council(http://www.coolroofs.org)

Cool Roof Requirements in California and Other Compliance Programs

Additional Features of COOL ROOF COLLECTION colors:

- Meet the prescriptive Cool Roof requirements of California Title 24, Part 6
- Are Cool Roof Rating Council (CRRC) rated
- Meet City of Los Angeles Cool Roof requirements
- Meet Property Assessed Clean Energy (PACE) financing program requirements
- May help lower household energy consumption by keeping the roof cooler; also may help decrease CO₂ emissions





Product Attributes

Warranty Length*
25-Year Limited
Wind Resistance Limited Warranty*
60 MPH
TRU PROtection* Non-Prorated Limited Warranty* Period

5 Years

Supreme[®] Shingles Product Specifications

Size	13¼" x 39¾"
Application Exposure	5%"
Shingles per Bundle	Not less than 21
Average Shingle Count per 3 Bundles	65
Average Coverage per 3 Bundles	100 sq. ft.

Applicable Standards and Codes

ASTM D228

ASTM D228	
ASTM D3018 (Type 1)	_
ASTM D3161 (Class F Wind Resistance)	_
ASTM D3462	
ASTM D7158 (Class H Wind Resistance)	_
ASTM E108/UL 790 (Class A Fire Resistance)	_
ICC-ES AC438#	_
PRI ER 1378E01	_
Shasta White color meets ENERGY STAR* requirements for initial solar reflectance of 0.25 and 3-year aged solar	_

for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards; Title 24, Part 6 requirements; Rated by the Cool Roof Rating Council (CRRC).

- * See actual warranty for complete details, limitations and requirements.
- + Actual colors and granule blends may vary from the photo. We suggest that you view actual product on the roof to get a better idea of the finish color. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
- ++ SRI calculation based on calculated aged solar reflectance and initial thermal emittance. SRI is calculated using California Energy Commission SRI calculator worksheet and it is calculated in accordance with ASTM E1980.
- Aged solar reflectance calculated based on equation provided in California Energy Code (Title 24, Part 6).
- 00 Indicates initial thermal emittance.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

 Excludes non-Owens Corning^{*} roofing products such as flashing, fasteners, pipe boots and wood decking.

Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein.


TOTAL PROTECTION. TOTAL CONFIDENCE[®].

The most important part of the roof? All of them.



It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity

inside. The Owens Corning^{*} Total Protection Roofing System^{*} [^] gives your customers the assurance that all of their Owens Corning^{*} roofing components are working together to help increase the performance of the roof — and to enhance the comfort and enjoyment of those who live beneath it.





OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK[®] www.owenscorning.com/roofing

Pub. No. 10022488-A. Printed in U.S.A. October 2019. THE PINK PANTHER[™] & © 1964–2019 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2019 Owens Corning. All Rights Reserved.

(Compton)