



# VENTSURE® RIDGECAT®

Rolled Ridge Vent



**TOTAL PROTECTION. TOTAL CONFIDENCE.®**



**SEAL.**



**DEFEND.**



**BREATHE.**

## Designed for fast, easy installation.

Designed with the help of professional roofing contractors, the RidgeCat® Rolled Ridge Vent installs quickly and easily while providing long-lasting ventilation performance.

- Nylon entangled-net structure is more than 50% lighter than other rolled vent products
- 20-ft. roll lays flat when unrolled and flexes easily over the ridge
- Nail-gun-friendly, double-density compression edge adds strength and provides excellent holding power
- Clear markings provided for nailing and centering over the ridge
- No end plugs required



## Designed to work together.

VentSure® RidgeCat® Rolled Ridge Vent complements the VentSure® InFlow® Vent for a balanced system of intake and exhaust.

## Performance and durability — all rolled into one.



### Looks as great as it performs.

RidgeCat® provides durability, a high net free vent area (NFVA), and a clean, finished look to the roofline.

- Open-net structure for excellent ventilation performance.  
NFVA = 300 sq. in./roll (15 sq. in./LF)
- Breathable UV filter protects against wind-driven rain and helps prevent dust and insect infiltration
- 20-ft. rolls save time and limit roof deck penetrations
- Low-profile design and straight edge provide a sleek, finished appearance that is virtually invisible from the street



Low profile design

### Provides a lifetime of protection.

RidgeCat® carries a Limited Lifetime Warranty\* when installed with other Owens Corning® roofing products as part of the Total Protection Roofing System.®^

## A healthy roof starts with a well-ventilated attic.


A roof is made up of many components, all working together to provide strength and long-lasting protection. But in order for these components to protect against the weather outside, you need to ensure the proper conditions inside your attic.

### VentSure® Balanced Air Ventilation System.


The VentSure® Balanced Air Ventilation System features a variety of intake and exhaust solutions designed to control attic heat and humidity that can compromise the roof system. Best of all, as part of the Total Protection Roofing System,®^ all VentSure® intake and exhaust products are designed to work together to deliver quality and performance.

### The Benefits of Proper Ventilation:

- Allows outside air to flow through the attic, promoting a cooler, drier attic space
- May help prevent condensation and mold growth in the attic
- Provides year-round ventilation performance, which may reduce energy consumption



## Save time and limit roof deck penetrations.



One RidgeCat® 20-ft. roll delivers the same ventilation as six standard, off-ridge vents.

## Shipping Specifications

Name	Color	Material Code	Short Code	Unit	Rolls/Pallet	Pallets/Truckload	Rolls/Truckload
VentSure® RidgeCat® Roll Vent - 11"	Black	749455	RCAT11	1 Roll	36	52	1,872
VentSure® RidgeCat® Roll Vent - 11" w/nails**	Black	749559	RCAT11N	1 Roll	36	52	1,872
VentSure® RidgeCat® Roll Vent - 9"	Black	751790	RCAT9	1 Roll	45	52	2,340
VentSure® RidgeCat® Roll Vent - 7"	Black	751806	RCAT7	1 Roll	54	52	2,808

## Product Specifications

Nominal Width	11 in.	9 in.	7 in.
Nominal Weight	3.6 lbs.	2.8 lbs.	2.4 lbs.
Net Free Vent Area (NFVA)	300 sq. in. per roll; 15 sq. in. per lineal ft.		
Nominal Length	20 ft.		
Nominal Height	5/8 in.		
Base Material	Nylon 6		
Allowable Roof Pitch	2:12 to 18:12		

## Applicable Standards and Codes

ASTM E108/UL 790 (Class C Fire Resistance)

FBC — TAS100(A) Wind-Driven Rain up to 110 MPH<sup>†</sup>

Florida Product Approval<sup>†</sup>

ICC-ES AC132<sup>#</sup>

TDI Listed for Usage in Texas Coastal Regions<sup>†</sup>

PRI ER 1378E03



### Available Size

11 inch product is available in area shown in white.  
7 & 9 inch product is available in the shaded area.



# TOTAL PROTECTION SIMPLIFIED™



It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside. The Owens Corning® Total Protection Roofing System™ gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof — and to enhance the comfort and enjoyment of those who live beneath it.

### SEAL.

#### HELPS CREATE A WATER-PROOF BARRIER

SELF-ADHERED ICE & WATER BARRIER  
SYNTHETIC UNDERLAYMENT

### DEFEND.

#### HELPS PROTECT AGAINST NATURE'S ELEMENTS

STARTER SHINGLES  
LAMINATE SHINGLES  
HIP & RIDGE SHINGLES

### BREATHE.


#### FOR BALANCED ATTIC VENTILATION

INTAKE VENTS  
EXHAUST VENTS

### + COMFORT.

#### ADD COMFORT AND ENERGY PERFORMANCE

PINK® FIBERGLAS™ BLOWN-IN ATTIC INSULATION



OWENS CORNING ROOFING AND ASPHALT, LLC  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®  
www.owenscorning.com/roofing



Pub. No. 10020721-A. Printed in U.S.A. June 2021.  
THE PINK PANTHER™ & © 1964–2021 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.  
© 2021 Owens Corning. All Rights Reserved.

(All Plants)

\* See actual warranty for complete details, limitations and requirements.

† Available in 11 inch product only.

\*\* Available in certain regions.

# International Code Council Evaluation Services Acceptance Criteria for Attic Vents.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners and wood decking.