

6" J-Track for Fire Rated Cavity Shaftwall/Stairwell Assemblies

Non-load bearing J-Track is used with common shaftwall studs at floor and ceiling cavity, shaftwalls, vertical chases and area separation walls. The J-Track is manufactured with galvanized steel and features tabs that retain a 1" shaftliner. Offered in either a 2-1/4" or 3" leg. 2-1/2" leg is offered in both 25 and 20 gauge steel and 3" leg is offered in 20 gauge steel.

Product Data and Ordering Information

Material:25, 20 gauge, G40 galvanizedPart Number:600JPackaging:Depends on length, width, leg size and gauge

All Phillips products are made in the U.S.A.

ASTM and Code Standards

Phillips track meet or exceed the following ASTM standards:

- ASTM C1047 Standard Specification for Accessories for Gypsum Wallboard
- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
- ASTM C 1396 Standard Specification for Gypsum Board
- ASTM C 645 Standard Specification for Nonstructural Steel Framing Members
- ASTM E 72 Standard Test Methods of Conducting Strength Test of Panels for Building Construction
- SDS and other technical information available at www.phillipsmfg.com.

Leed Credits for Recycled Content

MR2 - The steel and vinyl used in Phillips Manufacturing products is 100% recyclable.

MR4 - Phillips Manufacturing steel and vinyl products have a minimum of:

Total recycled content:	30%
Post-consumer recycled content:	25%
Pre-consumer recycled content:	5%

Storage


Avoid bending or other damage and store in a dry place protected from moisture


Leed v4 for building and Design Construction

- MR Prerequisite: Construction and Demolition Waste Management Planning.
- MR Credit: Construction and Demolition Waste Management.
- MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials, Option2.

• MR Credit: Building Product Disclosure and Optimization Environmental Product Declaration, Options 1 & 2.

- MR Credit: Building Product Disclosure and Optimization Material Ingredients, Option 1.
- MR Credit: Building Life-Cycle Impact Reduction, Option 4





Drawing not to scale



