

Everlast[®] Metal Corner Bead (Hot-Dipped Galvanized)

Everlast[®] Metal Drywall Corner Beads 3-step hot-dipped galvanized products provide superior corrosion protection. This drywall finishing product is nailed, stapled, screwed or clinched into place. Flanges have deeply knurled mud anchors and etched surfaces for ease of joint compound adhesion and nail attachment.

Product Data and Ordering Information

Material:	.0.012 min thickness, minimum G40 galvanized
Dimensions:	1-1/4" leg x 1-1/4
Part Number:	CBR12HDG

Length	Pieces Per	Cartons Per	Feet Per	
_	Carton	Pallet	Carton	
7'	72	48	504	
8'	63	48	504	
9'	56	48	504	
10'	50	48	500	
12'	42	48	504	

All Phillips products are made in the U.S.A.

ASTM and Code Standards

All Phillips Everlast[®] Metal Corner Beads meet or exceed the following ASTM standards:

- ASTM C1047 Standard Specification for Accessories for Gypsum Wallboard*
- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process

SDS and other technical information available at www.phillipsmfg.com

Leed Credits for Recycled Content

MR2 - The steel and vinyl used in Phillips Manufacturing products is 100% recyclable.

MR4 – Phillips Manufacturing steel and vinyl products have a minimum of:

	0	,	
Total recycled co	ontent:		30%
Post-consumer r	ecycled con	itent:	25%
-			

Pre-consumer recycled content: 5%

Storage

Avoid bending or other damage and store in a dry place protected from moisture.

Leed v4 for building and Design Construction

- MR Prerequisite: Construction and Demolition Waste Management Planning.
- MR Credit: Construction and Demolition Waste Management.

• MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials, Option2.

• MR Credit: Building Product Disclosure and Optimization Environmental Product

- Declaration, Options 1 & 2.
- MR Credit: Building Product Disclosure and Optimization Material Ingredients, Option 1.
- MR Credit: Building Life-Cycle Impact Reduction, Option 4







