


U-Track for Fire Rated Cavity Shaftwall/Stairwell Assemblies

Non-load bearing U-Track is used at the top and bottom of vertical panels and H-Studs in area separation wall assemblies. U-Track is fastened at the floor and ceiling to support the H-Studs. This product has a 2' width.



Product Data and Ordering Information

Material: 25, 20 gauge, G40 galvanized
Part Number: 2U-25HDG

Length	Pieces Per Bundle	Bundles Per Pallet	Feet Per Bundle
10'	10	54	100

All Phillips products are made in the U.S.A.

ASTM and Code Standards

Phillips track meet or exceed the following ASTM standards:

- ASTM C1047 Standard Specification for Accessories for Gypsum Wallboard
- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
- ASTM C 1396 Standard Specification for Gypsum Board
- ASTM C 645 Standard Specification for Nonstructural Steel Framing Members
- ASTM E 72 Standard Test Methods of Conducting Strength Test of Panels for Building Construction
- ASTM E 90 Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions
- ASTM E 119 Standard Test Methods for Fire Tests of Building Construction and Materials
- ICC ES, Inc. Legacy Report ER-3579 and ER-4924 One and Two Hour Fire-Resistive Shaftwall/Stairwell/Partition Systems



Drawing not to scale

SDS and other technical information available at www.phillipsmfg.com.

Leed Credits for Recycled Content

MR2 – The steel and vinyl used in Phillips Manufacturing products is 100% recyclable.

MR4 – Phillips Manufacturing steel and vinyl products have a minimum of:

Total recycled content:	30%
Post-consumer recycled content:	25%
Pre-consumer recycled content:	5%

Storage

Avoid bending or other damage and store in a dry place protected from moisture

Leed v4 for building and Design Construction

- MR Prerequisite: Construction and Demolition Waste Management Planning.
- MR Credit: Construction and Demolition Waste Management.
- MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials, Option 2.
- MR Credit: Building Product Disclosure and Optimization Environmental Product Declaration, Options 1 & 2.
- MR Credit: Building Product Disclosure and Optimization Material Ingredients, Option 1.
- MR Credit: Building Life-Cycle Impact Reduction, Option 4