


# VINYL CORNER BEADS



PART NUMBER: CBRVYL


## VINYL CORNER BEAD

Phillips gripSTIK® corner bead provides a rigid protection for the exposed edges of wallboard. This easy-to-install 90° corner support can be nailed, stapled or installed with Phillips gripSTIK® multipurpose high-tack web-based spray adhesive (see page 20 for product details). Flanges feature many perforations and deeply knurled mud anchors for excellent joint compound adhesion. The entire product is specially textured to enhance paint and mud adhesion. The standard flange length for this product is 1-1/4".



## EXTRA WIDE VINYL CORNER BEAD

Phillips gripSTIK® extra wide corner bead provides rigid protection for the exposed edges of wallboard. This easy to install 90° corner support can be nailed, stapled or installed along with a high-tack multipurpose spray adhesive (try Phillips gripSTIK® multi-purpose high-tack, web-based spray adhesive). Flanges feature many perforations and deeply knurled mud anchors for excellent joint compound adhesion. The extra wide flange length of 1-7/8" is ideal for those times a longer flange is needed or desired. All Phillips gripSTIK® vinyl beads and trims work great for both drywall and interior veneer applications.




PART NUMBER: CBWVYL



PART NUMBER: CBSVYL


## SPLAY CORNER BEAD

Phillips gripSTIK® splay bead offers a flush fit on a variety of open angle applications exceeding 120°, making this a very versatile product. Easily install using standard industry practice with nails, staples or multipurpose high-tack web-based spray adhesive (see page 20 for product details). Flanges feature many perforations and deeply knurled mud anchors for excellent joint compound adhesion. The entire product is specially textured to enhance paint and mud adhesion. The standard flange length for this product is 1-1/4".



## MAX-Flex® ARCHWAY

Phillips gripSTIK® MAX-Flex® archway bead is designed for maximum flexibility as our unique design allows it to conform to almost any radius. Phillips unique MAX-Flex® cut features "Y" shaped slits on the notched flange allowing for superior flexibility without kinking. This product features many perforations, deeply knurled mud anchors and the entire product is specially textured which all greatly enhance paint and mud adhesion. The standard flange length for this product is 1-1/4". Phillips gripSTIK® multipurpose web-based spray adhesive eases installation (see page 20 for details).



PART NUMBER: CBAVYL

### SIZES AND PACKAGING


#### Corner Bead (Regular, Splay & Archway)


Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	50	50	400
9'	50	50	450
10'	50	50	500

#### Corner Bead (Extra Wide)

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	40	35	320
9'	40	35	360
10'	40	35	400

UPC labeling available upon request






PART NUMBER: MBLVYL


## 3/8" BULLNOSE (MINI)

Phillips gripSTIK® Bullnose (Mini) is great for accenting detail in niches, layers, outside corners, windows and other areas. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. Easily install Phillips Mini Bullnose products like regular corner bead; no special drywall preparation is needed. Mini Bullnose Splay and Mini MAX-Flex® Bullnose Archway are also available; see next page for details. See below for packaging information. Phillips gripSTIK® multipurpose web-based spray adhesive eases installation (see page 20 for details).



## 3/4" BULLNOSE

Phillips gripSTIK® bullnose corner beads create a smooth, rounded look to drywall corners and are easily installed using standard industry practice. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. Mini Bullnose Splay and Mini MAX-Flex® Bullnose Archway are also available; see next page for details. See below for packaging information. Phillips gripSTIK® multipurpose web-based spray adhesive eases installation (see page 20 for details).




PART NUMBER: BN3VYL



PART NUMBER: BN5VYL

## 1-1/2" BULLNOSE

Phillips gripSTIK® 1-1/2" bullnose corner beads provide a larger radius for a more pronounced smooth and modern look. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. Mini Bullnose Splay and Mini MAX-Flex® Bullnose Archway are also available; see next page for details. Phillips gripSTIK® multipurpose web-based spray adhesive eases installation (see page 20 for details).



### SIZES AND PACKAGING

#### 3/4" Bullnose (Regular, Splay & Archway)

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	35	50	280
9'	35	50	315
10'	35	50	350

#### 1-1/2" Bullnose (Regular, Splay & Archway)

8'	30	40	240
9'	30	40	270
10'	30	48	300

UPC labeling available upon request

### SIZES AND PACKAGING

#### Mini Bullnose (Regular & Splay)

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	35	50	280
9'	35	50	315
10'	35	50	350

#### Mini Bullnose Archway


8'	25	50	200
9'	25	50	225
10'	25	50	250

UPC labeling available upon request

# BULLNOSE VINYL CORNER BEADS

## BULLNOSE SPLAY

Phillips gripSTIK® bullnose splay corner beads create a smooth, rounded look to a variety of open angles exceeding 120°. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. This product is available in 1-1/2" (BS5VYL) radius, 3/4" (BS3VYL) radius and 3/8" (Mini) (MBSVYL) radius. See previous page for packaging information.




3/8" Bullnose Splay (Mini)

PART NUMBER: MBSVYL



3/4" Bullnose Splay

PART NUMBER: BS3VYL




1-1/2" Bullnose Splay

PART NUMBER: BS5VYL


## MAX-Flex® BULLNOSE ARCHWAY

Phillips gripSTIK® MAX-Flex® bullnose archway bead is designed for maximum flexibility allowing it to conform to almost any radius creating a round, elegant look. The 3/4" radius and 1-1/2" radius feature a straight-cut design for minimal fill-in. Mini Bullnose archway (3/8") allows for superior flexibility without kinking. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. This product is available in 1-1/2" (BA5VYL) radius, 3/4" (BA3VYL) radius and 3/8" (Mini) (MBAVYL) radius. See previous page for packaging information.



3/8" Bullnose Archway (Mini)

PART NUMBER: MBAVYL



3/4" Bullnose Archway

PART NUMBER: BA3VYL



1-1/2" Bullnose Archway

PART NUMBER: BA5VYL

Use gripSTIK® Multipurpose Web-based Spray Adhesive with Phillips Vinyl Beads & Trims for perfect adhesion. See page 20 for product details.





## 3/4" & 1-1/2" BULLNOSE KERF

Phillips gripSTIK® bullnose kerf has a unique shortened back flange allowing for easy insertion into grooved door jambs and window frames. Install using standard industry practice. This product is always a great fit and provides the smooth, round appearance associated with bullnose trims. Flanges feature many perforations, deeply knurled mud anchors, and the entire product is specially textured to greatly enhance paint and mud adhesion. Phillips offers vinyl bullnose kerf in both 3/4" (BK3VYL) and 1-1/2" (BK5VYL) radius for your convenience. The 1-1/2" radius provides a more pronounced round appearance adding a modern look to rooms.




3/4" Bullnose Kerf

PART NUMBER: BK3VYL



1-1/2" Bullnose Kerf

PART NUMBER: BK5VYL



Drawing not to scale

### SIZES AND PACKAGING

#### 3/4" Bullnose Kerf

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	35	50	280
9'	35	50	315
10'	35	50	350

#### 1-1/2" Bullnose Kerf

8'	30	40	240
9'	30	40	270
10'	30	48	300

UPC labeling available upon request



# 180FLEXKorner™ & EXPANSION JOINT

**"Engineered to Perform"**

## Phillips gripSTIK® Corner Beads:

- » Perforated flanges for excellent joint compound adhesion as the joint compound penetrates through the bead to the drywall to support long-lasting adhesion
- » Deeply knurled mud anchors on flanges enhance joint compound adhesion
- » Works great for both drywall and interior veneer applications



PART NUMBER: 180FLXVYL

### SIZES AND PACKAGING

#### 180FLEXKorner™

Width	Length	Rolls Per Carton	Cartons Per Case	Feet Per Case
2-1/2"	50'	1	10	500'


UPC labeling available upon request

## 180FLEXKorner™ INSIDE/OUTSIDE ROLLED VINYL

Phillips gripSTIK® 180FLEXKorner™ inside/outside rolled vinyl corner bead features a unique flexible angle design that is specially engineered to flex and hold virtually any degree of inside and outside corner without cracking. This durable and versatile product reduces call backs because it maintains shape when settlement occurs. Flanges feature many perforations and deeply knurled mud anchors to greatly enhance mud and paint adhesion. Available in 2-1/2" width and 50' rolls in an easy-to-carry carton.



**180FLEXKorner™**  
INSIDE/OUTSIDE ROLLED CORNER BEAD



PART NUMBER: 180FLXVYL-S

### SIZES AND PACKAGING


#### Inside Corner Adjustable

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	70	40	560
9'	70	40	630
10'	70	48	700

UPC labeling available upon request

## 180FLEXKorner™ INSIDE/OUTSIDE STICK

Phillips gripSTIK® 180FLEXKorner™ inside/outside vinyl corner bead has a unique flexible angle design that easily adjusts to any degree inside and outside corner. This extremely versatile product has been specially engineered to flex to virtually any degree inside or outside corner without cracking. Phillips offers 180FLEXKorner™ in sticks and also in 50' rolls in an easy-to-carry carton (180FLXVYL) for your convenience.




PART NUMBER: EZSVYL

### SIZES AND PACKAGING

#### E-Z Strip® Expansion Control Joint


Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
10'	25	48	250

UPC labeling available upon request



## E-Z Strip® EXPANSION CONTROL JOINT

Phillips gripSTIK® 093 E-Z Strip® expansion control joint is designed to relieve the stresses of contraction and expansion. The expansion control joint groove is protected by plastic tape that can be easily removed after the joint finishing material has dried, leaving a clean well-formed joint. Easily install this durable and impact resistant product using standard industry practice. The perforated and knurled flanges allow for faster drying and enhance mud adhesion. Can be used in exterior applications. E-Z Strip is UV protected.



## "Engineered to Perform"

### Phillips gripSTIK® Corner and Transition Caps:

- » Over 50 different corner and transition caps available
- » Works great with Phillips metal, vinyl or paper faced metal bullnose corner beads
- » U.S. Patents: RE34,547; D487,520; D487,156; D501,050 and D486,920

### 3/4" 3-WAY CORNER

Phillips gripSTIK® 3/4" 3-way corner is designed to easily finish three intersecting bullnose 90° outside corners. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1/2" (CAP345) and 1-1/2" (CAP387 - see below) radius. Packaging is 50 pieces per carton.



PART NUMBER: CAP387



PART NUMBER: CAP385

### 1-1/2" 3-WAY CORNER

Phillips gripSTIK® 1-1/2" 3-way corner is designed to easily finish three intersecting bullnose 90° outside corners. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1/2" (CAP345) and 3/4" (CAP385 - see above) radius. Packaging is 50 pieces per carton.

### 3/4" 3-WAY SPLAY CORNER

Phillips gripSTIK® 3/4" 3-way splay corner is designed to easily finish where two 90° outside 3/4" bullnose corners intersect with one outside bullnose splay corner. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 1-1/2" (CAP187 - see below) radius. Packaging is 50 pieces per carton.



PART NUMBER: CAP187



PART NUMBER: CAP135

### 1-1/2" 3-WAY SPLAY CORNER

Phillips gripSTIK® 1-1/2" 3-way off-angle corner is designed to easily finish where two 90° outside 1-1/2" bullnose corners intersect with one outside bullnose splay corner. This product eliminates the need for mitering and corner filling, saving time and reducing waste. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Perforated to enhance mud adhesion. Also available in 3/4" (CAP135 - see above) radius. Packaging is 50 pieces per carton.

# INSIDE CORNER AND TRANSITION CAPS

## 2-WAY CORNER

Phillips gripSTIK® 2-way corners are designed to easily finish two intersecting 90° outside bullnose corners. This product works great to cap corners of windows, closets, doorways, skylights and other areas. Corner caps eliminate the need for mitering and corner filling, saving time and reducing waste. Perforated to enhance mud adhesion. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Available in 1/2" (Mini) (CAP245), 3/4" (CAP285) and 1-1/2" (CAP287). Packaging is 50 pieces per carton.



1-1/2" 2-Way Corner

PART NUMBER: CAP287



3/4" 2-Way Corner

PART NUMBER: CAP285


## 2-WAY SPLAY CORNER

Phillips gripSTIK® 2-way splay corners are designed to easily finish where two splayed outside bullnose corners intersect at angles greater than 90° or open angles. This product works great to corner cap windows, closets, doorways, skylights and other areas. Corner caps eliminate the need for mitering and corner filling, saving time and reducing waste. Perforated to enhance mud adhesion. Alignment tabs make it easy to match with Phillips metal, vinyl or paper faced metal bullnose corner beads. Available in 3/4" (CAP235). Packaging is 50 pieces per carton.



3/4" 2-Way Splay Corner

PART NUMBER: CAP235



3/4" Transition Caps

PART NUMBER: SEE TEXT

Phillips gripSTIK® transition caps are designed to eliminate gaps between bullnose corner bead and baseboard or crown molding by transitioning bullnose corners to 90° corners. Phillips transition caps install quickly and easily using standard industry practice and can be used with Phillips metal, vinyl or paper faced corner beads. Perforated to enhance mud adhesion. Available in 3/4" Overlap Transition Cap (TRN790), 3/4" Transition Cap with Alignment Tab (TRN8590), 1-1/2" Overlap Transition Cap (TRN890) and 1-1/2" Transition Cap with Alignment Tab (TRN8790). Packaging is 50 pieces per carton.

## TRANSITION CAPS



1-1/2" Transition Caps

PART NUMBER: SEE TEXT

**DIDN'T FIND THE CORNER OR TRANSITION CAP YOU WERE SEEKING?**



CAP390



CAP190

**Phillips has over 50 different corner and transition caps available.**

Call your sales representative at 800.822.5055 for more information or visit [www.phillipsmfg.com](http://www.phillipsmfg.com) to see Phillips gripSTIK® 90° 3-way square corner cap (CAP390), 3-way splay corner cap (CAP190) and much more.




## J-TRIM


Phillips gripSTIK® J-Trim provides a finished edge at door and window openings along with other various wallboard intersections. This durable and impact resistant trim was designed with ease of installation in mind. J-Trim does not require any joint compound and can be nailed or slipped on. Install using standard industry practice. Phillips offers this product in 1/4" (JT2VYL), 3/8" (JT3VYL), 1/2" (JT5VYL), 5/8" (JT6VYL) and 3/4" (JT7VYL).



PART NUMBER: SEE TEXT




Drawing not to scale



PART NUMBER: SEE TEXT

## L-TRIM


Phillips gripSTIK® L-Trim provides a clean, sharp edge at door, window, ceiling and other terminations. Install using standard industry practice. The many perforations and raised shoulder enhance strong compound adhesion and provide for a flush finish. Its deeply knurled mud anchors and specially textured surface provide superior paint and mud adhesion. Phillips offers this product in 3/8" (LT3VYL), 1/2" (LT5VYL) and 5/8" (LT6VYL).




Drawing not to scale

## MAX-Flex® L-TRIM ARCHWAY

Phillips gripSTIK® MAX-Flex® L-Trim archway is designed for maximum flexibility, conforming to almost any radius. This product features "Y" shaped slits on the notched flange for superior flexibility without kinking. The entire product is specially textured to enhance paint and mud adhesion. This product works great to provide a clean edge at door, window, ceiling and other terminations. This product is available in 1/2" (LA5VYL) and 5/8" (LA6VYL) sizes.



PART NUMBER: SEE TEXT



Drawing not to scale

### SIZES AND PACKAGING

#### J-Trim (All Sizes)

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	50	40	400
9'	50	40	450
10'	50	48	500

#### L-Trim (All Sizes)

8'	80	40	640
9'	80	40	720
10'	80	48	800

UPC labeling available upon request

### SIZES AND PACKAGING

#### MAX-Flex® L-Trim Archway (All Sizes)

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	80	40	640
9'	80	40	720
10'	80	48	800

UPC labeling available upon request