




"Engineered to Perform"

Phillips kwikSTIK® Paper Faced Products:


- » Rust preventative fully galvanized coating to withstand elements and adverse drying conditions
- » No edge cracking
- » No nail pops
- » High strength proprietary paper prevents balling when sanding



PART NUMBER: PDW12EGBNC



P1 DELUXE SUPER WIDE (PDW)

Phillips kwikSTIK® P1 Deluxe Super Wide outside corner bead features wider flanges for more complete coverage when finishing 90° corners. This product meets ASTM standard C1047. No fasteners or nails are needed for installation.



P1 SUPER WIDE (PSW)


Phillips kwikSTIK® P1 Super Wide outside corner bead features wider flanges for more complete coverage. This product is essentially the same product as P1 Deluxe Super Wide except P1 Super Wide utilizes slightly lighter steel making it a more economical product. This slightly lighter steel complies with ASTM standard C1047 as well as all other applicable ASTM standard requirements.



PART NUMBER: PSW10EGB

P1 XW EL (PEW)

Phillips kwikSTIK® P1 XW EL outside corner bead can be used on 90° outside corners with any standard drywall thickness for a clean, professional finish. This product features at least 50% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. P1 XW EL is tape-on, meaning no fasteners or nails are needed for installation. Specially engineered paper provides superior mud and paint adhesion.



PART NUMBER: PEW14EGBNC

SIZES AND PACKAGING

PDW, PSW, PEW

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	50	56	400
9'	50	56	450
10'	50	56	500

UPC Labeling available upon request




TAPE-ON PAPER FACED CORNER BEADS



PART NUMBER: P1M14EGBNC

P1 MICRO BEAD (P1M)

Phillips kwikSTIK® P1 Micro Bead outside corner bead is manufactured with ease and speed of installation in mind. With its smaller bead and wider flanges, this product goes up fast and requires less mudding, saving both time and money. Phillips P1 Micro Bead features at least 50% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. No fasteners or nails are needed for installation. Top quality paper provides superior mud and paint adhesion.




Drawing not to scale



PART NUMBER: P1N14EGBNC

NO BEAD P1 X EL NB (P1N)

Phillips kwikSTIK® P1 X EL NB outside square corner bead is designed as an economical product as it features no bead meaning minimal joint compound is required for installation. Phillips P1 X EL NB features approximately 20% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. No fasteners or nails are needed for installation, and specially engineered paper provides superior mud and paint adhesion. See page 24 for No Bead Super Wide (PNB).




Drawing not to scale



PART NUMBER: PUL14EGBNC

P1W UNEVEN LEG (PUL)

Phillips P1W outside square corner bead features an uneven leg designed to finish 90° corners. This product features at least 50% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. No fasteners or nails are needed for installation, and specially engineered paper provides superior mud and paint adhesion.



Drawing not to scale

SIZES AND PACKAGING

P1M, P1N, PUL

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	50	56	400
9'	50	56	450
10'	50	56	500

UPC labeling available upon request

"Engineered to Perform"


Phillips kwikSTIK® Paper Faced Products:

- » No fasteners or nails needed for installation
- » Perforated to help drying and serve as mud anchors
- » Features approximately 30% more mud anchors per square inch than competitive products
- » Proprietary paper composition promoting high wet and tear strength




P1-OS SPLAY (PSS)

Phillips kwikSTIK® P1-OS outside splay corner bead is designed to finish open angle corners exceeding 120°. P1-OS features over 50% thicker steel than ASTM standard C1047 minimum requirement for a strong, durable corner. No fasteners or nails are needed for installation.



DELUXE BULLNOSE (PDT)

Phillips kwikSTIK® 3/4" Bullnose corner bead is an economical bead providing a round, smooth appearance to 90° outside corners. No fasteners or nails are needed for installation, and specially engineered paper provides superior mud and paint adhesion.



SIZES AND PACKAGING

PSS, PDT

Length	Pieces Per Carton	Cartons Per Pallet	Feet Per Carton
8'	50	56	400
9'	50	56	450
10'	50	56	500

UPC labeling available upon request

