

# HUSKY<sup>®</sup>

## FILM PRODUCTS

CONSTRUCTION FILM • AGRICULTURAL FILM • DROP CLOTHS  
PALLET COVERS • POLY TAPE • SHRINK FILM • PAINTER'S PLASTIC  
FLAME RETARDANT FILM • HUSKY<sup>®</sup> YELLOW GUARD<sup>®</sup> VAPOR BARRIER



**Poly-America**

# HUSKY® PLASTIC SHEETING

| PRODUCT CODE   | WIDTH X LENGTH | OPTIONS | SQ FT/ ROLL | WEIGHT/ ROLL | ROLLS/ PALLET | NET WT/ PALLET | PRODUCT CODE         | WIDTH X LENGTH | OPTIONS | SQ FT/ ROLL | WEIGHT/ ROLL | ROLLS/ PALLET | NET WT PALLET |
|----------------|----------------|---------|-------------|--------------|---------------|----------------|----------------------|----------------|---------|-------------|--------------|---------------|---------------|
| <b>.7 MIL</b>  |                |         |             |              |               |                | <b>4 MIL (CONT.)</b> |                |         |             |              |               |               |
| CF00709-0400   | 9' x 400'      | C       | 3600        | 12.0         | 99            | 1188           | CFFR0412             | 12' x 100'     | FR      | 1200        | 22.9         | 64            | 1466          |
| CF00712-400    | 12' x 400'     | C       | 4800        | 16.0         | 80            | 1280           | CF04123              | 12'4" x 100'   | C       | 1233        | 23.6         | 72            | 1699          |
| <b>1 MIL</b>   |                |         |             |              |               |                | CF0414               | 14' x 100'     | C       | 1400        | 26.8         | 48            | 1286          |
| CF0109-0400    | 9' x 400'      | C       | 3600        | 17.2         | 80            | 1376           | CF0514               | 14' x 300'     | W       | 4200        | 80.4         | 16            | 1286          |
| CF0112-0400    | 12' x 400'     | C       | 4800        | 22.9         | 64            | 1466           | CF0416               | 16' x 100'     | B,C     | 1600        | 30.6         | 48            | 1469          |
| <b>1.2 MIL</b> |                |         |             |              |               |                | CF04163              | 16' 4" x 100'  | C       | 1633        | 31.1         | 48            | 1493          |
| CFHK01220-200  | 20' x 200'     | C       | 4000        | 22.9         | 56            | 1282           | CF0420               | 20' x 100'     | B,C,W   | 2000        | 38.2         | 35            | 1337          |
| CF01216        | 16' x 100'     | C       | 1600        | 9.19         | 96            | 882            | CFFR0420             | 20' x 100'     | FR      | 2000        | 38.2         | 35            | 1337          |
| <b>1.5 MIL</b> |                |         |             |              |               |                | CF0424               | 24' x 100'     | B,C     | 2400        | 45.9         | 35            | 1607          |
| CF01516        | 16' x 100'     | C       | 1600        | 11.4         | 96            | 1094           | CF0428               | 28' x 100'     | C       | 2800        | 53.6         | 28            | 1501          |
| CFHK015083-200 | 8'4" x 200'    | C       | 1667        | 11.9         | 108           | 1285           | CF0428               | 28' x 100'     | W       | 2800        | 53.6         | 25            | 1340          |
| CF01512-200    | 12' x 200'     | C       | 2400        | 17.2         | 80            | 1376           | CF0432               | 32' x 100'     | B,C     | 3200        | 61.2         | 28            | 1714          |
| CF01520-200    | 20' x 200'     | C       | 4000        | 28.7         | 56            | 1607           | CF0440               | 40' x 100'     | B,C     | 4000        | 76.5         | 24            | 1836          |
| <b>2 MIL</b>   |                |         |             |              |               |                | <b>6 MIL</b>         |                |         |             |              |               |               |
| SW2050         | 4'2" x 200'    | C       | 833         | 7.97         | 96            | 765            | CF0610-50            | 10' x 50'      | B,C     | 500         | 14.3         | 99            | 1416          |
| CF02083-200    | 8'4" x 200'    | C       | 1667        | 15.9         | 96            | 1526           | CF0612-50            | 12' x 50'      | B,C     | 600         | 17.2         | 80            | 1376          |
| CF0212-200     | 12' x 200'     | C       | 2400        | 22.9         | 64            | 1466           | CF0616-50            | 16' x 50'      | B       | 800         | 22.9         | 56            | 1282          |
| CF0220-200     | 20' x 200'     | C       | 4000        | 38.2         | 35            | 1337           | CF0620-50            | 20' x 50'      | B,C     | 1000        | 28.7         | 56            | 1607          |
| <b>3 MIL</b>   |                |         |             |              |               |                | CF0606               | 6' x 100'      | B,C     | 600         | 17.2         | 56            | 963           |
| CF0320-50      | 20' x 50'      | C       | 1000        | 14.3         | 80            | 1144           | CF0608               | 8' x 100'      | B,C     | 800         | 22.9         | 56            | 1282          |
| CF0308         | 8' x 100'      | C       | 800         | 11.4         | 108           | 1231           | CF06083              | 8'4" x 100'    | C       | 833         | 23.9         | 56            | 1338          |
| CF03083        | 8'4" x 100'    | C       | 833         | 11.9         | 108           | 1285           | CF0609               | 9' x 100'      | C       | 900         | 25.8         | 56            | 1445          |
| CF0310         | 10' x 100'     | C       | 1000        | 14.3         | 99            | 1415           | CF06093              | 9' 4" X 100'   | C       | 933         | 26.7         | 56            | 1495          |
| CF0312         | 12' x 100'     | C       | 1200        | 17.2         | 80            | 1376           | CF0610               | 10' x 100'     | B,C     | 1000        | 28.7         | 56            | 1607          |
| CF0320         | 20' x 100'     | C       | 2000        | 28.7         | 42            | 1205           | CF06103              | 10' 4" x 100'  | C       | 1033        | 29.5         | 56            | 1652          |
| <b>4 MIL</b>   |                |         |             |              |               |                | CF0612               | 12' x 100'     | B,C     | 1200        | 34.4         | 49            | 1686          |
| CF0408-50      | 8' x 50'       | C       | 400         | 7.65         | 176           | 1346           | CFFR0612             | 12' x 100'     | FR      | 1200        | 34.4         | 49            | 1686          |
| CF0410-50      | 10' x 50'      | B,C     | 500         | 9.57         | 126           | 1206           | CF06123              | 12'3" x 100'   | C       | 1233        | 35.4         | 49            | 1734          |
| CF0412-50      | 12' x 50'      | C       | 600         | 11.4         | 72            | 821            | CF0614               | 14' x 100'     | B,C     | 1400        | 40.2         | 30            | 1206          |
| CF0416-50      | 16' x 50'      | C       | 800         | 15.3         | 96            | 1469           | CF0616               | 16' x 100'     | B,C     | 1600        | 45.9         | 30            | 1377          |
| CF0420-50      | 20' x 50'      | B,C     | 1000        | 19.1         | 80            | 1528           | CF0620               | 20' x 100'     | B,C,W   | 2000        | 57.4         | 30            | 1722          |
| SW403          | 3' x 100'      | C       | 300         | 5.74         | 96            | 551            | CFFR0620             | 20' x 100'     | FR      | 2000        | 57.4         | 30            | 1722          |
| CF0403         | 3' x 100'      | C       | 300         | 5.74         | 168           | 964            | CF0624               | 24' x 100'     | B,C     | 2400        | 68.9         | 30            | 2067          |
| SW404          | 4' x 100'      | C       | 400         | 7.65         | 96            | 734            | CF0628               | 28' x 100'     | B,C     | 2800        | 80.4         | 24            | 1930          |
| CF0404         | 4' x 100'      | B,C     | 400         | 7.65         | 168           | 1285           | CF0628               | 28' x 100'     | W       | 2800        | 80.4         | 16            | 1286          |
| CF0406         | 6' x 100'      | B,C     | 600         | 11.4         | 104           | 1186           | CF0632               | 32' x 100'     | B,C     | 3200        | 91.9         | 24            | 2206          |
| CF0408         | 8' x 100'      | B,C     | 800         | 15.3         | 96            | 1469           | CF0640               | 40' x 100'     | B,C     | 4000        | 114          | 20            | 2280          |
| CF04083        | 8'4" x 100'    | C       | 833         | 15.9         | 96            | 1526           | CF0640               | 40' x 100'     | W       | 4000        | 114          | 12            | 1368          |
| CFFR04083      | 8'4" x 100'    | FR      | 833         | 15.9         | 96            | 1526           | Flash-12             | 12" x 300'     | B       | 300         | 8.61         | 147           | 1084          |
| CF0409         | 9' x 100'      | C       | 900         | 17.2         | 80            | 1376           | Flash-18             | 18" x 300'     | B       | 450         | 12.9         | 104           | 1342          |
| CFFR04093      | 9'4" x 100'    | FR      | 933         | 17.8         | 80            | 1424           | <b>8 MIL</b>         |                |         |             |              |               |               |
| CF04093        | 9'4" x 100'    | C       | 933         | 17.8         | 80            | 1424           | CF0820               | 20' x 100'     | B,C     | 2000        | 76.5         | 20            | 1530          |
| CF0410         | 10' x 100'     | B,C     | 1000        | 19.1         | 80            | 1528           | <b>10 MIL</b>        |                |         |             |              |               |               |
| CF04103        | 10'4" x 100'   | C       | 1033        | 19.7         | 80            | 1576           | CF1020               | 20' x 100'     | B,C,W   | 2000        | 95.7         | 12            | 1148          |
| CF0412         | 12' x 100'     | B,C     | 1200        | 22.9         | 64            | 1466           | CFFR1020             | 20' x 100'     | FR      | 2000        | 95.7         | 12            | 1148          |

**Options:**

B Black Construction Film      FR Flame Retardant Film      SW Single-Wound Film (no folds)  
 C Clear Construction Film      W White Opaque Film

# HUSKY® YELLOW GUARD® VAPOR BARRIER • CONSUMER SHEETING ROLLS HIGH DENSITY PAINTER'S PLASTIC • DROP CLOTHS • MISC.

## CONSUMER SHEETING ROLLS

| PRODUCT CODE | OPT | SIZE       | MIL | ROLLS/ CASE | CASES/ PALLET | WEIGHT/ CASE | NET WT/ PALLET |
|--------------|-----|------------|-----|-------------|---------------|--------------|----------------|
| RS210-100    | C   | 10' x 100' | 2   | 1           | 126           | 9.57         | 1205           |
| RS3510-25    | B,C | 10' x 25'  | 3.5 | 6           | 80            | 25.13        | 2010           |
| 410-25       | B,C | 10' x 25'  | 4   | 12          | 40            | 57.3         | 2292           |
| RS420-25     | C   | 20' x 25'  | 4   | 4           | 18            | 38.29        | 804            |
| RS610-25     | B,C | 10' x 25'  | 6   | 4           | 18            | 31.2         | 561            |

## DROP CLOTHS

| PRODUCT CODE   | SIZE            | MIL | QUANTITY/ CASE | CASES/ PALLET | WEIGHT/ CASE | NET WT/ PALLET |
|----------------|-----------------|-----|----------------|---------------|--------------|----------------|
| DCHK-04        | 9' x 12'        | .4  | 48             | 80            | 9.88         | 790            |
| DCHK-04-6      | 9' x 12' (6PK)  | .4  | 8              | 80            | 9.88         | 790            |
| DCHK-07        | 9' x 12'        | .7  | 30             | 75            | 10.85        | 814            |
| DCHK-073       | 9' x 12' (3 pk) | .7  | 9              | 75            | 9.76         | 732            |
| RS0710-100     | 10' x 100'      | .7  | 4              | 80            | 13.4         | 1072           |
| DCHK-1         | 9' x 12'        | 1   | 24             | 80            | 12.3         | 984            |
| DCHK-1-3       | 9' x 12' (3PK)  | 1   | 8              | 80            | 12.3         | 984            |
| DCHK-2         | 9' x 12'        | 2   | 16             | 80            | 16.4         | 1312           |
| DCWM1020-1     | 10' x 20'       | 1   | 12             | 75            | 11.48        | 861            |
| DCHK09120-031H | 9' x 120'       | .31 | 6              | 80            | 9.82         | 786            |

## HUSKY® CONTRACTOR CLEAN UP BAGS

| PRODUCT CODE | GAL COUNT | COLOR | MIL | SIZE             | CASE/ PALLET | CASE WEIGHT | NET WT/ PALLET |
|--------------|-----------|-------|-----|------------------|--------------|-------------|----------------|
| HK42WC020B   | 42        | BLACK | 3   | 32.75" x 45.125" | 225          | 6.24        | 1404           |
| HK42WC032B   | 42        | BLACK | 3   | 32.75" x 45.125" | 63           | 9.99        | 629            |
| HK42WC050B   | 42        | BLACK | 3   | 32.75" x 45.125" | 30           | 15.6        | 468            |

## HUSKY® YELLOW GUARD® VAPOR BARRIER

[WWW.YELLOWGUARD.COM](http://WWW.YELLOWGUARD.COM)

Exceeds ASTM E 1745 Class A Standard

| PRODUCT CODE  | WIDTH X LENGTH | MIL | COLOR  | SQ FT/ ROLL | WEIGHT/ ROLL | ROLLS/ PALLET | NET WT/ PALLET |
|---------------|----------------|-----|--------|-------------|--------------|---------------|----------------|
| CFYG1014-210Y | 14' x 210'     | 10  | Yellow | 2940        | 142.4        | 20            | 2848           |
| CFYG1514-140Y | 14' x 140'     | 15  | Yellow | 1960        | 142.4        | 20            | 2848           |
| CFYG2014-105Y | 14' x 105'     | 20  | Yellow | 1470        | 142.4        | 20            | 2848           |

| PRODUCT CODE | DESCRIPTION      | SIZE      | MIL | COLOR | ROLLS/ CASE | WEIGHT/ CASE |
|--------------|------------------|-----------|-----|-------|-------------|--------------|
| PTYG-4180    | Poly Tape        | 4" x 180' | 9   | Red   | 12          | 29.7         |
| CLYG-6150    | Crete Lock® Tape | 6" x 150' | 30  | Red   | 8           | 92.6         |

## HIGH DENSITY PAINTER'S PLASTIC

| PRODUCT CODE | WIDTH X LENGTH | MIL  | SQ FT/ ROLL | WEIGHT/ ROLL | ROLLS/ PALLET | NET WT/ PALLET |
|--------------|----------------|------|-------------|--------------|---------------|----------------|
| 03509H       | 9' x 400'      | 0.31 | 3600        | 5.45         | 140           | 763            |
| 03512H       | 12' x 400'     | 0.31 | 4800        | 7.27         | 112           | 814            |
| 070100H      | 8'4" x 200'    | 0.70 | 1667        | 5.58         | 208           | 1161           |

## MISCELLANEOUS

| PRODUCT CODE | DESCRIPTION | SIZE      | MIL | ROLLS/ CASE | WEIGHT/ CASE | CASES/ PALLET | NET WT/ PALLET |
|--------------|-------------|-----------|-----|-------------|--------------|---------------|----------------|
| PT-236C      | Poly Tape   | 2" x 108' | 9.0 | 12/cs       | 12.0         | 96            | 1152           |

| PRODUCT CODE | DESCRIPTION     | SIZE      | MIL | QUANTITY/ ROLL | WEIGHT/ ROLL | ROLLS/ PALLET | NET WT/ PALLET |
|--------------|-----------------|-----------|-----|----------------|--------------|---------------|----------------|
| HWY4-55      | Trash Bag/Clear | 38" x 65" | 3   | 55             | 27.2         | 64            | 1740           |
| HWY6-55      | Trash Bag/Clear | 38" x 60" | 6   | 55             | 50.0         | 16            | 800            |



**Poly-America**

2000 W. Marshall Dr. • Grand Prairie, TX 75051 • 972-337-7654 • [www.poly-america.com](http://www.poly-america.com)

4605.10/23