




## HWH SLOTTED CONCRETE SCREW ANCHORS

Light-duty anchoring, electrical conduit, plumbing straps, door thresholds, door and window frames, machinery positioning, awning column hold-downs



Slotted HWH

### Product Specifications



High & Low Threads  
w/ Cutting Notches

Part #	Dia.	Length	TPI	Bulk Qty	Finish	Corrosion	Head	Washer Dia.	Drill Bit	Bit Size
HC3114	3/16	1-1/4	16	6M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5312	5/32 x 3-1/2
HC3134	3/16	1-3/4	16	4M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5312	5/32 x 3-1/2
HC3214	3/16	2-1/4	16	3M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5412	5/32 x 4-1/2
HC3234	3/16	2-3/4	16	3M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5412	5/32 x 4-1/2
HC3314	3/16	3-1/4	16	2M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5512	5/32 x 5-1/2
HC3334	3/16	3-3/4	16	1.5M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5512	5/32 x 5-1/2
HC3400	3/16	4	16	1M	PGP	1000 hr. min. B-117	1/4" A/F	9.40-9.91mm	MB5512	5/32 x 5-1/2
HC4114	1/4	1-1/4	14	3M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3312	3/16 x 3-1/2
HC4134	1/4	1-3/4	14	2M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3312	3/16 x 3-1/2
HC4214	1/4	2-1/4	14	2M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3412	3/16 x 4-1/2
HC4234	1/4	2-3/4	14	2M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3412	3/16 x 4-1/2
HC4314	1/4	3-1/4	14	1M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3512	3/16 x 5-1/2
HC4400	1/4	4	14	1M	PGP	1000 hr. min. B-117	5/16" A/F	11.18-11.68mm	MB3512	3/16 x 5-1/2


**Pro-Twist Concrete Anchors are approved by Miami-Dade County Florida Product Control  
NOA # 12-0809.02**

PrimeGuard Plus		
Corrosion Resistance	Applied Via	Guarantee
1000 hr. min. B-117 12 Cycles Kesternich*	Multi-Step Proprietary Process	Lifetime

\*Kesternich is an acid test protocol meeting DIN 50018, ASTM G-87

Concrete Screw Anchor Ultimate Connection Value Chart			
Dia.	Pull-Out Plywood (Tension) Lbs	Shear (Lbs)	Minimum Torsional Strength (Lb)
3/16	468	1022	88
1/4	521	1227	150

### Installation Example



#### Ultimate Value Chart

Wood - Screws driven 3/4" into the wood material, then pulled out the testing machine.

Note that all results were obtained in strict adherence to ASTM test protocol. These ultimate figures are offered only as a guide and are not guaranteed in any way by PrimeSource Building Products. A 3:1 safety ratio is recommended.

#### Installation Guidelines

0-2500rpm Screwgun with torque adjustment - Overdriving may result in fastener failure or stripout of the work surface

The fastener is fully seated when the head's bearing surface is flush with the material being attached.

**ALL PRIMESOURCE FASTENERS ARE MANUFACTURED IN AN ISO 9002 AND ISO 14001 CERTIFIED AND APPROVED FACTORY TO PRIMESOURCE PERFORMANCE SPECIFICATIONS AND PRINT DRAWINGS.**